



Behavior Assessment System for Children

Second Edition

Manual Supplement for the Clinical Report

**Cecil R. Reynolds, PhD
Randy W. Kamphaus, PhD**

PEARSON

 **PsychCorp**TM

Product Number 37764

Pearson Executive Office 5601 Green Valley Drive Bloomington, MN 55437

Copyright © 2010 NCS Pearson, Inc. All rights reserved. This supplement may be printed out by the user of the BASC-2 Clinical Report. Reproduction or transmission in any other form or by any other means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, may not be done without permission in writing from the copyright owner.

Pearson, the **PSI logo**, **PsychCorp**, **BASC**, and **Vineland** are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s). **DSM-IV** is a registered trademark of the American Psychiatric Association. **Behavior Rating Inventory of Executive Function** and **BRIEF** are registered trademarks of Psychological Assessment Resources.

Portions of this work were previously published.

Information from the *Diagnostic and Statistical Manual of Mental Disorders*, Fourth Edition, Text Revision adapted with permission of the American Psychiatric Association, 2010.

1 2 3 4 5 6 7 8 9 10 11 12 A B C D E

PEARSON

For orders and inquiries:

Pearson Clinical Assessment, 19500 Bulverde Road, San Antonio, TX 78259
800.627.7271 www.PsychCorp.com

Table of Contents

Chapter 1: Introduction	1
Features of the BASC–2 Clinical Report.....	1
Uses of the BASC–2 Clinical Report.....	2
Overview of the BASC–2 Clinical Report.....	2
Interpretation.....	3
Clinical Probability Index	3
EBD Probability Index	5
ADHD Probability Index	7
Functional Impairment Index	9
Chapter 2: Development of the Clinical Report Indexes and DSM–IV–TR Report Section	13
Development of the Clinical Probability Indexes and the Functional Impairment Index	13
Development of the Clinical Report Narrative.....	14
Development of the <i>DSM–IV–TR</i> Report Section.....	15
Chapter 3: Standardization, Reliability, and Validity	16
Standardization	16
Reliability	17
Internal Consistency	17
Test–Retest	21
Interrater	22
Validity	22
Correlations With Other BASC–2 Scales.....	23
Correlations With <i>Achenbach System of Empirically Based Assessment</i> (ASEBA) Forms	30
Correlations With <i>Conners' Rating Scales–Revised</i> Forms	37
Correlations With the <i>Vineland Adaptive Behavior Scales</i> , Second Edition (Vineland–II)	41
Correlations With the <i>Behavior Rating Inventory of Executive Function</i> (BRIEF).....	44
Correlations Between BASC–2 Forms.....	46
Clinical Group Comparisons	53
References	56
Appendix: Norms and Interpretive Tables for the Clinical Probability and Functional Impairment Indexes	57

List of Tables

Table 1.1	Clinical Probability Index Items for the TRS-P and PRS-P Forms	4
Table 1.2	EBD Probability Index Items for the TRS and PRS Child and Adolescent Forms	6
Table 1.3	ADHD Probability Index Items for the TRS and PRS Child and Adolescent Forms	8
Table 1.4	Functional Impairment Index Items for the TRS and PRS Forms	10
Table 1.5	Functional Impairment Index Items for the SRP Forms	12
Table 3.1	Skewness of Raw-Score Distributions, by Age Level (General Norm Samples)	16
Table 3.2	Coefficient Alpha Reliabilities of Indexes, by Sex and Norm Group, General Norm Samples	17
Table 3.3	Coefficient Alpha Reliabilities of Indexes, by Sex and Norm Group, Clinical Norm Samples	18
Table 3.4	<i>T</i> Score Standard Errors of Measurement of Indexes, by Sex and Norm Group, General Norm Samples	19
Table 3.5	<i>T</i> Score Standard Errors of Measurement of Indexes, by Sex and Norm Group, Clinical Norm Samples	20
Table 3.6	PRS and SRP: Coefficient Alpha Reliabilities of Indexes for the Spanish Forms, by Sex and Test Form	21
Table 3.7	Test-Retest Reliabilities of Indexes, by Form Level	21
Table 3.8	TRS: Interrater Reliabilities of Indexes, by Form Level	22
Table 3.9	PRS: Interrater Reliabilities of Indexes, by Form Level	22
Table 3.10	TRS: Intercorrelation of Indexes, Composites, and Scales, General Norm Samples	23
Table 3.11	TRS: Intercorrelation of Indexes, Composites, and Scales, Clinical Norm Samples	24
Table 3.12	PRS: Intercorrelation of Indexes, Composites, and Scales, General Norm Samples	25
Table 3.13	PRS: Intercorrelation of Indexes, Composites, and Scales, Clinical Norm Samples	26
Table 3.14	SRP: Intercorrelation of Indexes, Composites, and Scales, General Norm Samples	27
Table 3.15	SRP: Intercorrelation of Indexes, Composites, and Scales, Clinical Norm Samples	28
Table 3.16	PRS: Intercorrelation of Indexes, Composites, and Scales for the Spanish Forms, General Norm Samples	29
Table 3.17	SRP: Intercorrelation of Indexes, Composites, and Scales for the Spanish Forms, General Norm Samples	30
Table 3.18	TRS-P: Correlations With the <i>Achenbach System of Empirically Based Assessment</i> Caregiver- Teacher Report Form for Ages 1½–5	31
Table 3.19	TRS-C: Correlations With the <i>Achenbach System of Empirically Based Assessment</i> Teacher's Report Form for Ages 6–18	32
Table 3.20	TRS-A: Correlations With the <i>Achenbach System of Empirically Based Assessment</i> Teacher's Report Form for Ages 6–18	33

Table 3.21	PRS-P: Correlations With the <i>Achenbach System of Empirically Based Assessment</i> Child Behavior Checklist for Ages 1½–5.....	34
Table 3.22	PRS-C: Correlations With the <i>Achenbach System of Empirically Based Assessment</i> Child Behavior Checklist for Ages 6–18.....	35
Table 3.23	PRS-A: Correlations With the <i>Achenbach System of Empirically Based Assessment</i> Child Behavior Checklist for Ages 6–18.....	36
Table 3.24	SRP-A: Correlations With the <i>Achenbach System of Empirically Based Assessment</i> Youth Self-Report	37
Table 3.25	TRS-C: Correlations With the Conners' Teacher Rating Scale—Revised	38
Table 3.26	TRS-A: Correlations With the Conners' Teacher Rating Scale—Revised	38
Table 3.27	PRS-C: Correlations With the Conners' Parent Rating Scale—Revised.....	39
Table 3.28	PRS-A: Correlations With the Conners' Parent Rating Scale—Revised.....	40
Table 3.29	SRP-A: Correlations With the Conners–Wells' Adolescent Self-Report Scale.....	40
Table 3.30	TRS-P: Correlations With the Vineland-II Teacher Rating Form.....	41
Table 3.31	TRS-C: Correlations With the Vineland-II Teacher Rating Form	41
Table 3.32	TRS-A: Correlations With the Vineland-II Teacher Rating Form	42
Table 3.33	PRS-P: Correlations With the Vineland-II Survey Form	42
Table 3.34	PRS-C: Correlations With the Vineland-II Survey Form	43
Table 3.35	PRS-A: Correlations With the Vineland-II Survey Form	43
Table 3.36	PRS-C: Correlations With the <i>Behavior Rating Inventory of Executive Function</i> Parent Form.....	44
Table 3.37	PRS-A: Correlations With the <i>Behavior Rating Inventory of Executive Function</i> Parent Form.....	45
Table 3.38	Correlations Between Preschool Forms for TRS and PRS Clinical Indexes and Scales	46
Table 3.39	Correlations Between Child Forms for TRS and PRS Clinical Indexes and Scales	47
Table 3.40	Correlations Between Adolescent Forms for TRS and PRS Clinical Indexes and Scales	48
Table 3.41	Correlations Between Child Forms for TRS and SRP Clinical Indexes and Scales	49
Table 3.42	Correlations Between Adolescent Forms for TRS and SRP Clinical Indexes and Scales	50
Table 3.43	Correlations Between Child Forms for PRS and SRP Clinical Indexes and Scales	51
Table 3.44	Correlations Between Adolescent Forms for PRS and SRP Clinical Indexes and Scales.....	52
Table 3.45	Mean <i>T</i> Scores by Clinical Group.....	54
Table 3.46	Clinical Probability Index Mean Score Difference Between the Matched Clinical and Nonclinical Samples for the Item Development and Cross-Validation Samples	55

Chapter 1

Introduction

The *Behavior Assessment System for Children*, Second Edition (BASC™-2) Teacher Rating Scales (TRS), Parent Rating Scales (PRS), and Self-Report of Personality (SRP) are three of the most widely used tools for assessing behavioral and emotional problems in children and adolescents ages 2 ½ years through 21 years, in both school and clinical settings. This BASC-2 manual supplement describes the purpose, development, interpretation, and technical properties of the newly developed BASC-2 Clinical Report. Clinicians and practitioners interested in similar information for the BASC-2 TRS, PRS, and SRP should consult the BASC-2 Manual (Reynolds & Kamphaus, 2004).

Features of the BASC-2 Clinical Report

The BASC-2 Clinical Report provides a number of new features primarily designed for psychologists working in private practice, hospital, outpatient clinic, and/or mental health settings. Features for these users are offered on all levels of the TRS and PRS, and on the child and adolescent levels of the SRP. Each newly added feature is described below.

1. **New Clinical Probability Indexes**—Several new indexes have been developed to help clinicians identify children who are presenting with behavioral and emotional problems at levels that might warrant the consideration of a formal classification or diagnosis. These probability indexes were developed based on teacher and parent ratings of children and adolescents who have been identified with a known behavioral classification or syndrome. The preschool versions of the TRS and PRS offer a single Clinical Probability Index, while the child and adolescent versions of the TRS and PRS offer both an EBD Probability Index (EBD, or emotional-behavioral disturbance, is a classification used for special education purposes in schools) and an ADHD Probability Index (attention-deficit/hyperactivity disorder). In addition, a Functional Impairment Index, developed for the TRS, PRS, and SRP forms, provides an indication of the level of limitation (i.e., impairment) in participation or functioning experienced by a child or adolescent across a variety of contexts or personal, social, and academic situations. *T* scores are provided for each index for the General norm group and the Clinical norm groups (specifically, the All Clinical, 19- to 21-year-old, and ADHD clinical norm group samples).
2. **Enhanced Report Narrative**—In addition to the information currently provided in the BASC-2 ASSIST™ and ASSIST Plus software reports, the BASC-2 Clinical Report offers expanded descriptions of and interpretive recommendations for scores obtained on the BASC-2 validity scales, including the F Index, Consistency Index, V Index, and L Index. The clinical report also features a new Clinical Summary section that integrates information from those BASC-2 scales that are particularly relevant for clinical settings (e.g., Aggression, Hyperactivity, Depression) and provides a number of considerations important for making formal decisions, especially those related to clinical diagnoses.

3. Enhanced *Diagnostic and Statistical Manual of Mental Disorders*, Fourth Edition, Text Revision (*DSM-IV*[®]-TR; American Psychiatric Association, 2000) Section—The BASC-2 Clinical Report offers a comprehensive section linking behaviors assessed on the TRS, PRS, and SRP to corresponding *DSM-IV-TR* diagnostic considerations, including those for ADHD, Asperger's Disorder, Autistic Disorder, Conduct Disorder, Dysthymic Disorder, Generalized Anxiety Disorder, Major Depressive Disorder, Manic Episode, and Oppositional Defiant Disorder. In addition to establishing the behavioral links between these disorders and the behaviors rated on the BASC-2 forms, this section of the report can also be used as a tool for quickly identifying and easily recording other relevant behaviors and can serve as a worksheet to record all of the appropriate considerations for making a *DSM-IV-TR*-related classification or diagnosis.

Uses of the BASC-2 Clinical Report

The BASC-2 TRS, PRS, and SRP rating scales are designed for a wide variety of uses, including differential diagnosis of clinically relevant emotional and behavioral disorders, educational classification related to the presence of serious emotional disturbance for special education and related placement decisions (e.g., 504 programming, ADA accommodations), and program evaluation. The BASC-2 Clinical Report will likely be well suited for those clinicians working in a health or mental health setting and charged with determining the presence or absence of a clinical mental health or behavioral disorder. It is important to note that the information contained in the BASC-2 Clinical Report is not intended to make a particular diagnosis. Tests cannot diagnose; only trained clinicians are able to make such determinations. There are numerous factors that must be taken into consideration prior to arriving at a diagnosis, such as the individual's history and life context, the developmental appropriateness of the behavior, the accuracy of the informant's perception of the behavior, and any current impairments in social, occupational, or educational functioning. As a result, clinicians attempting to render a diagnosis should only use the BASC-2 Clinical Report in conjunction with other sources of information, such as careful history taking, clinical interviewing, and other assessment measures. Mental health diagnoses should always be provided at the discretion of a trained practitioner, who should use clinical judgment in arriving at any diagnostic conclusion. Thus, the information in the BASC-2 Clinical Report should only be interpreted by those individuals with appropriate training in relevant areas of professional psychology or psychiatry (e.g., clinical child and adolescent psychologists, pediatric psychologists, neuropsychologists, physicians) as well as other practitioners who are licensed in their jurisdiction of practice to provide *DSM-IV-TR* or similar diagnoses. The titles of these individuals will vary from jurisdiction to jurisdiction. Any attempt to list all specific titles of such persons would inevitably omit some and include others inappropriately since the qualifications required from one jurisdiction to another may differ substantially for the same title or license.

Overview of the BASC-2 Clinical Report

The BASC-2 Clinical Report provides a comprehensive review of the behavioral and emotional observations obtained from the TRS, PRS, and SRP forms. The information is organized into numerous sections, some of which may be omitted when generating a report for cases in which certain information is not necessary. Each report section is briefly described below.

1. Demographic Page and Profile—Contains the demographic information of the child or adolescent, along with information about the rater; also contains a graphical and table display of the clinical and adaptive scale scores.
2. Validity Index Summary—Presents a summary of the results of the F, V, L, and Consistency Validity indexes.
3. Extended Score Narrative—Provides a descriptive summary of the clinical, content, and adaptive scale scores along with behaviors typically associated with each scale.

4. Intervention Summary—Presents evidence-based interventions that can be used to help remediate the behavioral or emotional problems being experienced by the child or adolescent; this section is used in conjunction with the BASC–2 *Intervention Guide* (Vannest, Reynolds, & Kamphaus, 2008), which details the development and implementation of interventions carefully matched to the extant problems along with a review of the scientific literature supporting their applications.
5. Content Scale Profile—Provides a graphical and table display of the content scale scores.
6. Content Scale Score Narrative—Presents a descriptive summary of the content scale scores along with behaviors typically associated with each scale.
7. Clinical Index Profile—Presents a graphical summary of the Clinical Probability Index, EBD Probability Index, ADHD Probability Index, and Functional Impairment Index.
8. Clinical Summary—Integrates the results of scales particularly relevant to clinical settings, and provides considerations for making diagnostic or classification decisions.
9. *DSM–IV–TR* Diagnostic Considerations—Presents a link between behaviors rated on the BASC–2 TRS, PRS, or SRP forms with diagnostic criteria presented in the *DSM–IV–TR* for a variety of disorders.
10. Target Behaviors for Intervention—Provides a list of specific behaviors that are considered a priority for intervention and that might be particularly amenable to effective intervention.
11. Items by Scale—Provides a list of items sorted by scale along with corresponding responses.
12. Item Responses—Provides a summary of responses entered into the software; can be used to compare against a paper-and-pencil form to help prevent data-entry errors.

Interpretation

Detailed information on the interpretation of the BASC–2 TRS, PRS, and SRP clinical, adaptive, and content scales can be found in the BASC–2 Manual. Interpretation information on the Clinical Probability Index, EBD Probability Index, ADHD Probability Index, and Functional Impairment Index is provided below. In this application, *probability* is used to refer to the possibility that a score is indicative of a child or adolescent that might be classified into a general clinical, EBD, or ADHD group; it is not considered to be an estimate of the likelihood that a person has or does not have a clinical condition. Consistent with the clinical scales found on the TRS, PRS, and SRP, index *T* scores that fall within the range of 60 to 69 are considered At-Risk, while *T* scores 70 or above are considered Clinically Significant; such scores indicate a stronger possibility that a child or adolescent has behavioral problems that meet the level of a clinical classification. *T* scores less than 60 are considered to indicate a relatively low likelihood that a child or adolescent is exhibiting a pattern of problems similar to those who have been classified or diagnosed with a behavioral or emotional problem, or a relatively low likelihood that a child or adolescent is experiencing a significant level of functional impairment.

Clinical Probability Index

The Clinical Probability Index, available on the preschool level of the TRS and PRS, provides an overall indication of the similarity between the obtained behavioral ratings and the ratings of similarly aged children known to have a behavioral or emotional problem or classification. This index is based on items from a broad range of TRS and PRS scales across each of the composite scale groupings (see Table 1.1 for a list of items). A broad-based approach for item selection was chosen at the preschool level due to the difficulty differentiating between various disorders

among children in this age range. Children with elevated scores on this index are likely presenting with a variety of behavioral challenges that may include an inability to adjust well to change and pay attention, a propensity to do or say unusual things, problems with behavioral and/or emotional regulation, and difficulty maintaining appropriate social relationships.

Table 1.1

Clinical Probability Index Items for the TRS-P and PRS-P Forms

Item	Item Numbers	
	TRS-P	PRS-P
Acts as if other children are not there.	74	—
Acts out of control.	—	17
Acts strangely.	99	73
Adjusts well to changes in routine.	96	97
Begins conversations appropriately.	—	32
Cannot wait to take turn.	68	—
Disrupts the play of other children.	9	—
Has a short attention span.	—	6
Has poor self-control.	36	33
Has trouble making new friends.	20	—
Hits other children.	34	—
Is able to describe feelings accurately.	—	114
Is clear when telling about personal experiences.	—	105
Is easily distracted.	—	90
Is easily frustrated.	91	42
Is easily upset.	16	—
Is overly active.	93	83
Listens carefully.	28	34
Listens to directions.	—	80
Makes friends easily.	—	54
Needs too much supervision.	—	61
Pays attention.	100	62
Plays alone.	70	—
Politely asks for help.	63	88
Refuses to join group activities.	—	106
Responds appropriately when asked a question.	67	—
Says things that make no sense.	—	101
Seems out of touch with reality.	60	—
Shares toys or possessions with other children.	46	1
Shows feelings that do not fit the situation.	85	—
Speaks in short phrases that are hard to understand.	—	2

EBD Probability Index

The EBD Probability Index, available on the child and adolescent levels of the TRS and PRS, provides an indication of the similarity between the obtained behavioral ratings and the ratings of similarly aged children identified as having an emotional or behavioral disturbance or disability (a classification primarily given in educational settings when making educational placement decisions). This index consists of items primarily from the TRS and PRS Externalizing Problems and Adaptive Skills scales, as well as a number of items from the Attention Problems, Atypicality, Depression, and Withdrawal scales (see Table 1.2 for a list of items). Children who present with elevated scores on this index are likely exhibiting a variety of behaviors that are disruptive, unusual, or antisocial, resulting in strained relationships with both adults and peers. In addition, they may display a range of negative emotions including anger, pessimism, and sadness.

Table 1.2**EBD Probability Index Items for the TRS and PRS Child and Adolescent Forms**

Item	Item Numbers			
	TRS-C	PRS-C	TRS-A	PRS-A
Acts in a safe manner.	—	35	—	—
Acts out of control.	94	52	62	—
Acts strangely.	121	—	—	—
Adjusts well to changes in family plans.	—	78	—	—
Adjusts well to changes in plans.	—	—	—	18
Adjusts well to changes in routine.	—	—	—	31
Adjusts well to new teachers or caregivers.	—	65	—	1
Analyzes the nature of a problem before starting to solve it.	17	—	—	—
Argues when denied own way.	8	—	—	—
Babbles to self.	67	—	—	—
Bullies others.	—	—	—	—
Calls other children names.	—	104	—	—
Complains when asked to do things differently.	—	—	87	—
Congratulates others when good things happen to them.	—	31	—	—
Deceives others.	—	—	10	—
Defies teachers or caregivers (people in authority).	—	—	—	—
Disobeys.	28	—	94	—
Disrupts the schoolwork of other children.	—	—	118	—
Does strange things.	65	—	—	—
Gets into trouble.	—	157	24	—
Gets upset when plans are changed.	29	—	—	—
Has poor self-control.	—	—	—	45
Has trouble making new friends.	131	121	—	—
Hits other children.	—	26	—	—
Is a “self-starter.”	—	36	—	97
Is easily distracted from class work.	—	—	21	—
Is easily soothed when angry.	13	—	—	—
Is easily upset.	49	—	76	—
Is effective when presenting information to a group.	—	—	—	62
Is good at getting people to work together.	—	—	—	37
Is negative about things.	77	—	—	—
Is pessimistic.	105	—	—	—
Is sad.	—	114	—	—
Is usually chosen as a leader.	—	—	—	150
Lies to get out of trouble.	—	—	—	139
Lies.	112	—	80	—
Loses temper too easily.	36	90	—	—
Makes friends easily.	—	16	—	—
Offers help to other children.	—	85	—	126
Quickly joins group activities.	—	80	—	—
Recovers quickly after a setback.	—	14	—	—
Refuses to join group activities.	7	21	—	—
Responds appropriately when asked a question.	—	—	—	116
Says, “I want to kill myself.”	—	138	—	—
Seeks attention while doing schoolwork.	—	—	34	—
Seeks revenge on others.	—	—	—	—
Shares toys or possessions with other children.	—	1	—	—
Shows interest in others’ ideas.	—	149	—	84
Teases others.	—	—	50	—
Threatens to hurt others.	—	—	22	—
Tries to bring out the best in other people.	—	117	—	66
Uses foul language.	—	—	136	—
Works well under pressure.	30	—	—	67

Note. Precise wording of some items varies by level.

ADHD Probability Index

The ADHD Probability Index, available on the child and adolescent levels of the TRS and PRS, provides an indication of the similarity between the obtained behavioral ratings and the ratings of similarly aged children identified as having attention-deficit/hyperactivity disorder. In addition to items from the Hyperactivity and Attention Problems scales, this index also includes items from a variety of other scales (primarily the Adaptive Skills scales; see Table 1.3 for a list of items). Children who present with elevated scores on this index are likely experiencing problems that will adversely affect their academic performance, such as difficulty focusing or maintaining attention, inability to organize tasks effectively, difficulty making decisions, or difficulty moderating their own activity level.

Table 1.3

ADHD Probability Index Items for the TRS and PRS Child and Adolescent Forms

Item	Item Numbers			
	TRS-C	PRS-C	TRS-A	PRS-A
Acts confused.	79	—	—	—
Adjusts well to changes in routine.	57	—	—	—
Argues when denied own way.	—	—	—	64
Cannot wait to take turn.	—	6	—	—
Communicates clearly.	—	154	—	—
Complains about being teased.	—	—	53	—
Complains when asked to do things differently.	—	—	—	91
Fiddles with things while at meals.	—	70	—	—
Gives good suggestions for solving problems.	117	—	—	—
Has a short attention span.	5	9	49	—
Has difficulty explaining rules of games to others.	—	—	128	—
Has good study habits.	73	—	—	—
Has trouble getting information when needed.	50	—	16	—
Has trouble keeping up in class.	82	—	—	—
Has trouble making new friends.	—	—	126	—
Interrupts others when they are speaking.	—	102	99	80
Is clear when telling about personal experiences.	106	—	—	—
Is easily distracted from class work.	100	—	—	—
Is easily distracted.	61	73	92	136
Is good at getting people to work together.	86	—	—	—
Is nervous.	—	—	138	—
Is overly active.	—	84	—	—
Is unable to slow down.	—	20	—	—
Is unclear when presenting ideas.	—	81	—	—
Is usually chosen as a leader.	89	—	—	—
Is well organized.	91	—	74	—
Listens attentively.	72	—	—	—
Listens carefully.	—	—	—	106
Listens to directions.	128	—	—	65
Loses temper too easily.	—	—	—	100
Makes decisions easily.	58	—	60	77
Makes friends easily.	—	—	83	—
Needs help from others to get up on time.	—	—	—	63
Organizes chores or other tasks well.	—	39	—	93
Quickly joins group activities.	63	—	—	—
Recovers quickly after a setback.	85	—	—	—
Repeats one thought over and over.	—	55	—	—
Responds appropriately when asked a question.	3	—	—	—
Speaks in short phrases that are hard to understand.	—	66	—	—
Takes careful notes during lectures.	—	—	130	—
Tracks down information when needed.	78	—	—	—
Volunteers to help clean up around the house.	—	—	—	3
Works well under pressure.	—	—	88	—
Worries.	—	—	—	113

Note. Precise wording of some items varies by level.

Functional Impairment Index

The Functional Impairment Index, available on the preschool, child, and adolescent levels of the TRS and PRS, as well as the child and adolescent levels of the SRP, provides an indication of the level of difficulty a child has engaging in successful or appropriate behavior across a variety of situations including interactions with others, performing age-appropriate tasks, regulating mood, and performing school-related tasks. This index consists of items from a heterogeneous mix of other scales across each of the BASC-2 TRS, PRS, and SRP composite scales (see Tables 1.4 and 1.5 for a list of items). Children who present with elevated scores on this index are likely experiencing problems that adversely impact their ability to respond appropriately to everyday settings and situations.

Table 1.4

Functional Impairment Index Items for the TRS and PRS Forms

Item	Item Numbers					
	TRS-P	TRS-C	TRS-A	PRS-P	PRS-C	PRS-A
Accurately takes down messages.	—	—	—	—	140	2
Acts confused.	65	79	—	92	43	—
Acts in a safe manner.	—	—	—	—	35	33
Acts without thinking.	—	46	15	5	116	20
Answers telephone properly.	—	—	—	86	76	137
Attends to issues of personal safety.	—	—	—	—	99	123
Avoids competing with other children.	—	—	—	—	48	—
Avoids other children.	62	75	70	26	112	148
Bothers other children when they are working.	40	18	—	—	—	—
Cannot wait to take turn.	68	74	27	55	6	15
Changes moods quickly.	—	—	—	72	156	68
Clings to parent in strange surroundings.	—	—	—	110	—	—
Communicates clearly.	27	22	114	43	154	32
Complains about health.	39	6	56	38	91	69
Complains that lessons go too fast.	—	132	95	—	—	—
Congratulates others when good things happen to them.	58	32	33	19	31	36
Cries easily.	66	96	104	52	28	8
Deceives others.	—	98	10	—	79	119
Decides what clothing to wear without help.	—	—	—	39	—	—
Does not complete tests.	—	20	81	—	—	—
Fails to wash hands when needed.	—	—	—	95	—	—
Gets failing school grades.	—	110	67	—	—	—
Gets into trouble.	—	126	24	—	157	89
Gets sick.	57	139	42	10	94	115
Gets upset when plans are changed.	—	29	129	—	—	—
Has a short attention span.	3	5	49	6	9	35
Has difficulty explaining rules of games to others.	—	87	128	—	98	107
Has good study habits.	—	73	102	—	—	—
Has poor handwriting or printing.	—	48	39	—	—	—
Has poor self-control.	36	66	55	33	148	45
Has problems with mathematics.	—	138	137	—	—	—
Has reading problems.	—	76	123	—	—	—
Has spelling problems.	—	104	109	—	—	—
Has trouble eating with a fork.	—	—	—	123	—	—
Has trouble fastening buttons on clothing.	—	—	—	115	103	—
Has trouble following regular routines.	—	—	—	—	3	—
Has trouble getting information when needed.	—	50	16	—	145	146
Has trouble keeping up in class.	—	82	11	—	—	—
Has trouble making new friends.	20	131	126	9	121	134
Is able to describe feelings accurately.	64	31	100	114	108	86
Is clear when telling about personal experiences.	77	106	86	105	130	92
Is easily soothed when angry.	26	13	—	85	33	—
Is easily upset.	16	49	76	100	10	82
Is effective when presenting information to a group.	—	—	—	—	—	62
Is shy with adults.	45	—	—	82	153	—
Is shy with other children.	—	—	—	37	57	74
Is unclear when presenting ideas.	52	59	72	133	81	26
Is well organized.	—	91	74	—	—	—
Loses temper too easily.	79	36	41	77	90	100
Makes decisions easily.	—	58	60	—	132	77
Makes friends easily.	—	35	83	54	16	14
Misses school or daycare because of sickness.	14	—	—	13	—	—

Note. Precise wording of some items varies by level.

(Continued on next page)

Table 1.4

Functional Impairment Index Items for the TRS and PRS Forms (Continued)

Item	Item Numbers					
	TRS-P	TRS-C	TRS-A	PRS-P	PRS-C	PRS-A
Needs help bathing self.	—	—	—	102	—	—
Needs help from others to get up on time.	—	—	—	—	—	63
Needs help putting on clothes.	—	—	—	67	—	—
Needs help tying shoes.	—	—	—	59	—	—
Needs help using zippers.	—	—	—	87	—	—
Needs to be reminded to brush teeth.	—	—	—	130	131	81
Offers help to other children.	38	71	75	47	85	126
Organizes chores or other tasks well.	—	—	—	—	39	93
Pays attention.	100	33	120	62	17	5
Picks out clothes that match the weather.	—	—	—	—	—	141
Plays alone.	70	47	111	—	—	—
Prefers to be alone.	—	—	—	—	144	88
Provides full name when asked.	17	—	—	30	—	—
Provides home address when asked.	89	134	—	58	—	—
Provides own telephone number when asked.	42	115	—	15	34	—
Quickly joins group activities.	87	63	98	134	80	104
Readily starts up conversations with new people.	—	—	—	93	—	—
Refuses to join group activities.	12	7	96	106	21	44
Refuses to talk.	37	19	124	—	—	—
Repeats one activity over and over.	—	—	—	—	—	71
Responds appropriately when asked a question.	67	3	58	99	122	116
Says all letters of the alphabet when asked.	2	—	—	71	—	—
Says things that make no sense.	90	123	121	101	128	87
Says, "I get nervous during tests" or "Tests make me nervous."	—	25	110	—	—	58
Seems lonely.	—	12	7	—	124	98
Seems out of touch with reality.	60	51	23	—	75	131
Seems to take setbacks in stride.	21	113	17	—	—	—
Sets realistic goals.	—	—	—	—	67	111
Shows fear of strangers.	—	—	—	65	89	—
Speaks in short phrases that are hard to understand.	—	—	—	2	66	—
Tracks down information when needed.	—	78	44	—	113	56
Tries to do well in school.	—	—	18	—	—	—
Volunteers to help clean up around the house.	—	—	—	—	71	3
Will change direction to avoid having to greet someone.	—	—	—	—	25	—
Will speak up if the situation calls for it.	—	—	—	—	100	47
Worries about things that cannot be changed.	47	11	68	63	77	72
Worries.	8	137	54	76	5	113
Writes messages that are unclear or incorrect.	—	—	—	—	—	122

Note. Precise wording of some items varies by level.

Table 1.5**Functional Impairment Index Items for the SRP Forms**

Item	Item Numbers	
	SRP-C	SRP-A
I always do homework on time.	—	58
I am bothered by not getting enough sleep.	86	—
I am dependable.	126	76
I am disappointed with my grades.	81	90
I am good at things.	—	104
I am lonely.	79	105
I am someone you can rely on.	—	166
I can't seem to control what happens to me.	35	—
I do things over and over and can't stop.	—	152
I fail at things.	102	144
I feel like I want to quit school.	59	142
I feel sad.	74	111
I feel that nobody likes me.	125	103
I forget things.	66	83
I get nervous.	83	108
I get so nervous I can't breathe.	121	71
I give up when learning something new.	122	—
I have attention problems.	47	53
I have trouble paying attention to the teacher.	131	113
I have trouble paying attention to what I am doing.	94	143
I have trouble sitting still.	90	124
I have trouble sleeping the night before a big test.	—	162
I hear voices in my head that no one else can hear.	134	122
I just don't care anymore.	48	38
I often do things without thinking.	40	—
I often have headaches.	—	9
I quit easily.	—	150
I talk while other people are talking.	118	118
I used to be happier.	14	8
I worry a lot of the time.	—	41
My stomach gets upset more than most people's.	—	69
Nothing is fun anymore.	33	21
Often I feel sick in my stomach.	—	34
Other children don't like to be with me.	41	43
People tell me I should pay more attention.	9	5
People tell me that I am too noisy.	99	164
When I start talking, it is hard for me to stop.	—	168
When I take tests, I can't think.	53	114

Development of the Clinical Report Indexes and *DSM-IV-TR* Report Section

The clinical report for the BASC-2 TRS, PRS, and SRP contains newly developed index scores and a report narrative as well as an enhanced *DSM-IV-TR* section. The development of these indexes and report narrative is described below.

Development of the Clinical Probability Indexes and the Functional Impairment Index

Although the BASC-2 TRS, PRS, and SRP rating forms already contain a number of clinically useful and relevant scales and indexes, a development goal of the BASC-2 Clinical Report project was to provide an easy and efficient way to determine the comparative similarities between a child's ratings and the ratings of children known to have a behavioral or emotional problem. Such a comparison can be done using BASC-2 scale scores, but it involves a relatively complex synthesis of numerous pieces of information. To this end, several clinical probability indexes were developed for the BASC-2 Clinical Report using a multistep process. This process is detailed below.

- 1. Identification and selection of clinical groups.** Using the data collected during the BASC-2 standardization project (see the BASC-2 Manual for complete details about the project), children and adolescents who were indicated by parents as having an identified behavioral or emotional problem (e.g., ADHD, EBD, anxiety problems, depression) were selected for inclusion in a primary group referred to as the All Clinical group. For the child and adolescent levels of the TRS, PRS, and SRP, the primary group was also subdivided into more targeted groups of analysis that included an EBD group and an ADHD group. (At the preschool level, the primary group was not subdivided due to the inherent difficulties associated with differential diagnosis of children ages 2 to 5 years.) Limited sample sizes prohibited the further subdivision of groups. Prior to data analysis, for each BASC-2 form and level (e.g., TRS-C, PRS-A), about two-thirds of the cases were randomly assigned to the initial item-development sample and the remainder were assigned to the item-holdout (cross-validation) sample that was used during the validation stage of the project.
- 2. Selection of items for the clinical probability indexes that discriminate between clinical and nonclinical groups.** For each BASC-2 form and level, using the item-development samples, a series of analyses were performed to identify items that discriminated between clinical and nonclinical groups. Each BASC-2 item was correlated with membership in each of the three clinical groups. In addition, a t test was performed on each item using a sample of clinical and nonclinical children matched on the demographics of sex, age, race/ethnicity, region, and parent education level. Preliminary item selections were made based on a number of factors, including the magnitude of the correlations and t values, the pattern of results across clinical groups (with an emphasis on selecting items that showed markedly higher results for one group than the other groups), and in some cases clinical judgment regarding the importance of the item to the underlying behavioral or emotional problem. Items were assigned to only one clinical group index. These selections resulted in a list of approximately the top 30 performing items for each clinical group and for each BASC-2 form and level.

3. Development and evaluation of initial clinical probability indexes. The items selected during the previous step were used to form the initial clinical indexes. Coefficient alpha was computed to provide an overall estimate of the reliability for each index, and item-total correlations provided a measure of the contribution of each item to the overall index. In addition, sensitivity and specificity analyses were performed for each index, predicting membership in each clinical group (All Clinical, EBD, and ADHD). A number of considerations were made when reviewing these results. Sensitivity values of at least .50 and specificity values of at least .90 were used as initial benchmarks for acceptance. In addition, the pattern of results across indexes and clinical groups was reviewed. Clinical indexes were expected to show stronger sensitivity and specificity relative to their associated group than to the other groups. For the child and adolescent levels, it was apparent that the All Clinical Index was not able to discriminate between clinical groups, and the index was dropped from further consideration. Items that were originally assigned to the All Clinical Index were reevaluated for inclusion into either the EBD Index or ADHD Index, resulting in additional iterations of the analyses to complete the initial item-selection process.

4. Development of the Functional Impairment Index. Initial item selections for the Functional Impairment Index were based on a content review of items that reflected diminished or reduced functioning across a variety of areas. For the teacher and parent forms, items from scales such as Activities of Daily Living, Functional Communication, Learning Problems, and Withdrawal formed the initial core of the index, and items from other scales were included based on their content. After an initial index was created for each form and level, a series of analyses was performed to determine the psychometric properties of the index from each form and level; items were added or dropped based on their overall contribution to each index. A final review of the items was completed to ensure they were consistent with the original intent of the scale.

Development of the Clinical Report Narrative

The Clinical Summary section of the BASC–2 Clinical Report includes a narrative that is designed specifically for use in clinical settings. Developed by the authors and clinicians from the development team, the purpose of the clinical narrative is to provide diagnostic considerations by integrating those BASC–2 scales most closely related to prevalent childhood disorders (e.g., ADHD, anxiety). These scales include Hyperactivity, Aggression, Conduct Problems, Depression, Anxiety, Somatization, and Attention Problems, scales that are often associated with a wide variety of clinical diagnoses. In addition, consideration is given to a number of other BASC–2 scales that can influence both diagnosis and treatment planning, including Anger Control, Interpersonal Relations, Learning Problems, Locus of Control, Self-Esteem, Self-Reliance, Sense of Inadequacy, Social Skills, Social Stress, Study Skills, Withdrawal, Negative Emotionality, Developmental Social Disorders, and Mania.

The narrative section of the report also provides information regarding prevalence rates of the pattern of scale elevations based on the occurrence rates found in the BASC–2 general population normative samples (using the combined-sex norm groups). This information should be helpful for those clinicians interested in understanding how typical (or atypical) a pattern of scores is compared to what is found in the general population.

It is important to note that the intent of the Clinical Summary is not to provide a diagnosis; only mental health professionals with advanced training and credentials can determine diagnoses. However, for those professionals, the narrative can be used as a step in the overall diagnostic process.

Development of the *DSM-IV-TR* Report Section

The BASC-2 Clinical Report contains a *DSM-IV-TR* Diagnostic Considerations section that is based on the information contained in the *DSM-IV-TR* (adapted with the permission of the American Psychiatric Association, 2010) for a variety of behavioral or emotional conditions including ADHD, Asperger's Disorder, Autistic Disorder, Conduct Disorder, Dysthymic Disorder, Generalized Anxiety Disorder, Major Depressive Disorder, Manic Disorder, and Oppositional Defiant Disorder. The purpose of this section is to provide clinicians with an easy-to-use and efficient format for recording their review of the considerations needed to make a formal *DSM-IV-TR* classification or diagnosis. This section was developed based on a careful review of the criteria and considerations provided in the *DSM-IV-TR* for the aforementioned conditions. The authors and development team then conducted a comprehensive content review of the BASC-2 items to align items with corresponding symptoms from each *DSM-IV-TR* content area.

Standardization, Reliability, and Validity

This chapter presents detailed technical information about the reliability and validity of the clinical probability indexes provided in the BASC-2 Clinical Report. The information contained in this chapter replicates the analyses provided in the BASC-2 Manual and provides results for the newly developed indexes. This chapter focuses on summarizing the results of these analyses; readers who are interested in additional information about each of the topic areas or descriptions of the other testing instruments mentioned in this chapter should consult the BASC-2 Manual.

Standardization

The indexes provided in the BASC-2 Clinical Report use the same normative samples that are reported in the BASC-2 Manual with one exception: No norms are provided for the specific learning disability sample. Index T scores are based on a mean of 50 and standard deviation of 10. Skewness of the raw-score distributions for each index is provided in Table 3.1. As shown in the table, each index is positively skewed at generally a moderate to high level.

Table 3.1
**Skewness of Raw-Score Distributions, by Age Level
(General Norm Samples)**

	Ages	TRS	PRS	SRP
Clinical Probability Index	2–5	.83	.65	—
	6–11	—	—	—
	12–18	—	—	—
EBD Probability Index	2–5	—	—	—
	6–11	1.32	.66	—
	12–18	1.60	.25	—
ADHD Probability Index	2–5	—	—	—
	6–11	.24	.90	—
	12–18	.49	.51	—
Functional Impairment Index	2–5	.37	.45	—
	6–11 ^a	.67	.65	.77
	12–18	.66	.60	.73

^a8–11 for SRP

Reliability

A number of reliability estimates are provided below, including internal consistency, test-retest, and interrater (i.e., two different raters rating the same child). A brief summary is provided for each type.

Internal Consistency

Coefficient alpha reliability results for the English forms are provided in Tables 3.2 and 3.3 for the general and clinical norm groups, respectively. Reliabilities are similar across the general and clinical samples, and range from .81 to .96. Standard error values, which are parallel to the pattern of coefficient alpha results, are presented in Tables 3.4 and 3.5 for the general sample and clinical samples, respectively. Coefficient alpha reliability for the Spanish PRS and SRP forms are presented in Table 3.6, and range from .72 to .92 for the combined general sample norm groups.

Table 3.2

Coefficient Alpha Reliabilities of Indexes, by Sex and Norm Group, General Norm Samples

	Preschool						Child						Adolescent					
	Ages 2–3			Ages 4–5			Ages 6–7			Ages 8–11			Ages 12–14			Ages 15–18		
	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male
TRS																		
Clinical Probability Index	.91	.90	.91	.92	.91	.93	—	—	—	—	—	—	—	—	—	—	—	—
EBD Probability Index	—	—	—	—	—	—	.89	.87	.90	.91	.89	.91	.94	.91	.94	.91	.90	.91
ADHD Probability Index	—	—	—	—	—	—	.95	.95	.95	.96	.95	.96	.90	.87	.91	.87	.87	.86
Functional Impairment Index	.90	.90	.90	.92	.91	.92	.96	.95	.96	.96	.96	.96	.96	.95	.96	.95	.95	.95
Median	.91	.90	.91	.92	.91	.93	.95	.95	.95	.96	.95	.96	.94	.91	.94	.91	.90	.91
N	400	200	200	648	323	325	599	299	300	1,199	600	599	795	397	398	993	498	495
PRS																		
Clinical Probability Index	.90	.89	.91	.90	.88	.90	—	—	—	—	—	—	—	—	—	—	—	—
EBD Probability Index	—	—	—	—	—	—	.87	.87	.87	.89	.89	.88	.89	.88	.89	.89	.88	.90
ADHD Probability Index	—	—	—	—	—	—	.82	.81	.83	.84	.83	.84	.83	.80	.86	.81	.81	.81
Functional Impairment Index	.91	.91	.91	.89	.88	.90	.93	.93	.93	.94	.94	.93	.94	.94	.94	.93	.93	.93
Median	.91	.90	.91	.90	.88	.90	.87	.87	.87	.89	.89	.88	.89	.88	.89	.89	.88	.90
N	498	250	248	698	349	349	593	296	297	1,192	597	595	795	397	398	994	496	498
SRP																		
Functional Impairment Index	—	—	—	—	—	—	—	—	—	.88	.87	.88	.89	.89	.88	.86	.86	.86
N	—	—	—	—	—	—	—	—	—	1,495	747	748	894	449	445	1,000	500	500

Table 3.3

Coefficient Alpha Reliabilities of Indexes, by Sex and Norm Group, Clinical Norm Samples

	Preschool			Child						Adolescent						
	All Clinical			All Clinical			ADHD			All Clinical			ADHD			
	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined
TRS																
Clinical Probability Index	.93	.90	.93	—	—	—	—	—	—	—	—	—	—	—	—	
EBD Probability Index	—	—	—	.92	.92	.91	.91	.93	.89	.94	.92	.94	.93	.91	.94	.92
ADHD Probability Index	—	—	—	.94	.94	.94	.93	.94	.93	.88	.87	.87	.85	.84	.86	.86
Functional Impairment Index	.90	.90	.90	.95	.95	.95	.94	.95	.94	.95	.95	.95	.94	.94	.94	.93
Median	.92	.90	.92	.94	.94	.94	.93	.94	.93	.94	.92	.94	.93	.91	.94	.92
N	316	87	229	671	256	415	214	56	158	782	322	460	265	64	201	51
PRS																
Clinical Probability Index	.91	.90	.91	—	—	—	—	—	—	—	—	—	—	—	—	—
EBD Probability Index	—	—	—	.90	.89	.90	.89	.92	.88	.90	.89	.91	.89	.86	.89	.87
ADHD Probability Index	—	—	—	.85	.83	.85	.82	.85	.81	.85	.81	.85	.82	.81	.82	.81
Functional Impairment Index	.92	.90	.93	.94	.93	.94	.93	.94	.92	.94	.94	.95	.93	.93	.93	.93
Median	.92	.90	.92	.90	.89	.90	.89	.92	.88	.90	.89	.91	.89	.86	.89	.87
N	297	84	212	787	304	483	237	66	171	869	383	486	293	80	213	37
SRP																
Functional Impairment Index	—	—	—	.87	.88	.87	.89	.92	.88	.88	.90	.86	.87	.89	.87	.85
N	—	—	—	574	222	352	174	37	137	943	440	503	291	80	211	45

Table 3.4**T Score Standard Errors of Measurement of Indexes, by Sex and Norm Group, General Norm Samples**

	Preschool						Child						Adolescent					
	Ages 2–3			Ages 4–5			Ages 6–7			Ages 8–11			Ages 12–14			Ages 15–18		
	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male
TRS																		
Clinical Probability Index	3.0	3.2	3.0	2.8	3.0	2.6	—	—	—	—	—	—	—	—	—	—	—	—
EBD Probability Index	—	—	—	—	—	—	3.3	3.6	3.2	3.0	3.3	3.0	2.4	3.0	2.4	3.0	3.2	3.0
ADHD Probability Index	—	—	—	—	—	—	2.2	2.2	2.2	2.0	2.2	2.0	3.2	3.6	3.0	3.6	3.6	3.7
Functional Impairment Index	3.2	3.2	3.2	2.8	3.0	2.8	2.0	2.2	2.0	2.0	2.0	2.0	2.0	2.2	2.0	2.2	2.2	2.2
Median	3.1	3.2	3.1	2.8	3.0	2.7	2.2	2.2	2.2	2.0	2.2	2.0	2.4	3.0	2.4	3.0	3.2	3.0
N	400	200	200	648	323	325	599	299	300	1,199	600	599	795	397	398	993	498	495
PRS																		
Clinical Probability Index	3.2	3.3	3.0	3.2	3.5	3.2	—	—	—	—	—	—	—	—	—	—	—	—
EBD Probability Index	—	—	—	—	—	—	3.6	3.6	3.6	3.3	3.3	3.5	3.3	3.5	3.3	3.3	3.5	3.2
ADHD Probability Index	—	—	—	—	—	—	4.2	4.4	4.1	4.0	4.1	4.0	4.1	4.5	3.7	4.4	4.4	4.4
Functional Impairment Index	3.0	3.0	3.0	3.3	3.5	3.2	2.6	2.6	2.6	2.4	2.4	2.6	2.4	2.4	2.4	2.6	2.6	2.6
Median	3.1	3.2	3.0	3.3	3.5	3.2	3.6	3.6	3.6	3.3	3.3	3.5	3.3	3.5	3.3	3.3	3.5	3.2
N	498	250	248	698	349	349	593	296	297	1,192	597	595	795	397	398	994	496	498
SRP																		
Functional Impairment Index	—	—	—	—	—	—	—	—	—	3.5	3.6	3.5	3.3	3.3	3.5	3.7	3.7	3.7
N	—	—	—	—	—	—	—	—	—	1,495	747	748	894	449	445	1,000	500	500

Note. SEMs are based on the internal consistency reliabilities reported in Table 3.2.

Table 3.5**T Score Standard Errors of Measurement of Indexes, by Sex and Norm Group, Clinical Norm Samples**

	Preschool			Child						Adolescent						
	All Clinical			All Clinical			ADHD			All Clinical			ADHD			Ages 19–21
	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male	Combined
TRS																
Clinical Probability Index	2.6	3.2	2.6	—	—	—	—	—	—	—	—	—	—	—	—	
EBD Probability Index	—	—	—	2.8	2.8	3.0	3.0	2.6	3.3	2.4	2.8	2.4	2.6	3.0	2.4	2.8
ADHD Probability Index	—	—	—	2.4	2.4	2.4	2.6	2.4	2.6	3.5	3.6	3.6	3.9	4.0	3.7	3.7
Functional Impairment Index	3.2	3.2	3.2	2.2	2.2	2.2	2.4	2.2	2.4	2.2	2.2	2.2	2.4	2.4	2.4	2.6
Median	2.9	3.2	2.9	2.4	2.4	2.4	2.6	2.4	2.6	2.4	2.8	2.4	2.6	3.0	2.4	2.8
N	316	87	229	671	256	415	214	56	158	782	322	460	265	64	201	51
PRS																
Clinical Probability Index	3.0	3.2	3.0	—	—	—	—	—	—	—	—	—	—	—	—	—
EBD Probability Index	—	—	—	3.2	3.3	3.2	3.3	2.8	3.5	3.2	3.3	3.0	3.3	3.7	3.3	3.6
ADHD Probability Index	—	—	—	3.9	4.1	3.9	4.2	3.9	4.4	3.9	4.4	3.9	4.2	4.4	4.2	4.4
Functional Impairment Index	2.8	3.2	2.6	2.4	2.6	2.4	2.6	2.4	2.8	2.4	2.4	2.2	2.6	2.6	2.6	2.6
Median	2.9	3.2	2.8	3.2	3.3	3.2	3.3	2.8	3.5	3.2	3.3	3.0	3.3	3.7	3.3	3.6
N	297	84	212	787	304	483	237	66	171	869	383	486	293	80	213	37
SRP																
Functional Impairment Index	—	—	—	3.6	3.5	3.6	3.3	2.8	3.5	3.5	3.2	3.7	3.6	3.3	3.6	3.9
N	—	—	—	574	222	352	174	37	137	943	440	503	291	80	211	45

Note. SEMs are based on the internal consistency reliabilities reported in Table 3.3.

Table 3.6

PRS and SRP: Coefficient Alpha Reliabilities of Indexes for the Spanish Forms, by Sex and Test Form

	Preschool			Child			Adolescent		
	Ages 2–5			Ages 6–11 ^a			Ages 12–18		
	Combined	Female	Male	Combined	Female	Male	Combined	Female	Male
PRS									
Clinical Probability Index	.82	.80	.82	—	—	—	—	—	—
EBD Probability Index	—	—	—	.79	.80	.74	.76	.71	.79
ADHD Probability Index	—	—	—	.72	.76	.67	.79	.76	.81
Functional Impairment Index	.86	.82	.87	.88	.88	.87	.92	.91	.92
Median	.84	.81	.84	.79	.80	.74	.79	.76	.81
N	80	38	42	160	73	87	62	38	24
SRP									
Functional Impairment Index	—	—	—	.86	.82	.89	.87	.91	.81
N	—	—	—	45	20	25	34	13	21

^aAges 8–11 for SRP.**Test-Retest**

Test-retest reliability estimates are provided in Table 3.7. On average, the time between completion of rating forms is about 6 weeks (see the BASC-2 Manual for specific intervals for each BASC-2 form and level). Overall, correlation coefficients tended to be slightly higher for teacher ratings (ranging from .86 to .94) than parent or student ratings (ranging from .77 to .90), although all are within acceptable levels and are consistent with other BASC-2 scales.

Table 3.7

Test-Retest Reliabilities of Indexes, by Form Level

	Preschool				Child				Adolescent			
	Reliability		First Rating	Second Rating	Reliability		First Rating	Second Rating	Reliability		First Rating	Second Rating
	Raw	Adj ^a	Mean	SD	Raw	Adj ^a	Mean	SD	Raw	Adj ^a	Mean	SD
TRS												
Clinical Probability Index	.90	.86	53.0	12.0	52.5	11.8	—	—	—	—	—	—
EBD Probability Index	—	—	—	—	—	—	.94	.93	49.8	11.0	49.5	10.8
ADHD Probability Index	—	—	—	—	—	—	.91	.89	50.5	11.2	50.2	11.3
Functional Impairment Index	.90	.88	54.0	11.6	53.9	11.1	.93	.91	50.6	11.3	50.0	11.5
Median	.90	.87	53.5	11.8	53.2	11.5	.93	.91	50.5	11.2	50.1	11.3
N			69				82				88	
PRS												
Clinical Probability Index	.81	.81	51.5	10.2	51.8	9.3	—	—	—	—	—	—
EBD Probability Index	—	—	—	—	—	—	.89	.87	50.1	11.0	49.5	10.0
ADHD Probability Index	—	—	—	—	—	—	.88	.86	50.8	11.1	50.1	11.2
Functional Impairment Index	.86	.84	51.7	10.6	51.1	9.8	.91	.90	50.7	10.6	49.7	10.1
Median	.84	.83	51.6	10.4	51.5	9.5	.89	.87	50.7	11.0	49.7	10.1
N			87				79				88	
SRP												
Functional Impairment Index	—	—	—	—	—	—	.80	.81	50.8	9.7	49.7	9.9
N			—				113				107	

Note. All cases were scored using general norms.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the first testing, using the variability correction of Cohen et al. (2003, p.58).

Interrater

Interrater reliability estimates for the teacher forms are provided in Table 3.8 and range from .53 to .82; results for the parent forms are provided in Table 3.9 and range from .70 to .84. These results are consistent with other BASC-2 scales.

Table 3.8

TRS: Interrater Reliabilities of Indexes, by Form Level

	Preschool						Child						Adolescent					
	Reliability		Teacher 1 Rating		Teacher 2 Rating		Reliability		Teacher 1 Rating		Teacher 2 Rating		Reliability		Teacher 1 Rating		Teacher 2 Rating	
	Raw	Adj ^a	Mean	SD	Mean	SD	Raw	Adj ^a	Mean	SD	Mean	SD	Raw	Adj ^a	Mean	SD	Mean	SD
Clinical Probability Index	.79	.79	54.6	10.2	53.6	10.1	—	—	—	—	—	—	—	—	—	—	—	—
EBD Probability Index	—	—	—	—	—	—	.53	.53	50.3	10.0	48.4	10.1	.62	.60	51.1	10.8	51.0	9.7
ADHD Probability Index	—	—	—	—	—	—	.70	.65	49.3	11.5	47.2	9.3	.61	.64	51.0	9.2	52.7	9.9
Functional Impairment Index	.82	.82	54.1	9.9	53.2	10.3	.64	.62	49.7	10.4	46.8	9.7	.62	.61	51.5	10.3	52.9	10.4
Median	.80	.80	54.3	10.1	53.4	10.2	.64	.62	49.7	10.4	47.2	9.7	.62	.61	51.1	10.3	52.7	9.9
	N		74						38						58			

Note. All cases were scored using general norms.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the first rating, using the variability correction of Cohen et al. (2003, p.58).

Table 3.9

PRS: Interrater Reliabilities of Indexes, by Form Level

	Preschool						Child						Adolescent					
	Reliability		Rater 1		Rater 2		Reliability		Rater 1		Rater 2		Reliability		Rater 1		Rater 2	
	Raw	Adj ^a	Mean	SD	Mean	SD	Raw	Adj ^a	Mean	SD	Mean	SD	Raw	Adj ^a	Mean	SD	Mean	SD
Clinical Probability Index	.85	.81	52.9	11.8	53.4	10.6	—	—	—	—	—	—	—	—	—	—	—	—
EBD Probability Index	—	—	—	—	—	—	.79	.70	52.1	13.1	51.2	12.2	.86	.84	50.2	11.0	49.7	11.0
ADHD Probability Index	—	—	—	—	—	—	.79	.72	52.3	12.5	52.4	13.2	.81	.82	52.4	9.4	50.5	11.2
Functional Impairment Index	.88	.84	54.2	12.1	54.5	10.9	.82	.70	53.3	14.2	52.8	14.1	.88	.83	52.0	12.1	51.2	12.7
Median	.87	.82	53.5	11.9	53.9	10.7	.79	.70	52.3	13.1	52.4	13.2	.86	.83	52.0	11.0	50.6	11.2
	N		40						44						51			

Note. All cases were scored using general norms.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the first rating, using the variability correction of Cohen et al. (2003, p.58).

Validity

Consistent with the validity evidence provided in the BASC-2 Manual, the Clinical Probability Index, EBD Probability Index, ADHD Probability Index, and Functional Impairment Index have been compared to a number of other rating scales measuring behavioral and emotional functioning. A brief discussion of the results is provided below. For more detailed information about the behavioral and emotional rating scales used in these comparisons and the sample characteristics of each study, refer to chapters 12, 13, and 14 of the BASC-2 Manual.

Correlations With Other BASC-2 Scales

To better understand the relationship between each of the new indexes included in the BASC-2 Clinical Report and the existing BASC-2 scales, correlations between them have been provided in Tables 3.10 through 3.15 for the English forms and Tables 3.16 and 3.17 for the Spanish forms. Overall, correlations between the new indexes and existing BASC-2 scales are moderate to high and are influenced by items that are common among the new indexes and other BASC-2 scales. Correlations tend to be higher with global composite scales (i.e., the Behavioral Symptoms Index on the TRS and PRS, and the Emotional Symptoms Index on the SRP) and externalizing and adaptive scales. Patterns of correlations within the general sample are consistent with patterns within the clinical samples. In addition, on the parent and student forms, patterns of correlations found between the English and Spanish samples are also fairly consistent.

Table 3.10

TRS: Intercorrelation of Indexes, Composites, and Scales, General Norm Samples

	Preschool		Child			Adolescent		
	Clinical Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index
Index								
Clinical Probability Index	—	.88	—	—	—	—	—	—
EBD Probability Index	—	—	—	.74	.84	—	.73	.76
ADHD Probability Index	—	—	.74	—	.94	.73	—	.95
Functional Impairment Index	.88	—	.84	.94	—	.76	.95	—
Composite								
Externalizing Problems	.80	.58	.84	.60	.67	.97	.68	.71
Internalizing Problems	.52	.49	.60	.41	.56	.56	.59	.66
School Problems	—	—	.67	.91	.89	.76	.88	.90
Adaptive Skills	-.73	-.89	-.76	-.95	-.92	-.60	-.87	-.89
Behavioral Symptoms Index	.95	.85	.94	.80	.89	.89	.85	.89
Scale								
Clinical								
Hyperactivity	.82	.61	.76	.60	.66	.90	.68	.68
Aggression	.72	.51	.81	.49	.59	.90	.59	.64
Conduct Problems	—	—	.78	.57	.64	.92	.63	.68
Anxiety	.34	.35	.34	.24	.36	.35	.45	.49
Depression	.66	.57	.78	.51	.66	.64	.65	.72
Somatization	.25	.26	.31	.23	.33	.41	.38	.45
Learning Problems	—	—	.53	.76	.81	.62	.76	.81
Atypicality	.76	.71	.74	.67	.77	.65	.63	.68
Withdrawal	.61	.75	.69	.66	.74	.40	.65	.71
Attention Problems	.81	.76	.70	.90	.83	.78	.87	.86
Adaptive								
Adaptability	-.72	-.75	-.82	-.75	-.78	-.63	-.78	-.81
Social Skills	-.57	-.69	-.64	-.77	-.74	-.45	-.66	-.70
Leadership	—	—	-.64	-.90	-.83	-.42	-.78	-.77
Study Skills	—	—	-.65	-.90	-.84	-.60	-.84	-.83
Functional Communication	-.60	-.84	-.59	-.86	-.87	-.55	-.85	-.88
N	1048		1798			1788		

Table 3.11

TRS: Intercorrelation of Indexes, Composites, and Scales, Clinical Norm Samples

	Preschool		Child			Adolescent		
	Clinical Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index
Index								
Clinical Probability Index	—	.87	—	—	—	—	—	—
EBD Probability Index	—	—	—	.68	.82	—	.69	.76
ADHD Probability Index	—	—	.68	—	.92	.69	—	.93
Functional Impairment Index	.87	—	.82	.92	—	.76	.93	—
Composite								
Externalizing Problems	.78	.57	.85	.57	.68	.97	.65	.71
Internalizing Problems	.42	.42	.60	.35	.54	.51	.59	.66
School Problems	—	—	.59	.88	.86	.70	.85	.88
Adaptive Skills	-.77	-.91	-.70	-.94	-.90	-.60	-.84	-.88
Behavioral Symptoms Index	.95	.85	.94	.76	.88	.88	.84	.89
Scale								
Clinical								
Hyperactivity	.82	.60	.76	.60	.68	.90	.69	.69
Aggression	.68	.49	.82	.46	.59	.92	.57	.65
Conduct Problems	—	—	.78	.52	.62	.93	.59	.67
Anxiety	.27	.30	.36	.21	.35	.28	.46	.48
Depression	.58	.50	.77	.44	.63	.61	.66	.72
Somatization	.07	.14	.28	.18	.31	.38	.36	.44
Learning Problems	—	—	.43	.71	.76	.52	.71	.78
Atypicality	.78	.74	.74	.68	.77	.59	.64	.70
Withdrawal	.65	.76	.70	.61	.74	.39	.66	.71
Attention Problems	.79	.74	.65	.89	.81	.76	.85	.84
Adaptive								
Adaptability	-.77	-.76	-.82	-.69	-.75	-.67	-.74	-.80
Social Skills	-.61	-.71	-.57	-.75	-.70	-.44	-.57	-.65
Leadership	—	—	-.53	-.88	-.78	-.38	-.73	-.73
Study Skills	—	—	-.55	-.86	-.78	-.59	-.77	-.78
Functional Communication	-.48	-.76	-.49	-.83	-.83	-.49	-.81	-.84
N	316		671			782		

Table 3.12

PRS: Intercorrelation of Indexes, Composites, and Scales, General Norm Samples

	Preschool		Child			Adolescent		
	Clinical Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index
Index								
Clinical Probability Index	—	.86	—	—	—	—	—	—
EBD Probability Index	—	—	—	.66	.89	—	.73	.87
ADHD Probability Index	—	—	.66	—	.81	.73	—	.84
Functional Impairment Index	.86	—	.89	.81	—	.87	.84	—
Composite								
Externalizing Problems	.70	.56	.68	.76	.70	.61	.75	.71
Internalizing Problems	.34	.40	.43	.45	.55	.40	.52	.62
Adaptive Skills	-.85	-.91	-.90	-.72	-.92	-.94	-.80	-.92
Behavioral Symptoms Index	.85	.79	.81	.84	.88	.74	.82	.90
Scale								
Clinical								
Hyperactivity	.74	.59	.60	.87	.68	.57	.74	.70
Aggression	.54	.44	.65	.57	.59	.53	.66	.60
Conduct Problems	—	—	.58	.59	.59	.57	.62	.62
Anxiety	.04	.13	.16	.23	.29	.21	.35	.41
Depression	.52	.52	.62	.58	.68	.52	.60	.69
Somatization	.22	.27	.27	.29	.36	.26	.33	.41
Atypicality	.64	.59	.61	.70	.73	.49	.52	.67
Withdrawal	.44	.65	.62	.38	.66	.55	.42	.67
Attention Problems	.88	.70	.68	.80	.77	.74	.84	.81
Adaptive								
Adaptability	-.70	-.65	-.85	-.56	-.76	-.80	-.74	-.77
Social Skills	-.73	-.71	-.80	-.51	-.71	-.79	-.58	-.67
Leadership	—	—	-.74	-.58	-.78	-.87	-.61	-.78
Activities of Daily Living	-.48	-.67	-.75	-.72	-.83	-.71	-.79	-.80
Functional Communication	-.74	-.82	-.72	-.71	-.86	-.82	-.68	-.89
N	1194		1783			1788		

Table 3.13

PRS: Intercorrelation of Indexes, Composites, and Scales, Clinical Norm Samples

	Preschool		Child			Adolescent		
	Clinical Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index
Index								
Clinical Probability Index	—	.86	—	—	—	—	—	—
EBD Probability Index	—	—	—	.65	.89	—	.75	.88
ADHD Probability Index	—	—	.65	—	.80	.75	—	.84
Functional Impairment Index	.86	—	.89	.80	—	.88	.84	—
Composite								
Externalizing Problems	.65	.49	.71	.76	.71	.65	.74	.71
Internalizing Problems	.31	.37	.36	.34	.44	.40	.49	.59
Adaptive Skills	-.82	-.93	-.89	-.72	-.92	-.95	-.81	-.93
Behavioral Symptoms Index	.85	.77	.84	.82	.88	.76	.82	.90
Scale								
Clinical								
Hyperactivity	.75	.57	.64	.89	.71	.64	.78	.74
Aggression	.44	.33	.67	.58	.60	.56	.64	.61
Conduct Problems	—	—	.61	.60	.60	.58	.61	.60
Anxiety	.01	.05	.03	.10	.13	.22	.34	.39
Depression	.46	.46	.60	.51	.63	.52	.59	.69
Somatization	.21	.31	.20	.18	.28	.20	.25	.34
Atypicality	.74	.70	.68	.69	.78	.54	.53	.70
Withdrawal	.55	.71	.64	.36	.67	.55	.42	.67
Attention Problems	.86	.66	.68	.80	.75	.74	.86	.79
Adaptive								
Adaptability	-.71	-.65	-.86	-.59	-.77	-.82	-.75	-.76
Social Skills	-.69	-.72	-.79	-.49	-.71	-.83	-.62	-.72
Leadership	—	—	-.73	-.56	-.77	-.86	-.60	-.79
Activities of Daily Living	-.53	-.76	-.74	-.72	-.83	-.73	-.80	-.80
Functional Communication	-.72	-.84	-.66	-.67	-.83	-.81	-.65	-.87
N	295		787			869		

Table 3.14

**SRP: Intercorrelation of Indexes, Composites, and Scales,
General Norm Samples**

	Child	Adolescent
	Functional Impairment Index	Functional Impairment Index
Composite		
School Problems	.60	.54
Internalizing Problems	.91	.89
Inattention/Hyperactivity	.87	.76
Emotional Symptoms Index	.89	.86
Personal Adjustment	-.71	-.70
Scale		
Clinical		
Attitude to School	.50	.50
Attitude to Teachers	.55	.53
Sensation Seeking	—	.21
Atypicality	.70	.65
Locus of Control	.74	.65
Social Stress	.80	.71
Anxiety	.78	.69
Depression	.77	.77
Sense of Inadequacy	.81	.77
Somatization	—	.63
Attention Problems	.83	.75
Hyperactivity	.77	.57
Adaptive		
Relations With Parents	-.46	-.48
Interpersonal Relations	-.68	-.57
Self-Esteem	-.55	-.56
Self-Reliance	-.44	-.45
<i>N</i>	1495	1894

Table 3.15

**SRP: Intercorrelation of Indexes, Composites, and Scales,
Clinical Norm Samples**

	Child	Adolescent
	Functional Impairment Index	Functional Impairment Index
Composite		
School Problems	.56	.53
Internalizing Problems	.91	.89
Inattention/Hyperactivity	.87	.76
Emotional Symptoms Index	.89	.88
Personal Adjustment	-.68	-.69
Scale		
Clinical		
Attitude to School	.46	.49
Attitude to Teachers	.52	.53
Sensation Seeking	—	.19
Atypicality	.65	.65
Locus of Control	.73	.66
Social Stress	.78	.73
Anxiety	.77	.73
Depression	.79	.78
Sense of Inadequacy	.82	.78
Somatization	—	.64
Attention Problems	.82	.74
Hyperactivity	.77	.60
Adaptive		
Relations With Parents	-.40	-.42
Interpersonal Relations	-.70	-.62
Self-Esteem	-.54	-.58
Self-Reliance	-.41	-.41
<i>N</i>	574	943

Table 3.16

PRS: Intercorrelation of Indexes, Composites, and Scales for the Spanish Forms, General Norm Samples

	Preschool		Child			Adolescent		
	Clinical Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index
Index								
Clinical Probability Index	—	.83	—	—	—	—	—	—
EBD Probability Index	—	—	—	.61	.84	—	.60	.77
ADHD Probability Index	—	—	.61	—	.77	.60	—	.81
Functional Impairment Index	.83	—	.84	.77	—	.77	.81	—
Composite								
Externalizing Problems	.58	.44	.52	.74	.65	.51	.81	.69
Internalizing Problems	.21	.36	.25	.39	.45	.30	.42	.56
Adaptive Skills	-.84	-.89	-.89	-.64	-.86	-.90	-.74	-.89
Behavioral Symptoms Index	.82	.76	.69	.82	.83	.61	.84	.87
Scale								
Clinical								
Hyperactivity	.51	.37	.45	.79	.61	.42	.65	.65
Aggression	.55	.44	.55	.67	.61	.41	.74	.53
Conduct Problems	—	—	.41	.52	.49	.51	.71	.62
Anxiety	-.02	.09	-.21	-.02	.02	.04	.16	.29
Depression	.46	.52	.49	.55	.58	.49	.57	.69
Somatization	.04	.17	.22	.28	.36	.15	.22	.30
Atypicality	.34	.30	.48	.63	.62	.31	.58	.57
Withdrawal	.32	.51	.54	.41	.62	.52	.41	.74
Attention Problems	.86	.67	.63	.68	.66	.69	.89	.86
Adaptive								
Adaptability	-.60	-.50	-.81	-.49	-.64	-.68	-.68	-.64
Social Skills	-.64	-.60	-.75	-.42	-.60	-.83	-.59	-.70
Leadership	—	—	-.63	-.41	-.61	-.77	-.33	-.57
Activities of Daily Living	-.48	-.73	-.76	-.68	-.80	-.62	-.77	-.81
Functional Communication	-.76	-.82	-.67	-.59	-.79	-.77	-.62	-.87
N	79		159			62		

Table 3.17

SRP: Intercorrelation of Indexes, Composites, and Scales for the Spanish Forms, General Norm Samples

	Child	Adolescent
	Functional Impairment Index	Functional Impairment Index
Composite		
School Problems	.65	.54
Internalizing Problems	.93	.92
Inattention/Hyperactivity	.87	.77
Emotional Symptoms Index	.91	.86
Personal Adjustment	-.62	-.77
Scale		
Clinical		
Attitude to School	.60	.48
Attitude to Teachers	.59	.50
Sensation Seeking	—	.37
Atypicality	.70	.72
Locus of Control	.73	.64
Social Stress	.81	.78
Anxiety	.79	.77
Depression	.79	.75
Sense of Inadequacy	.83	.69
Somatization	—	.74
Attention Problems	.84	.71
Hyperactivity	.72	.56
Adaptive		
Relations With Parents	-.29	-.52
Interpersonal Relations	-.77	-.62
Self-Esteem	-.62	-.54
Self-Reliance	-.17	-.46
N	45	34

Correlations With Achenbach System of Empirically Based Assessment (ASEBA) Forms

Comparisons between the BASC-2 Clinical Report indexes and the ASEBA (Achenbach & Rescorla, 2000, 2001) teacher, parent, and student forms are presented in Tables 3.18 through 3.24. On the preschool forms, correlations between the Clinical Probability Index and the ASEBA Total Problems scale are moderate to high, ranging from .65 to .85. On the child and adolescent forms, the pattern of correlations is generally what would be expected; correlations between the EBD Probability Index and the ASEBA Total Problems and Oppositional Defiant Problems are moderate to high, ranging from .53 to .83, and correlations between the ADHD Probability Index and the ASEBA Inattention and ADHD scales are .57 to .76. Correlations between the Functional Impairment Index from the preschool, child, and adolescent BASC-2 forms and the ASEBA Total Problems scale are high, ranging from .67 to .78.

Table 3.18**TRS-P: Correlations With the Achenbach System of Empirically Based Assessment**

Caregiver-Teacher Report Form for Ages 1½–5

ASEBA Caregiver-Teacher Report Form	BASC-2 TRS-P				ASEBA	
	Clinical Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Empirically Based Scales						
Emotionally Reactive	.55	.54	.39	.41	53.3	6.3
Anxious/Depressed	.41	.41	.32	.33	53.9	6.9
Somatic Complaints	.34	.33	.23	.24	51.6	3.8
Withdrawn	.65	.64	.57	.59	54.8	5.8
Attention Problems	.63	.62	.60	.62	56.4	8.8
Aggressive Behavior	.79	.78	.59	.61	53.6	6.5
Externalizing Problems	.80	.80	.70	.71	50.6	9.6
Internalizing Problems	.65	.64	.56	.58	49.4	10.5
Total Problems	.80	.80	.70	.72	50.3	10.2
DSM-Oriented Scales						
Affective Problems	.49	.49	.43	.45	54.3	5.3
Anxiety Problems	.24	.24	.18	.19	53.8	6.6
Pervasive Develop. Problems	.78	.78	.69	.71	56.3	7.2
ADHD	.74	.73	.64	.66	55.4	8.0
Oppositional Defiant Problems	.75	.74	.57	.59	53.4	5.4
BASC-2 Mean	49.9		51.0			
BASC-2 SD	10.2		9.5			

N = 47.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Table 3.19

TRS-C: Correlations With the Achenbach System of Empirically Based Assessment Teacher's Report Form for Ages 6–18

ASEBA Teacher Rating Form	BASC-2 TRS-C						ASEBA	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Syndrome Scales								
Anxious/Depressed	.16	.19	-.01	-.01	.14	.15	53.8	4.9
Withdrawn/Depressed	.48	.55	.43	.43	.57	.60	55.4	6.7
Somatic Complaints	.15	.17	.11	.11	.26	.28	52.8	5.6
Social Problems	.63	.70	.45	.45	.57	.59	55.6	8.0
Thought Problems	.50	.57	.50	.50	.55	.58	53.1	5.8
Inattention	.65	.71	.76	.76	.82	.84	6.7	7.4
Hyperactivity/Impulsivity	.66	.72	.46	.46	.50	.53	4.2	5.6
Attention Problems Total	.69	.76	.62	.62	.69	.71	55.8	8.0
Rule-Breaking Behavior	.62	.69	.38	.37	.42	.45	54.4	6.8
Aggressive Behavior	.70	.76	.44	.43	.48	.51	54.7	7.7
Internalizing Problems	.30	.35	.19	.19	.36	.38	50.2	10.2
Externalizing Problems	.71	.77	.46	.45	.49	.52	51.2	10.2
Total Problems	.70	.76	.60	.60	.68	.71	52.7	9.8
DSM-Oriented Scales								
Affective Problems	.57	.64	.55	.55	.66	.69	54.2	7.2
Anxiety Problems	.14	.17	.02	.02	.15	.16	54.2	6.3
Somatic Problems	.07	.09	.03	.03	.18	.19	52.3	5.2
ADHD	.70	.76	.57	.57	.63	.66	55.5	6.8
Oppositional Defiant Problems	.78	.83	.47	.46	.51	.54	54.2	6.4
Conduct Problems	.66	.72	.41	.41	.44	.47	54.7	8.0
BASC-2 Mean	49.1		52.3		51.5			
BASC-2 SD	8.3		10.1		9.3			

N = 60.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Table 3.20

TRS-A: Correlations With the Achenbach System of Empirically Based Assessment Teacher's Report Form for Ages 6–18

ASEBA Teacher Rating Form	BASC-2 TRS-A						ASEBA	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Syndrome Scales								
Anxious/Depressed	.26	.36	.35	.36	.28	.32	53.3	5.0
Withdrawn/Depressed	.08	.12	.37	.38	.30	.34	52.7	4.9
Somatic Complaints	.15	.21	-.06	-.06	.00	.00	50.4	1.7
Social Problems	.57	.70	.41	.43	.45	.50	52.4	4.3
Thought Problems	.49	.62	.49	.50	.44	.50	51.5	4.0
Inattention	.76	.86	.75	.76	.77	.81	2.7	3.9
Hyperactivity/Impulsivity	.69	.80	.61	.63	.57	.63	2.2	4.3
Attention Problems Total	.73	.83	.71	.72	.71	.76	52.3	3.6
Rule-Breaking Behavior	.65	.78	.60	.62	.67	.72	53.2	4.5
Aggressive Behavior	.73	.84	.55	.56	.58	.63	53.1	5.2
Internalizing Problems	.09	.12	.28	.29	.20	.22	48.6	7.8
Externalizing Problems	.75	.85	.67	.69	.73	.78	49.4	7.9
Total Problems	.70	.81	.69	.71	.72	.77	48.4	7.6
DSM-Oriented Scales								
Affective Problems	.36	.48	.64	.66	.63	.68	52.3	3.8
Anxiety Problems	.39	.52	.52	.53	.50	.55	52.0	4.3
Somatic Problems	.14	.19	-.06	-.07	-.01	-.01	50.5	2.1
ADHD	.74	.84	.64	.66	.66	.71	52.3	4.0
Oppositional Defiant Problems	.62	.74	.40	.42	.46	.52	52.9	5.7
Conduct Problems	.57	.70	.57	.59	.61	.67	52.7	4.3
BASC-2 Mean	47.2		46.2		46.0			
BASC-2 SD	7.1		9.6		8.7			

N = 37.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Table 3.21

**PRS-P: Correlations With the Achenbach System of Empirically Based Assessment
Child Behavior Checklist for Ages 1½–5**

ASEBA Child Behavior Checklist	BASC-2 PRS-P				ASEBA	
	Clinical Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Empirically Based Scales						
Emotionally Reactive	.49	.44	.56	.52	54.6	6.3
Anxious/Depressed	.33	.29	.39	.36	52.8	4.4
Somatic Complaints	.53	.49	.53	.50	52.7	5.4
Withdrawn	.66	.62	.69	.66	55.3	7.0
Sleep Problems	.38	.34	.36	.33	53.9	6.1
Attention Problems	.74	.70	.71	.67	54.1	6.8
Aggressive Behavior	.64	.60	.64	.60	54.2	7.2
Internalizing Problems	.61	.57	.71	.67	49.1	9.8
Externalizing Problems	.70	.65	.68	.64	48.8	12.0
Total Problems	.70	.65	.71	.67	48.4	11.1
DSM-Oriented Scales						
Affective Problems	.54	.49	.57	.53	54.4	6.9
Anxiety Problems	.20	.18	.23	.21	52.3	4.6
Pervasive Develop. Problems	.58	.53	.70	.66	55.5	6.8
ADHD	.70	.66	.66	.63	53.0	5.1
Oppositional Defiant Problems	.55	.51	.59	.56	54.3	6.2
BASC-2 Mean	51.0		52.0			
BASC-2 SD	11.3		11.1			

N = 53.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Table 3.22

PRS-C: Correlations With the Achenbach System of Empirically Based Assessment Child Behavior Checklist for Ages 6–18

ASEBA Child Behavior Checklist	BASC-2 PRS-C						ASEBA	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Syndrome Scales								
Anxious/Depressed	.54	.57	.50	.54	.62	.62	54.4	6.9
Withdrawn/Depressed	.48	.51	.35	.38	.55	.56	54.7	6.3
Somatic Complaints	.16	.17	.39	.42	.34	.34	56.0	6.7
Social Problems	.60	.63	.55	.59	.62	.62	54.5	5.6
Thought Problems	.39	.42	.44	.47	.39	.39	53.3	5.2
Attention Problems	.45	.48	.63	.67	.61	.61	55.2	8.4
Rule-Breaking Behavior	.35	.38	.38	.42	.30	.31	54.1	5.0
Aggressive Behavior	.54	.58	.51	.55	.49	.49	54.0	5.7
Internalizing Problems	.60	.63	.61	.65	.74	.74	51.6	10.2
Externalizing Problems	.53	.57	.55	.59	.55	.56	50.2	9.2
Total Problems	.67	.70	.71	.74	.76	.76	50.0	10.8
Competence Scales								
Activities	-.42	-.45	-.41	-.45	-.49	-.49	50.3	10.1
Social ^b	-.24	-.26	-.32	-.36	-.32	-.32	46.9	8.5
School ^b	-.50	-.53	-.50	-.54	-.61	-.61	47.0	8.8
DSM-Oriented Scales								
Affective Problems	.44	.47	.47	.51	.51	.51	54.1	6.2
Anxiety Problems	.61	.64	.66	.69	.72	.72	54.2	6.1
Somatic Problems	.19	.20	.36	.39	.33	.33	56.4	7.2
ADHD	.41	.44	.64	.68	.51	.51	54.0	6.1
Oppositional Defiant Problems	.50	.54	.49	.53	.49	.49	54.9	5.3
Conduct Problems	.37	.39	.32	.35	.31	.31	54.0	5.4
BASC-2 Mean	49.5		48.6		49.4			
BASC-2 SD	9.2		9.0		9.9			

N = 64.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

^bN = 62.

Table 3.23

PRS-A: Correlations With the Achenbach System of Empirically Based Assessment Child Behavior Checklist for Ages 6–18

ASEBA Child Behavior Checklist	BASC-2 PRS-A						ASEBA	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Syndrome Scales								
Anxious/Depressed	.31	.28	.34	.35	.41	.39	54.6	6.3
Withdrawn/Depressed	.40	.36	.42	.44	.55	.53	54.8	7.0
Somatic Complaints	.39	.36	.38	.40	.45	.43	55.2	6.3
Social Problems	.43	.39	.45	.47	.56	.54	54.1	6.1
Thought Problems	.40	.36	.43	.46	.51	.49	53.7	6.0
Attention Problems	.57	.53	.55	.58	.60	.58	53.7	6.6
Rule-Breaking Behavior	.45	.42	.43	.46	.51	.49	53.3	4.6
Aggressive Behavior	.59	.55	.62	.65	.66	.64	54.4	7.2
Internalizing Problems	.51	.47	.51	.54	.61	.59	50.9	10.5
Externalizing Problems	.61	.57	.65	.67	.67	.65	48.5	10.5
Total Problems	.65	.61	.67	.70	.74	.72	48.6	11.5
Competence Scales								
Activities	-.39	-.36	-.27	-.29	-.30	-.29	51.8	9.5
Social	-.60	-.56	-.41	-.43	-.60	-.58	51.1	10.2
School	-.64	-.60	-.57	-.59	-.64	-.62	50.1	6.5
DSM-Oriented Scales								
Affective Problems	.51	.47	.53	.55	.64	.62	54.4	5.8
Anxiety Problems	.38	.35	.41	.43	.43	.41	54.7	6.7
Somatic Problems	.35	.32	.35	.37	.42	.40	54.7	6.3
ADHD	.62	.58	.62	.65	.62	.61	53.5	5.5
Oppositional Defiant Problems	.57	.53	.61	.63	.60	.59	54.8	6.5
Conduct Problems	.54	.50	.53	.56	.60	.58	53.4	5.3
BASC-2 Mean	48.7		49.6		49.1			
BASC-2 SD	11.1		9.4		10.5			

N = 65.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Table 3.24

SRP-A: Correlations With the Achenbach System of Empirically Based Assessment Youth Self-Report

ASEBA Youth Self-Report	BASC-2 SRP-A		ASEBA	
	Functional Impairment Index		ASEBA	
	Raw	Adj ^a	Mean	SD
Syndrome Scales				
Anxious/Depressed	.74	.70	55.1	7.0
Withdrawn/Depressed	.71	.67	55.4	6.5
Somatic Complaints	.77	.74	56.4	8.2
Social Problems	.64	.60	56.4	6.7
Thought Problems	.72	.68	55.8	6.8
Attention Problems	.78	.74	55.9	7.5
Rule-Breaking Behavior	.50	.46	54.2	5.9
Aggressive Behavior	.68	.64	55.9	7.0
Internalizing	.78	.75	52.1	11.3
Externalizing	.69	.65	52.1	9.5
Total Problems	.81	.78	52.4	11.5
DSM-Oriented Scales				
Affective Problems	.76	.72	55.1	7.2
Anxiety Problems	.66	.62	53.1	5.0
Somatic Problems	.78	.75	57.0	8.4
ADHD	.68	.64	56.3	7.1
Oppositional Defiant Problems	.64	.60	55.4	6.8
Conduct Problems	.51	.47	54.5	5.6
BASC-2 Mean	50.4			
BASC-2 SD	11.2			

N = 50.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Correlations With Conners' Rating Scales-Revised Forms

Comparisons between the BASC-2 Clinical Report indexes and the *Conners' Rating Scales-Revised* (Conners, 1997) teacher, parent, and student forms are presented in Tables 3.25 through 3.29. On the teacher forms, the ADHD Probability Index tends to correlate highest with the Conners' attention-related scales; however, the EBD Probability Index tends to correlate higher with the Conners' hyperactivity-related scales, compared to the ADHD Probability Index. Both the ADHD and EBD indexes correlate similarly to the Conners' overall ADHD scales. For the parent forms, the ADHD Probability Index tends to correlate highest with both the Conners' attention- and hyperactivity-related scales, as well as the overall ADHD indexes, compared to the correlations between the Conners' ADHD scales and the ADHD Probability Index. For the student form, the Functional Impairment Index correlates highest with the Conners' Emotional Problems and ADHD scales.

Table 3.25

TRS-C: Correlations With the Conners' Teacher Rating Scale-Revised

Conners' Teacher Rating Scale— Revised	BASC-2 TRS-C						Conners'	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Oppositional	.75	.77	.36	.36	.40	.41	51.9	12.4
Cognitive Problems/Inattention	.58	.59	.79	.79	.79	.79	52.2	11.8
Hyperactivity	.75	.76	.53	.53	.56	.57	51.1	11.8
Anxious-Shy	.44	.45	.33	.34	.40	.41	52.3	7.6
Perfectionism	-.01	-.01	-.15	-.15	-.07	-.07	49.7	8.3
Social Problems	.64	.66	.57	.57	.69	.69	52.0	11.2
Conners' ADHD Index	.77	.79	.72	.72	.74	.74	51.3	12.1
Conners' Global Index: RI	.76	.77	.69	.69	.70	.71	50.9	11.8
Conners' Global Index: EL	.77	.78	.47	.47	.54	.55	50.4	11.2
Conners' Global Index: Total	.80	.81	.65	.65	.68	.69	50.6	11.9
DSM-IV: Inattentive	.71	.73	.80	.80	.82	.82	51.7	11.3
DSM-IV: Hyper./Imp.	.75	.76	.57	.57	.61	.62	50.8	12.2
DSM-IV: Total	.77	.78	.74	.74	.77	.77	51.4	11.7
BASC-2 Mean	48.9		49.1		48.7			
BASC-2 SD	9.6		10.0		9.8			

N = 65.

All correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Table 3.26

TRS-A: Correlations With the Conners' Teacher Rating Scale-Revised

Conners' Teacher Rating Scale— Revised	BASC-2 TRS-A						Conners'	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Oppositional	.81	.75	.36	.32	.44	.41	52.8	13.1
Cognitive Problems/Inattention	.48	.41	.72	.67	.75	.73	54.6	12.4
Hyperactivity	.59	.51	.33	.30	.37	.35	51.4	10.4
Anxious-Shy	.33	.28	.48	.43	.49	.46	52.7	11.7
Perfectionism	.15	.12	.15	.14	.15	.14	49.6	11.2
Social Problems	.65	.58	.67	.63	.68	.65	54.2	13.0
Conners' ADHD Index ^b	.72	.65	.70	.65	.74	.72	51.1	9.2
Conners' Global Index: RI	.68	.60	.62	.57	.65	.62	51.1	9.4
Conners' Global Index: EL	.63	.55	.35	.32	.42	.40	50.6	10.7
Conners' Global Index: Total	.73	.66	.58	.53	.63	.60	51.3	9.9
DSM-IV: Inattentive	.62	.54	.73	.69	.77	.75	53.1	11.0
DSM-IV: Hyper./Imp.	.65	.58	.37	.33	.39	.37	50.4	8.8
DSM-IV: Total	.72	.65	.68	.63	.72	.69	52.1	9.9
BASC-2 Mean	50.0		51.2		51.0			
BASC-2 SD	12.1		11.3		10.8			

N = 54.

All correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

^a*N* = 53.

Table 3.27**PRS-C: Correlations With the Conners' Parent Rating Scale-Revised**

Conners' Parent Rating Scale-Revised	BASC-2 PRS-C						Conners'	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Oppositional	.61	.58	.46	.45	.43	.39	53.1	10.5
Cognitive Problems/Inattention	.58	.55	.66	.65	.61	.56	51.4	8.2
Hyperactivity	.52	.49	.73	.72	.57	.52	54.7	9.2
Anxious-Shy	.40	.37	.37	.36	.51	.47	52.1	10.3
Perfectionism	.51	.48	.36	.35	.36	.33	51.9	8.7
Social Problems	.56	.53	.46	.45	.59	.54	52.1	10.2
Psychosomatic	.42	.39	.21	.21	.38	.34	52.1	10.6
Conners' ADHD Index	.59	.57	.74	.73	.64	.59	51.9	8.4
Conners' Global Index: RI	.58	.55	.73	.73	.62	.58	53.0	9.3
Conners' Global Index: EL	.60	.58	.42	.41	.51	.47	51.3	9.2
Conners' Global Index: Total	.62	.60	.67	.66	.62	.57	52.7	9.5
DSM-IV: Inattentive	.55	.53	.69	.68	.60	.55	51.3	8.1
DSM-IV: Hyper./Imp.	.56	.53	.71	.70	.56	.52	55.7	9.5
DSM-IV: Total	.59	.57	.75	.75	.62	.57	53.5	8.7
BASC-2 Mean	51.0		50.1		51.0			
BASC-2 SD	10.7		10.2		11.3			

N = 61.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Table 3.28**PRS-A: Correlations With the Conners' Parent Rating Scale-Revised**

Conners' Parent Rating Scale-Revised	BASC-2 PRS-A						Conners'	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Oppositional	.46	.42	.66	.64	.51	.47	52.1	10.9
Cognitive Problems/Inattention	.45	.42	.64	.61	.59	.55	51.9	11.2
Hyperactivity	.54	.50	.59	.57	.56	.53	55.5	12.6
Anxious-Shy	.47	.43	.48	.45	.53	.49	52.4	9.9
Perfectionism	-.20	-.18	-.08	-.07	-.10	-.09	48.5	6.4
Social Problems	.57	.53	.61	.59	.62	.58	50.9	9.5
Psychosomatic	.37	.34	.50	.47	.45	.42	52.8	12.8
Conners' ADHD Index	.49	.45	.70	.67	.61	.57	54.0	11.3
Conners' Global Index: RI	.58	.55	.73	.70	.63	.59	55.3	12.1
Conners' Global Index: EL	.30	.27	.54	.51	.40	.36	51.1	9.3
Conners' Global Index: Total	.54	.51	.72	.70	.61	.57	54.2	11.4
DSM-IV: Inattentive	.44	.41	.68	.65	.55	.51	53.1	11.6
DSM-IV: Hyper./Imp.	.51	.48	.61	.58	.56	.52	56.3	11.7
DSM-IV: Total	.50	.46	.70	.67	.60	.56	55.0	12.5
BASC-2 Mean	50.6		50.7		50.1			
BASC-2 SD	11.0		10.8		11.1			

N = 56.^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).**Table 3.29****SRP-A: Correlations With the Conners-Wells' Adolescent Self-Report Scale**

Conners-Wells' Adolescent Self-Report Scale	BASC-2 SRP-A				Conners-Wells'	
	Functional Impairment Index		Raw	Adj ^a		
	Raw	Adj ^a	Mean	SD	Raw	Adj ^a
Family Problems	.43	.43	50.0	8.7		
Emotional Problems	.70	.71	47.5	7.8		
Conduct Problems	.39	.40	48.8	7.4		
Cognitive Problems/Inattention	.58	.59	48.5	7.8		
Anger Control Problems	.38	.39	46.0	7.5		
Hyperactivity	.53	.54	45.6	8.0		
ADHD Index	.72	.73	48.3	8.6		
DSM-IV: Inattentive	.52	.53	48.2	8.6		
DSM-IV: Hyperactive Impulse	.51	.52	45.3	9.1		
DSM-IV: Total	.57	.58	46.2	9.5		
BASC-2 Mean	48.4					
BASC-2 SD	9.8					

N = 54.^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Correlations With the Vineland™ Adaptive Behavior Scales, Second Edition (Vineland-II)

Comparisons between the BASC-2 Clinical Report indexes and the Vineland-II (Sparrow, Cicchetti, & Balla, 2005, 2006) teacher and parent forms are presented in Tables 3.30 through 3.35. The correlation between the BASC-2 Functional Impairment Index and the Vineland-II Adaptive Behavior Composite is moderate to high across forms, ranging from -.49 to -.79.

Table 3.30

TRS-P: Correlations With the Vineland-II Teacher Rating Form

Vineland-II Teacher Rating Form	BASC-2 TRS-P				Vineland-II	
	Clinical Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Communication	-.43	-.43	-.54	-.56	98.9	15.7
Daily Living Skills	-.40	-.41	-.47	-.49	95.4	14.0
Socialization	-.64	-.64	-.62	-.64	97.3	14.7
Motor Skills ^b	-.06	-.06	-.13	-.13	98.0	14.1
Adaptive Behavior Composite	-.46	-.46	-.52	-.54	97.2	14.5
BASC-2 Mean	53.1		53.5			
BASC-2 SD	9.9		9.5			

N=52.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

^bN=51.

Table 3.31

TRS-C: Correlations With the Vineland-II Teacher Rating Form

Vineland-II Teacher Rating Form	BASC-2 TRS-C				Vineland-II			
	EBD Probability Index		ADHD Probability Index					
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Communication	-.54	-.57	-.73	-.67	-.76	-.73	100.4	16.4
Daily Living Skills	-.60	-.63	-.75	-.70	-.80	-.78	99.3	18.0
Socialization	-.64	-.67	-.63	-.57	-.67	-.64	98.8	15.6
Adaptive Behavior Composite	-.64	-.67	-.77	-.72	-.81	-.79	99.8	17.1
BASC-2 Mean	50.8		51.0		52.1			
BASC-2 SD	9.3		11.6		10.9			

N=61.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Table 3.32**TRS-A: Correlations With the Vineland-II Teacher Rating Form**

Vineland-II Teacher Rating Form	BASC-2 TRS-A						Vineland-II	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Communication	-.57	-.47	-.68	-.64	-.70	-.65	105.8	14.4
Daily Living Skills	-.65	-.55	-.66	-.61	-.68	-.62	103.7	14.3
Socialization	-.64	-.53	-.60	-.56	-.65	-.59	100.1	12.7
Adaptive Behavior Composite	-.73	-.63	-.77	-.73	-.80	-.75	103.6	13.4
BASC-2 Mean	50.3		49.1		49.6			
BASC-2 SD	13.2		11.3		11.6			

N=47.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).**Table 3.33****PRS-P: Correlations With the Vineland-II Survey Form**

Vineland-II Survey Form	BASC-2 PRS-P				Vineland-II	
	Clinical Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Communication	-.49	-.53	-.53	-.56	101.0	13.7
Daily Living Skills	-.34	-.38	-.36	-.38	103.2	14.1
Socialization	-.41	-.45	-.45	-.47	102.2	13.6
Motor Skills	-.31	-.34	-.37	-.39	103.5	15.5
Adaptive Behavior Composite	-.46	-.51	-.52	-.54	102.8	14.0
Maladaptive Behavior						
Internalizing ^b	.42	.46	.49	.52	14.9	2.4
Externalizing ^b	.40	.44	.36	.39	15.0	2.8
Maladaptive Behavior Index ^b	.51	.56	.49	.51	15.0	2.7
BASC-2 Mean	47.9		47.8			
BASC-2 SD	8.9		9.3			

N=67.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).^bN=62.

Table 3.34**PRS-C: Correlations With the Vineland-II Survey Form**

Vineland-II Survey Form		BASC-2 PRS-C						Vineland-II			
		EBD Probability Index		ADHD Probability Index		Functional Impairment Index					
		Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a				
Communication		-.49	-.50	-.56	-.57	-.62	-.65	109.0	15.7		
Daily Living Skills		-.41	-.42	-.50	-.51	-.51	-.54	110.0	14.3		
Socialization		-.70	-.71	-.59	-.60	-.67	-.70	108.8	16.8		
Motor Skills ^b		-.05	-.05	.43	.45	.08	.09	112.1	10.1		
Adaptive Behavior Composite		-.61	-.62	-.61	-.63	-.67	-.71	109.5	14.9		
Maladaptive Behavior											
Internalizing		.58	.59	.51	.52	.66	.69	15.0	2.8		
Externalizing		.63	.64	.52	.54	.65	.68	15.0	2.8		
Maladaptive Behavior Index		.68	.69	.64	.66	.73	.76	15.3	2.6		
	BASC-2 Mean	49.5		49.7		49.4					
	BASC-2 SD	9.8		9.6		9.2					

N=62.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).^bN=14.**Table 3.35****PRS-A: Correlations With the Vineland-II Survey Form**

Vineland-II Survey Form		BASC-2 PRS-A						Vineland-II			
		EBD Probability Index		ADHD Probability Index		Functional Impairment Index					
		Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a				
Communication		-.36	-.37	-.36	-.36	-.44	-.44	101.3	13.1		
Daily Living Skills		-.34	-.35	-.25	-.25	-.35	-.35	99.4	13.3		
Socialization		-.49	-.51	-.38	-.38	-.54	-.54	101.3	14.3		
Adaptive Behavior Composite		-.45	-.47	-.36	-.36	-.49	-.49	101.2	14.7		
Maladaptive Behavior											
Internalizing		.48	.50	.55	.55	.60	.60	14.9	2.5		
Externalizing		.40	.42	.55	.55	.52	.52	15.1	2.2		
Maladaptive Behavior Index		.43	.45	.59	.60	.58	.58	15.0	2.5		
	BASC-2 Mean	47.8		48.8		46.6					
	BASC-2 SD	9.6		10.0		10.0					

N=70.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).

Correlations With the *Behavior Rating Inventory of Executive Function*[®] (BRIEF[®])

Comparisons between the BASC–2 Clinical Report indexes and the BRIEF (Gioia, Isquith, Guy, & Kenworthy, 2000) scales on the parent form are presented in Tables 3.36 and 3.37. In general, the correlations between the BASC–2 Clinical Report indexes and the BRIEF scales are moderate to high across all scales.

Table 3.36

PRS-C: Correlations With the *Behavior Rating Inventory of Executive Function* Parent Form

BRIEF Parent Form	BASC–2 PRS-C						BRIEF	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Inhibit	.73	.62	.73	.62	.72	.62	57.5	11.7
Shift	.80	.71	.67	.56	.77	.67	57.4	14.0
Emotional Control	.76	.67	.69	.58	.78	.68	55.3	12.7
Initiate	.74	.64	.55	.44	.72	.62	54.6	11.3
Working Memory	.76	.66	.72	.60	.79	.70	54.4	11.3
Plan/Organize	.76	.66	.65	.54	.78	.69	55.2	13.0
Organization of Materials ^b	.62	.51	.57	.46	.63	.53	53.3	9.8
Monitor	.74	.64	.60	.49	.71	.60	57.0	11.6
Behavioral Regulation Index	.83	.74	.76	.65	.82	.73	57.6	13.5
Metacognition Index	.71	.61	.61	.50	.71	.61	55.0	12.1
Global Executive Composite	.85	.77	.75	.65	.85	.77	56.9	13.1
BASC–2 Mean	57.7		53.6		56.2			
BASC–2 SD	13.3		13.5		13.2			

N = 52.

^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC–2, using the variability correction of Cohen et al. (2003, p.58).

^bN = 51.

Table 3.37**PRS-A: Correlations With the *Behavior Rating Inventory of Executive Function Parent Form***

BRIEF Parent Form	BASC-2 PRS-A						BRIEF	
	EBD Probability Index		ADHD Probability Index		Functional Impairment Index			
	Raw	Adj ^a	Raw	Adj ^a	Raw	Adj ^a	Mean	SD
Inhibit	.59	.56	.66	.61	.73	.66	57.3	15.8
Shift	.69	.66	.60	.55	.74	.66	57.7	12.3
Emotional Control	.67	.64	.71	.66	.73	.66	57.4	11.9
Initiate	.64	.61	.64	.59	.73	.65	56.0	10.7
Working Memory ^b	.68	.65	.63	.58	.75	.68	55.8	13.1
Plan/Organize	.68	.65	.65	.60	.74	.67	54.4	10.2
Organization of Materials	.34	.32	.46	.42	.42	.35	51.9	9.4
Monitor	.62	.59	.61	.56	.71	.63	55.9	12.3
Behavioral Regulation Index	.72	.68	.74	.70	.82	.76	58.6	13.9
Metacognition Index	.66	.62	.65	.60	.74	.67	55.3	11.1
Global Executive Composite	.71	.68	.72	.67	.80	.74	56.9	12.5
BASC-2 Mean	53.6		54.6		54.9			
BASC-2 SD	11.0		11.4		12.3			

N = 47.^aAll correlations were corrected for range restriction based on the standard deviation obtained on the BASC-2, using the variability correction of Cohen et al. (2003, p.58).^b*N* = 46.

Correlations Between BASC-2 Forms

Comparisons across BASC-2 forms (e.g., comparing TRS with PRS) are presented in Tables 3.38 through 3.44.

Consistent with other BASC-2 results, correlations tend to be stronger between the TRS and PRS scales compared to correlations between the teacher and parent forms and the SRP.

Table 3.38

Correlations Between Preschool Forms for TRS and PRS Clinical Indexes and Scales

Preschool Indexes, Composites, and Scales for TRS and PRS	Preschool Indexes for TRS ^a		Preschool Indexes for PRS ^b		TRS-P		PRS-P	
	Clinical Probability Index	Functional Impairment Index	Clinical Probability Index	Functional Impairment Index	Mean	SD	Mean	SD
Index								
Clinical Probability Index	.49	.52			51.3	10.9	51.7	11.3
Functional Impairment Index	.43	.51			51.2	10.4	52.0	11.4
Composite								
Externalizing Problems	.34	.29	.34	.24	50.7	10.4	51.2	10.9
Internalizing Problems	.02	.05	.12	.13	49.8	9.2	50.2	10.2
Adaptive Skills	-.46	-.53	-.48	-.49	49.0	10.1	48.6	11.3
Behavioral Symptoms Index	.38	.39	.44	.38	51.0	10.5	51.6	11.0
Scale								
Clinical								
Hyperactivity	.35	.32	.39	.27	51.2	10.5	51.3	11.2
Aggression	.27	.22	.27	.18	50.4	10.1	50.9	10.4
Anxiety	-.12	-.10	-.04	.00	50.0	9.3	49.3	10.1
Depression	.13	.14	.16	.13	50.0	9.8	51.0	10.6
Somatization	.04	.07	.15	.16	49.6	9.8	50.1	9.7
Attention Problems	.44	.42	.42	.35	50.9	10.3	51.6	10.9
Atypicality	.38	.39	.43	.39	51.3	10.9	51.8	11.3
Withdrawal	.13	.24	.39	.41	50.8	10.5	50.8	10.6
Adaptive								
Adaptability	-.31	-.36	-.36	-.32	49.1	10.3	49.7	10.6
Social Skills	-.39	-.43	-.42	-.43	49.2	10.0	49.2	10.9
Activities of Daily Living	-.37	-.40	—	—	—	—	48.8	11.3
Functional Communication	-.41	-.52	-.45	-.49	49.2	10.1	48.1	11.4
N	548	547	549	547				

^aColumns under “Preschool Indexes for TRS” show correlations of TRS-P Indexes with PRS-P Indexes, Composites, and Scales.

^bColumns under “Preschool Indexes for PRS” show correlations of PRS-P Indexes with TRS-P Indexes, Composites, and Scales.

Table 3.39

Correlations Between Child Forms for TRS and PRS Clinical Indexes and Scales

Child Indexes, Composites, and Scales for TRS and PRS	Child Indexes for TRS ^a			Child Indexes for PRS ^b			TRS-C		PRS-C	
	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	Mean	SD	Mean	SD
	Index									
EBD Probability Index	.47	.45	.48				51.9	11.0	52.0	11.1
ADHD Probability Index	.45	.51	.52				51.7	10.1	52.4	11.4
Functional Impairment Index	.46	.50	.52				52.0	10.5	52.3	11.3
Composite										
Externalizing Problems	.46	.39	.41	.37	.38	.33	51.5	10.8	51.9	11.1
Internalizing Problems	.16	.14	.15	.24	.20	.25	51.8	11.2	50.6	10.6
School Problems	—	—	—	.39	.49	.45	52.1	10.3	—	—
Adaptive Skills	-.44	-.49	-.51	-.46	-.50	-.50	48.8	10.1	48.1	11.1
Behavioral Symptoms Index	.48	.45	.47	.47	.48	.47	52.1	11.0	52.1	11.1
Scale										
Clinical										
Hyperactivity	.45	.43	.44	.35	.43	.34	51.7	10.7	52.0	11.4
Aggression	.36	.26	.29	.35	.33	.30	51.5	11.0	51.5	10.6
Anxiety	-.01	.00	.00	.10	.09	.13	51.3	10.7	50.1	10.5
Depression	.33	.28	.30	.36	.30	.33	51.6	11.2	51.3	11.0
Somatization	.07	.06	.07	.13	.10	.13	51.5	11.1	50.1	10.9
Attention Problems	.43	.51	.50	.39	.49	.42	51.9	9.9	51.8	10.4
Learning Problems	—	—	—	.33	.42	.40	52.0	10.7	—	—
Atypicality	.42	.38	.42	.42	.42	.44	51.8	11.6	51.7	11.4
Withdrawal	.28	.29	.32	.42	.34	.41	51.4	11.0	51.5	10.9
Adaptive										
Adaptability	-.43	-.37	-.40	-.40	-.41	-.40	49.0	10.3	48.3	10.5
Social Skills	-.34	-.38	-.39	-.40	-.40	-.40	49.4	9.9	49.2	10.7
Leadership	-.35	-.45	-.46	-.40	-.44	-.45	48.8	10.0	48.1	10.4
Study Skills	—	—	—	-.41	-.49	-.46	48.6	10.3	—	—
Activities of Daily Living	-.40	-.44	-.45	—	—	—	—	—	48.1	10.8
Functional Communication	-.40	-.52	-.53	-.40	-.45	-.47	48.8	10.3	48.0	11.6
N	807	807	805	810	810	805				

^aColumns under “Child Indexes for TRS” show correlations of TRS-C Indexes with PRS-C Indexes, Composites, and Scales.^bColumns under “Child Indexes for PRS” show correlations of PRS-C Indexes with TRS-C Indexes, Composites, and Scales.

Table 3.40

Correlations Between Adolescent Forms for TRS and PRS Clinical Indexes and Scales

Adolescent Indexes, Composites, and Scales for TRS and PRS	Adolescent Indexes for TRS ^a			Adolescent Indexes for PRS ^b			TRS-A		PRS-A	
	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	Mean	SD	Mean	SD
Index										
EBD Probability Index	.41	.50	.52				50.9	10.9	51.5	10.5
ADHD Probability Index	.43	.46	.46				51.4	10.7	51.7	11.0
Functional Impairment Index	.39	.49	.50				51.6	10.8	52.2	11.0
Composite										
Externalizing Problems	.52	.42	.46	.38	.39	.36	50.8	10.9	51.7	11.6
Internalizing Problems	.18	.25	.28	.32	.32	.35	52.1	11.7	52.0	11.4
School Problems	—	—	—	.48	.44	.46	51.2	10.3	—	—
Adaptive Skills	-.40	-.48	-.49	-.46	-.39	-.43	49.2	10.1	48.3	10.5
Behavioral Symptoms Index	.42	.46	.48	.45	.43	.44	51.4	11.1	52.3	11.8
Scale										
Clinical										
Hyperactivity	.46	.44	.45	.35	.38	.34	50.8	10.7	52.0	11.8
Aggression	.46	.34	.38	.36	.37	.33	50.7	11.0	51.4	11.2
Anxiety	.07	.15	.15	.23	.24	.27	51.7	10.8	51.5	10.7
Depression	.27	.32	.35	.37	.34	.38	51.8	11.8	52.2	12.3
Somatization	.08	.15	.18	.24	.24	.26	51.8	11.9	51.4	10.5
Attention Problems	.43	.49	.48	.43	.42	.40	50.8	10.1	51.5	11.0
Learning Problems	—	—	—	.46	.39	.45	51.5	10.6	—	—
Atypicality	.27	.33	.34	.30	.30	.33	51.0	10.8	52.1	11.6
Withdrawal	.10	.27	.28	.40	.31	.40	51.7	11.0	51.3	10.7
Adaptive										
Adaptability	-.38	-.38	-.42	-.41	-.38	-.39	48.9	10.4	48.6	10.7
Social Skills	-.28	-.32	-.33	-.37	-.28	-.32	49.8	9.8	49.1	10.1
Leadership	-.28	-.44	-.44	-.40	-.33	-.37	49.3	10.1	48.5	10.3
Study Skills	—	—	—	-.45	-.39	-.42	49.3	10.0	—	—
Activities of Daily Living	-.39	-.44	-.44	—	—	—	—	—	48.4	10.4
Functional Communication	-.35	-.47	-.48	-.44	-.37	-.42	49.1	10.2	48.2	10.6
N	956	956	949	955	955	949				

^aColumns under “Adolescent Indexes for TRS” show correlations of TRS-A Indexes with PRS-A Indexes, Composites, and Scales.^bColumns under “Adolescent Indexes for PRS” show correlations of PRS-A Indexes with TRS-A Indexes, Composites, and Scales.

Table 3.41

Correlations Between Child Forms for TRS and SRP Clinical Indexes and Scales

Child Indexes, Composites, and Scales for TRS and SRP	Child Indexes for TRS ^a			Functional Impairment Index	Child Index for SRP ^b		TRS-C		SRP-C		
	EBD Probability Index	ADHD Probability Index	Functional Impairment Index		Functional Impairment Index		TRS-C		Mean	SD	
							Mean	SD			
Index											
EBD Probability Index	—	—	—				52.1	11.2	—	—	
ADHD Probability Index	—	—	—				51.4	10.2	—	—	
Functional Impairment Index	.34	.36	.37				51.9	10.5	51.1	10.1	
Composite											
Externalizing Problems	—	—	—	.31			51.6	11.0	—	—	
Internalizing Problems	.28	.30	.32	.21			52.1	11.3	51.0	9.9	
School Problems	.32	.32	.30	.36			51.8	10.2	50.9	10.4	
Adaptive Skills	—	—	—	-.34			48.7	10.1	—	—	
Behavioral Symptoms Index	—	—	—	.35			52.1	11.2	—	—	
Inattention/Hyperactivity	.39	.36	.37	—			—	—	50.9	9.9	
Emotional Symptoms Index	.30	.33	.34	—			—	—	51.0	10.1	
Personal Adjustment	-.31	-.34	-.35	—			—	—	48.8	10.3	
Scale											
Clinical											
Hyperactivity	.34	.27	.30	.32			51.7	10.9	50.8	9.9	
Aggression	—	—	—	.25			51.7	11.3	—	—	
Conduct Problems	—	—	—	.29			51.2	10.6	—	—	
Anxiety	.16	.13	.16	.11			51.7	10.7	50.4	9.8	
Depression	.29	.33	.34	.25			52.1	11.8	51.2	10.6	
Somatization	—	—	—	.13			51.2	11.0	—	—	
Attention Problems	.36	.39	.39	.36			51.5	10.1	50.8	10.1	
Learning Problems	—	—	—	.30			51.8	10.2	—	—	
Atypicality	.17	.19	.19	.26			51.4	10.9	50.6	10.0	
Withdrawal	—	—	—	.27			51.4	10.6	—	—	
Attitude to School	.24	.23	.22	—			—	—	50.9	10.3	
Attitude to Teachers	.31	.33	.31	—			—	—	50.6	10.8	
Locus of Control	.26	.28	.28	—			—	—	50.8	10.3	
Social Stress	.30	.25	.28	—			—	—	51.0	10.3	
Sense of Inadequacy	.21	.31	.30	—			—	—	50.9	10.1	
Adaptive											
Adaptability	—	—	—	-.30			48.5	10.3	—	—	
Social Skills	—	—	—	-.27			49.1	9.9	—	—	
Leadership	—	—	—	-.29			49.2	9.8	—	—	
Study Skills	—	—	—	-.34			48.6	10.2	—	—	
Functional Communication	—	—	—	-.29			49.0	9.9	—	—	
Relations With Parents	-.19	-.22	-.21	—			—	—	48.8	10.3	
Interpersonal Relations	-.31	-.30	-.32	—			—	—	48.6	10.8	
Self-Esteem	-.21	-.20	-.23	—			—	—	49.5	10.0	
Self-Reliance	-.20	-.30	-.28	—			—	—	49.4	10.3	
N	701	701	699	699							

^aColumns under "Child Indexes for TRS" show correlations of TRS-C Indexes with SRP-C Functional Impairment Index, Composites, and Scales.^bColumn under "Child Index for SRP" shows correlations of SRP-C Functional Impairment Index with TRS-C Indexes, Composites, and Scales.

Table 3.42

Correlations Between Adolescent Forms for TRS and SRP Clinical Indexes and Scales

Adolescent Indexes, Composites, and Scales for TRS and SRP	Adolescent Indexes for TRS ^a			Functional Impairment Index	Adolescent Index for SRP ^b		TRS-A		SRP-A		
	EBD Probability Index	ADHD Probability Index	Functional Impairment Index		Functional Impairment Index		TRS-A		SRP-A		
							Mean	SD	Mean	SD	
Index											
EBD Probability Index	—	—	—				51.2	11.0	—	—	
ADHD Probability Index	—	—	—				51.4	10.3	—	—	
Functional Impairment Index	.25	.29	.31				51.6	10.4	51.2	10.3	
Composite											
Externalizing Problems	—	—	—	.22			51.1	11.0	—	—	
Internalizing Problems	.17	.23	.24	.28			51.4	11.1	51.0	10.2	
School Problems	.29	.24	.26	.29			51.3	10.2	50.4	10.0	
Adaptive Skills	—	—	—	-.25			48.9	9.9	—	—	
Behavioral Symptoms Index	—	—	—	.28			51.3	10.8	—	—	
Inattention/Hyperactivity	.31	.27	.27	—			—	—	51.0	10.3	
Emotional Symptoms Index	.16	.23	.25	—			—	—	51.1	10.4	
Personal Adjustment	-.19	-.26	-.28	—			—	—	49.0	10.8	
Scale											
Clinical											
Hyperactivity	.25	.17	.16	.20			51.0	11.1	50.7	10.3	
Aggression	—	—	—	.21			51.0	11.1	—	—	
Conduct Problems	—	—	—	.22			51.0	10.9	—	—	
Anxiety	.00	.02	.03	.19			51.1	10.8	50.6	10.2	
Depression	.17	.22	.23	.28			51.3	11.2	50.7	10.5	
Somatization	.10	.13	.15	.24			51.0	10.9	51.1	10.6	
Attention Problems	.30	.31	.31	.28			51.0	10.0	51.0	10.2	
Learning Problems	—	—	—	.26			51.5	10.4	—	—	
Atypicality	.18	.24	.24	.18			50.4	10.3	50.8	10.2	
Withdrawal	—	—	—	.22			51.2	10.6	—	—	
Attitude to School	.20	.20	.22	—			—	—	50.7	10.3	
Attitude to Teachers	.28	.24	.26	—			—	—	50.2	10.0	
Sensation Seeking	.18	.11	.11	—			—	—	50.0	9.9	
Locus of Control	.16	.18	.19	—			—	—	50.3	10.0	
Social Stress	.13	.18	.19	—			—	—	50.7	10.0	
Sense of Inadequacy	.17	.27	.29	—			—	—	51.1	10.0	
Adaptive											
Adaptability	—	—	—	-.24			48.7	10.3	—	—	
Social Skills	—	—	—	-.19			49.3	9.8	—	—	
Leadership	—	—	—	-.22			49.2	9.8	—	—	
Study Skills	—	—	—	-.27			49.0	10.0	—	—	
Functional Communication	—	—	—	-.21			48.9	9.9	—	—	
Relations With Parents	-.16	-.18	-.19	—			—	—	49.6	10.5	
Interpersonal Relations	-.12	-.24	-.24	—			—	—	49.2	10.4	
Self-Esteem	-.05	-.10	-.12	—			—	—	48.9	10.9	
Self-Reliance	-.23	-.27	-.29	—			—	—	49.1	10.4	
N	1315	1315	1305	1305							

^aColumns under “Adolescent Indexes for TRS” show correlations of TRS-A Indexes with SRP-A Functional Impairment Index, Composites, and Scales.^bColumn under “Adolescent Index for SRP” shows correlations of SRP-A Functional Impairment Index with TRS-A Indexes, Composites, and Scales.

Table 3.43

Correlations Between Child Forms for PRS and SRP Clinical Indexes and Scales

Child Indexes, Composites, and Scales for PRS and SRP	Child Indexes for PRS ^a			Functional Impairment Index	Child Index for SRP ^b				
	EBD Probability Index	ADHD Probability Index	Functional Impairment Index		PRS-C		SRP-C		
					Mean	SD	Mean	SD	
Index									
EBD Probability Index	—	—	—			50.9	10.6	—	
ADHD Probability Index	—	—	—			50.8	11.0	—	
Functional Impairment Index	.34	.38	.38			51.0	10.7	50.4	
Composite									
Externalizing Problems	—	—	—	.35	51.4	10.9	—	—	
Internalizing Problems	.30	.31	.33	.27	51.3	10.4	50.1	10.3	
School Problems	.27	.27	.26	—	—	—	50.0	10.5	
Adaptive Skills	—	—	—	-.35	49.5	10.4	—	—	
Behavioral Symptoms Index	—	—	—	.39	51.4	10.9	—	—	
Inattention/Hyperactivity	.35	.42	.37	—	—	—	50.6	10.5	
Emotional Symptoms Index	.34	.33	.36	—	—	—	50.0	10.1	
Personal Adjustment	-.37	-.34	-.38	—	—	—	50.1	10.1	
Scale									
Clinical									
Hyperactivity	.30	.38	.31	.33	51.2	11.1	50.8	10.4	
Aggression	—	—	—	.29	51.4	10.6	—	—	
Conduct Problems	—	—	—	.34	51.1	10.6	—	—	
Anxiety	.17	.19	.21	.15	51.0	10.3	49.8	9.9	
Depression	.33	.31	.34	.35	51.3	10.8	50.3	10.6	
Somatization	—	—	—	.15	50.7	10.5	—	—	
Attention Problems	.36	.40	.38	.39	50.7	10.7	50.3	10.4	
Atypicality	.18	.20	.21	.32	51.0	10.6	50.0	10.3	
Withdrawal	—	—	—	.20	50.9	10.2	—	—	
Attitude to School	.22	.20	.21	—	—	—	50.2	10.3	
Attitude to Teachers	.26	.28	.26	—	—	—	49.8	10.6	
Locus of Control	.27	.29	.30	—	—	—	49.8	10.4	
Social Stress	.28	.29	.30	—	—	—	50.6	10.4	
Sense of Inadequacy	.29	.30	.31	—	—	—	50.1	9.8	
Adaptive									
Adaptability	—	—	—	-.29	49.0	10.4	—	—	
Social Skills	—	—	—	-.25	50.0	10.1	—	—	
Leadership	—	—	—	-.31	49.8	9.8	—	—	
Activities of Daily Living	—	—	—	-.33	49.3	10.3	—	—	
Functional Communication	—	—	—	-.34	49.8	10.3	—	—	
Relations With Parents	-.31	-.27	-.31	—	—	—	49.5	10.0	
Interpersonal Relations	-.28	-.30	-.30	—	—	—	49.7	10.1	
Self-Esteem	-.24	-.21	-.24	—	—	—	50.6	9.4	
Self-Reliance	-.30	-.27	-.33	—	—	—	50.5	9.9	
N	888	888	885	885					

^aColumns under “Child Indexes for PRS” show correlations of PRS-C Indexes with SRP-C Functional Impairment Index, Composites, and Scales.^bColumn under “Child Index for SRP” shows correlations of SRP-C Functional Impairment Index with PRS-C Indexes, Composites, and Scales.

Table 3.44

Correlations Between Adolescent Forms for PRS and SRP Clinical Indexes and Scales

Adolescent Indexes, Composites, and Scales for PRS and SRP	Adolescent Indexes for PRS ^a			Functional Impairment Index	Adolescent Index for SRP ^b				
	EBD Probability Index	ADHD Probability Index	Functional Impairment Index		PRS-A		SRP-A		
					Mean	SD	Mean	SD	
Index									
EBD Probability Index	—	—	—			50.5	10.6	—	
ADHD Probability Index	—	—	—			51.1	10.8	—	
Functional Impairment Index	.35	.39	.42			51.1	10.8	50.1	
Composite									
Externalizing Problems	—	—	—	.35	51.0	11.3	—	—	
Internalizing Problems	.28	.31	.36	.44	51.3	10.7	50.3	10.4	
School Problems	.24	.25	.23	—	—	—	49.2	10.2	
Adaptive Skills	—	—	—	-.35	49.3	10.5	—	—	
Behavioral Symptoms Index	—	—	—	.43	51.3	11.5	—	—	
Inattention/Hyperactivity	.31	.39	.37	—	—	—	50.2	10.3	
Emotional Symptoms Index	.31	.31	.38	—	—	—	50.3	10.6	
Personal Adjustment	-.38	-.35	-.42	—	—	—	50.1	10.7	
Scale									
Clinical									
Hyperactivity	.17	.27	.24	.34	51.3	11.3	50.4	10.3	
Aggression	—	—	—	.29	50.9	11.2	—	—	
Conduct Problems	—	—	—	.32	50.6	10.9	—	—	
Anxiety	.08	.14	.17	.31	51.1	10.1	50.4	10.3	
Depression	.26	.27	.32	.43	51.5	11.7	50.1	10.6	
Somatization	.16	.20	.23	.34	50.7	10.3	50.5	10.6	
Attention Problems	.38	.42	.42	.38	50.5	10.8	50.0	10.1	
Atypicality	.22	.25	.29	.32	50.9	11.0	50.1	10.0	
Withdrawal	—	—	—	.31	50.9	10.7	—	—	
Attitude to School	.24	.23	.23	—	—	—	49.8	10.4	
Attitude to Teachers	.25	.24	.24	—	—	—	49.2	9.9	
Sensation Seeking	.05	.10	.07	—	—	—	49.3	10.2	
Locus of Control	.29	.32	.33	—	—	—	49.8	10.2	
Social Stress	.22	.25	.30	—	—	—	50.5	10.1	
Sense of Inadequacy	.33	.30	.37	—	—	—	50.1	10.2	
Adaptive									
Adaptability	—	—	—	-.33	49.0	10.7	—	—	
Social Skills	—	—	—	-.22	49.7	10.3	—	—	
Leadership	—	—	—	-.31	49.6	10.3	—	—	
Activities of Daily Living	—	—	—	-.30	49.2	10.4	—	—	
Functional Communication	—	—	—	-.32	49.6	10.4	—	—	
Relations With Parents	-.32	-.31	-.32	—	—	—	50.7	10.2	
Interpersonal Relations	-.27	-.23	-.33	—	—	—	49.8	10.4	
Self-Esteem	-.17	-.19	-.24	—	—	—	49.4	10.8	
Self-Reliance	-.40	-.31	-.38	—	—	—	50.3	10.4	
N	1553	1553	1548	1548					

^aColumns under "Adolescent Indexes for PRS" show correlations of PRS-A Indexes with SRP-A Functional Impairment Index, Composites, and Scales.^bColumn under "Adolescent Index for SRP" shows correlations of SRP-A Functional Impairment Index with PRS-A Indexes, Composites, and Scales.

Clinical Group Comparisons

Scores from the BASC–2 Clinical Report indexes were compared across a number of groups with identified behavioral, emotional, or physical problems. Table 3.45 contains the average scores on the BASC–2 Clinical Report indexes of those children with an identified problem for the TRS, PRS, and SRP. For many of these groups, scores on the clinical report indexes are in the At-Risk classification range. In general, scores are somewhat higher (up to one-third of a standard deviation) for the children with conditions that correspond to the clinical report index (e.g., EBD Probability Index predicting EBD) compared to noncorresponding conditions (e.g., EBD Probability Index predicting ADHD), with the exception of the TRS-C form. The Functional Impairment Index is elevated for a number of conditions, as would be expected.

Table 3.46 presents an additional analysis for the All Clinical, EBD, and ADHD samples. Scores on the BASC–2 Clinical Report indexes from children with each of these conditions were compared to a matched sample (matched on sex, age, region, race/ethnicity, and parent education level) of children with no identified condition, for both the item-development sample and a cross-validation sample (as discussed in chapter 2). For all comparisons, there are large differences between the groups, all of which are significant at $p < .01$ or lower. The effect size of the differences between the groups is well over 1.0 in almost all comparisons, indicating a large difference between the two populations.

Table 3.45Mean *T* Scores by Clinical Group

		TRS					PRS					SRP	
Clinical Group		Clinical Probability Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	N	Clinical Probability Index	EBD Probability Index	ADHD Probability Index	Functional Impairment Index	N	Functional Impairment Index	N
Any Classification													
Preschool	Mean	54.7	—	—	55.6	316	60.3	—	—	60.5	297	—	—
	SD	11.0	—	—	9.6		11.5	—	—	12.9		—	—
Child	Mean	—	57.2	57.4	58.3	671	—	57.1	58.4	58.2	787	53.7	574
	SD	—	12.2	9.4	10.5		—	11.5	11.9	11.4		11.1	
Adolescent	Mean	—	56.9	57.6	57.8	782	—	56.0	56.6	57.1	869	52.7	943
	SD	—	13.5	10.7	11.0		—	10.8	11.3	11.7		10.9	
Attention-Deficit/Hyperactivity Disorder													
Child	Mean	—	63.2	60.6	61.8	227	—	63.1	66.1	64.0	250	57.4	186
	SD	—	12.2	8.1	9.9		—	11.2	11.0	10.7		12.5	
Adolescent	Mean	—	61.3	61.8	61.5	284	—	60.3	63.1	62.1	321	55.2	322
	SD	—	14.0	10.2	10.5		—	9.7	10.1	10.6		10.7	
Autism/Asperger's/Pervasive Developmental Disorder													
Child	Mean	—	69.6	62.1	65.9	13	—	69.5	68.0	72.4	23	55.0	7
	SD	—	9.2	6.7	8.2		—	7.3	8.1	8.5		9.4	
Adolescent	Mean	—	52.8	64.7	64.2	6	—	66.7	60.0	74.0	7	59.3	3
	SD	—	8.3	8.0	6.1		—	9.3	8.1	9.6		11.5	
Bipolar Disorder													
Child	Mean	—	62.7	57.0	58.0	7	—	67.5	70.1	68.9	8	—	—
	SD	—	8.8	8.3	10.2		—	7.7	9.1	7.6		—	
Adolescent	Mean	—	76.7	66.0	68.8	11	—	67.6	68.1	69.1	8	60.6	8
	SD	—	16.9	9.1	9.1		—	7.1	6.2	6.5		8.9	
Depression Disorders													
Child	Mean	—	—	—	—	—	—	68.0	67.7	71.3	3	—	—
	SD	—	—	—	—		—	7.8	7.8	11.6		—	
Adolescent	Mean	—	65.0	59.3	62.2	10	—	55.8	58.5	58.7	12	53.7	15
	SD	—	16.8	5.6	9.3		—	11.1	12.0	12.0		11.0	
Emotional/Behavioral Disturbance													
Child	Mean	—	67.7	61.0	64.1	120	—	67.3	64.7	67.0	131	56.2	94
	SD	—	10.2	7.1	8.0		—	10.5	11.9	10.8		11.0	
Adolescent	Mean	—	67.1	63.6	64.3	200	—	65.3	65.2	66.5	175	56.5	198
	SD	—	14.4	10.1	10.5		—	7.9	10.9	10.3		11.0	
Hearing Impairment													
Child	Mean	—	53.3	55.0	54.5	40	—	55.1	55.4	56.7	49	52.0	27
	SD	—	9.9	7.9	8.3		—	9.8	11.1	10.1		8.1	
Adolescent	Mean	—	53.0	56.7	56.8	41	—	52.4	52.3	53.7	84	52.2	56
	SD	—	10.6	11.1	11.8		—	11.1	10.0	11.3		10.5	
Learning Disability													
Child	Mean	—	56.3	59.1	59.4	202	—	56.6	58.8	58.9	250	53.9	215
	SD	—	10.9	7.6	8.7		—	11.1	11.7	11.0		10.7	
Adolescent	Mean	—	56.5	58.4	59.0	303	—	57.8	57.3	58.8	308	53.7	351
	SD	—	13.0	9.9	10.2		—	9.8	11.1	10.9		10.6	
Mental Retardation/Developmental Delay													
Child	Mean	—	64.1	64.9	67.6	78	—	63.5	64.4	66.6	83	54.8	44
	SD	—	11.6	6.3	8.5		—	12.7	12.4	12.5		10.7	
Adolescent	Mean	—	57.6	64.5	62.9	85	—	65.1	61.3	67.6	78	53.3	40
	SD	—	12.1	9.0	9.0		—	8.9	10.0	10.4		10.9	
Motor Impairment													
Child	Mean	—	59.7	58.1	60.9	35	—	60.8	61.6	63.6	44	50.0	19
	SD	—	16.3	12.4	14.6		—	11.3	11.6	13.3		11.1	
Adolescent	Mean	—	57.6	63.2	61.8	26	—	58.5	58.4	62.1	29	53.9	21
	SD	—	12.5	9.9	9.9		—	12.0	12.2	13.1		10.8	
Speech/Language Disorder													
Child	Mean	—	56.8	58.4	59.5	207	—	56.2	57.5	58.3	261	52.8	150
	SD	—	11.1	9.6	10.7		—	11.4	12.1	11.9		11.1	
Adolescent	Mean	—	54.4	59.9	59.9	85	—	57.6	56.8	59.6	115	53.7	95
	SD	—	11.2	10.2	10.4		—	11.2	10.4	11.3		10.0	

Table 3.46

Clinical Probability Index Mean Score Difference Between the Matched Clinical and Nonclinical Samples for the Item Development and Cross-Validation Samples

			Item Development Sample							Item Cross-Validation Sample						
Form	Clinical Group	Index	N	Nonclinical		Clinical		t value	Effect Size	N	Nonclinical		Clinical		t value	Effect Size
				Mean	SD	Mean	SD				Mean	SD	Mean	SD		
TRS-P	All Clinical	Clinical Probability	44	48.6	9.6	62.2	11.1	6.2***	1.3	26	47.9	9.7	62.7	12.1	4.9***	1.4
	All Clinical	Functional Impairment	44	49.5	10.3	60.3	8.7	5.3***	1.1	26	47.2	10.8	60.1	10.6	4.4***	1.2
TRS-C	EBD	EBD Probability	74	50.0	8.5	67.9	10.5	11.4***	1.9	42	49.3	8.1	67.3	9.4	9.4***	2.1
	ADHD	ADHD Probability	140	49.8	10.0	60.6	7.6	10.2***	1.2	75	50.1	10.0	60.3	8.9	6.6***	1.1
	All Clinical	Functional Impairment	199	49.6	9.3	61.9	9.3	13.2***	1.3	90	48.7	9.6	62.3	9.7	9.4***	1.4
TRS-A	EBD	EBD Probability	122	50.0	9.8	67.6	14.1	11.3***	1.5	67	49.7	8.5	65.2	14.8	7.4***	1.3
	ADHD	ADHD Probability	185	49.1	9.9	61.7	10.2	12.0***	1.2	80	48.2	9.0	60.8	10.2	8.3***	1.3
	All Clinical	Functional Impairment	252	48.9	8.8	61.4	10.5	14.5***	1.3	121	48.8	9.4	61.6	10.5	10.0***	1.3
PRS-P	All Clinical	Clinical Probability	46	48.7	7.9	70.7	9.4	12.2***	2.5	17	54.6	10.2	68.6	10.0	4.1***	1.4
	All Clinical	Functional Impairment	45	48.4	8.5	67.5	12.6	8.5***	1.8	17	54.5	9.4	66.1	13.7	2.9**	1.0
PRS-C	EBD	EBD Probability	85	48.8	8.7	67.3	10.6	12.5***	1.9	39	49.8	8.6	66.5	10.0	7.9***	1.8
	ADHD	ADHD Probability	158	47.0	8.3	66.2	11.3	17.2***	1.9	82	47.8	7.8	66.1	10.3	12.9***	2.0
	All Clinical	Functional Impairment	223	48.1	7.8	63.5	10.5	17.6***	1.7	106	48.9	8.6	65.8	11.1	12.4***	1.7
PRS-A	EBD	EBD Probability	112	49.0	9.9	65.8	7.5	14.4***	1.9	56	50.5	10.7	64.1	8.6	7.4***	1.4
	ADHD	ADHD Probability	200	47.9	9.2	63.2	10.6	15.4***	1.5	93	48.6	8.8	62.9	9.5	10.6***	1.5
	All Clinical	Functional Impairment	248	48.7	8.4	62.2	10.5	15.8***	1.4	137	48.7	8.4	63.3	11.1	12.3***	1.5
SRP-C	All Clinical	Functional Impairment	166	49.3	11.1	56.9	12.4	5.9***	0.6	74	48.6	10.1	56.8	11.0	4.7***	0.8
SRP-A	All Clinical	Functional Impairment	279	48.6	9.8	55.5	11.3	7.7***	0.7	123	51.0	11.5	54.6	10.5	2.6**	0.3

** $p < .01$, *** $p < .001$

References

- Achenbach, T. M., & Rescorla, L. A. (2000). *Manual for the ASEBA preschool forms and profiles: An integrated system of multi-informant assessment*. Burlington, VT: University of Vermont, Research Center for Children, Youth, and Families.
- Achenbach, T. M., & Rescorla, L. A. (2001). *Manual for the ASEBA school-age forms and profiles: An integrated system of multi-informant assessment*. Burlington, VT: University of Vermont, Research Center for Children, Youth, and Families.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text revision). Washington, DC: Author.
- Conners, C. K. (1997). *Conners' Rating Scales—Revised*. North Tonawanda, NY: Multi-Health Systems.
- Gioia, G. A., Isquith, P. K., Guy, S. C., & Kenworthy, L. (2000). *Behavior Rating Inventory of Executive Function* (BRIEF). Lutz, FL: Psychological Assessment Resources.
- Reynolds, C. R., & Kamphaus, R. W. (2004). *Behavior Assessment System for Children* (2nd ed.). Circle Pines, MN: AGS Publishing.
- Sparrow, S. S., Cicchetti, D. V., & Balla, D. A. (2005). *Vineland Adaptive Behavior Scales* (2nd ed.), *survey forms manual*. Circle Pines, MN: AGS Publishing.
- Sparrow, S. S., Cicchetti, D. V., & Balla, D. A. (2006). *Vineland Adaptive Behavior Scales* (2nd ed.), *teacher rating form manual*. Minneapolis, MN: NCS Pearson.
- Vannest, K. J., Reynolds, C. R., & Kamphaus, R. W. (2008). *BASC-2 intervention guide*. Minneapolis, MN: NCS Pearson.

Appendix: Norms and Interpretive Tables for the Clinical Probability and Functional Impairment Indexes

Table A.1	TRS-P Index <i>T</i> Scores and Percentiles, General, Ages 2–3	58
Table A.2	TRS-P Index <i>T</i> Scores and Percentiles, General, Ages 4–5	61
Table A.3	TRS-C Index <i>T</i> Scores and Percentiles, General, Ages 6–7	64
Table A.4	TRS-C Index <i>T</i> Scores and Percentiles, General, Ages 8–11	68
Table A.5	TRS-A Index <i>T</i> Scores and Percentiles, General, Ages 12–14	72
Table A.6	TRS-A Index <i>T</i> Scores and Percentiles, General, Ages 15–18	76
Table A.7	PRS-P Index <i>T</i> Scores and Percentiles, General, Ages 2–3	80
Table A.8	PRS-P Index <i>T</i> Scores and Percentiles, General, Ages 4–5	84
Table A.9	PRS-C Index <i>T</i> Scores and Percentiles, General, Ages 6–7	88
Table A.10	PRS-C Index <i>T</i> Scores and Percentiles, General, Ages 8–11	92
Table A.11	PRS-A Index <i>T</i> Scores and Percentiles, General, Ages 12–14	96
Table A.12	PRS-A Index <i>T</i> Scores and Percentiles, General, Ages 15–18	100
Table A.13	SRP-C Index <i>T</i> Scores and Percentiles, General, Ages 8–11	104
Table A.14	SRP-A Index <i>T</i> Scores and Percentiles, General, Ages 12–14	105
Table A.15	SRP-A Index <i>T</i> Scores and Percentiles, General, Ages 15–18	106
Table A.16	TRS-P Index <i>T</i> Scores and Percentiles, All Clinical, Ages 4–5	107
Table A.17	TRS-C Index <i>T</i> Scores and Percentiles, All Clinical, Ages 6–11	110
Table A.18	TRS-C Index <i>T</i> Scores and Percentiles, ADHD, Ages 6–11	114
Table A.19	TRS-A Index <i>T</i> Scores and Percentiles, All Clinical, Ages 12–18	118
Table A.20	TRS-A Index <i>T</i> Scores and Percentiles, ADHD, Ages 12–18	122
Table A.21	TRS-A Index <i>T</i> Scores and Percentiles, All Clinical, Ages 19–21	126
Table A.22	PRS-P Index <i>T</i> Scores and Percentiles, All Clinical, Ages 4–5	128
Table A.23	PRS-C Index <i>T</i> Scores and Percentiles, All Clinical, Ages 6–11	131
Table A.24	PRS-C Index <i>T</i> Scores and Percentiles, ADHD, Ages 6–11	135
Table A.25	PRS-A Index <i>T</i> Scores and Percentiles, All Clinical, Ages 12–18	139
Table A.26	PRS-A Index <i>T</i> Scores and Percentiles, ADHD, Ages 12–18	143
Table A.27	PRS-A Index <i>T</i> Scores and Percentiles, All Clinical, Ages 19–21	147
Table A.28	SRP-C Index <i>T</i> Scores and Percentiles, All Clinical, Ages 8–11	149
Table A.29	SRP-C Index <i>T</i> Scores and Percentiles, ADHD, Ages 8–11	150
Table A.30	SRP-A Index <i>T</i> Scores and Percentiles, All Clinical, Ages 12–18	151
Table A.31	SRP-A Index <i>T</i> Scores and Percentiles, ADHD, Ages 12–18	152
Table A.32	SRP-A Index <i>T</i> Scores and Percentiles, All Clinical, Ages 19–21	153

Table A.1 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
108	--	--	--	--	--	--	100	99	103	99	99	99	108	
107	--	--	--	--	--	--	99	99	102	99	98	99	107	
106	--	--	--	--	--	--	98	99	101	99	97	99	106	
105	--	--	--	--	--	--	98	99	100	99	97	99	105	
104	--	--	--	--	--	--	97	99	100	99	96	99	104	
103	--	--	--	--	--	--	96	99	99	99	95	99	103	
102	--	--	--	--	--	--	95	99	98	99	94	99	102	
101	--	--	--	--	--	--	95	99	97	99	94	99	101	
100	--	--	--	--	--	--	94	99	97	99	93	99	100	
99	--	--	--	--	--	--	93	99	96	99	92	99	99	
98	--	--	--	--	--	--	92	99	95	99	91	99	98	
97	--	--	--	--	--	--	92	99	95	99	91	99	97	
96	--	--	--	--	--	--	91	99	94	99	90	99	96	
95	--	--	--	--	--	--	90	99	93	99	89	99	95	
94	--	--	--	--	--	--	90	99	92	99	88	99	94	
93	--	--	--	--	--	--	89	99	92	99	88	99	93	
92	--	--	--	--	--	--	88	99	91	99	87	99	92	
91	--	--	--	--	--	--	87	99	90	99	86	99	91	
90	--	--	--	--	--	--	87	99	89	99	85	99	90	
89	--	--	--	--	--	--	86	99	89	99	85	99	89	
88	--	--	--	--	--	--	85	99	88	99	84	99	88	
87	--	--	--	--	--	--	84	99	87	99	83	99	87	
86	--	--	--	--	--	--	84	99	86	99	82	99	86	
85	--	--	--	--	--	--	83	99	86	99	82	99	85	
84	--	--	--	--	--	--	82	99	85	99	81	99	84	
83	--	--	--	--	--	--	82	99	84	99	80	99	83	
82	--	--	--	--	--	--	81	99	83	99	79	99	82	
81	--	--	--	--	--	--	80	99	83	99	79	99	81	
80	--	--	--	--	--	--	79	99	82	99	78	99	80	
79	--	--	--	--	--	--	79	99	81	99	77	99	79	
78	--	--	--	--	--	--	78	99	81	99	77	99	78	
77	--	--	--	--	--	--	77	99	80	99	76	99	77	
76	--	--	--	--	--	--	77	99	79	99	75	99	76	
75	--	--	--	--	--	--	76	99	78	99	74	99	75	
74	--	--	--	--	--	--	75	99	78	99	74	99	74	
73	--	--	--	--	--	--	74	99	77	99	73	99	73	
72	--	--	--	--	--	--	74	99	76	99	72	98	72	
71	--	--	--	--	--	--	73	98	75	99	71	98	71	
70	--	--	--	--	--	--	72	98	75	99	71	98	70	
69	--	--	--	--	--	--	71	98	74	98	70	97	69	
68	--	--	--	--	--	--	71	97	73	98	69	97	68	
67	--	--	--	--	--	--	70	97	72	98	68	96	67	
66	--	--	--	--	--	--	69	97	72	98	68	96	66	
65	--	--	--	--	--	--	69	96	71	97	67	95	65	
64	--	--	--	--	--	--	68	96	70	97	66	94	64	
63	--	--	--	--	--	--	67	95	69	96	65	94	63	
62	--	--	--	--	--	--	66	94	69	96	65	93	62	
61	--	--	--	--	--	--	66	93	68	95	64	92	61	

(Continued on next page)

Table A.1 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
60	--	--	--	--	--	--	65	93	67	95	63	91	60	
59	--	--	--	--	--	--	64	92	67	94	62	89	59	
58	--	--	--	--	--	--	63	91	66	93	62	88	58	
57	95	99	100	99	91	99	63	90	65	93	61	87	57	
56	93	99	99	99	90	99	62	88	64	92	60	85	56	
55	92	99	98	99	89	99	61	87	64	91	59	83	55	
54	91	99	97	99	88	99	61	86	63	90	59	81	54	
53	90	99	95	99	87	99	60	84	62	89	58	79	53	
52	89	99	94	99	86	99	59	82	61	87	57	77	52	
51	88	99	93	99	85	99	58	81	61	86	57	75	51	
50	87	99	92	99	84	99	58	79	60	84	56	73	50	
49	86	99	91	99	83	99	57	77	59	83	55	70	49	
48	85	99	90	99	82	99	56	74	58	81	54	68	48	
47	84	99	88	99	81	99	56	72	58	79	54	65	47	
46	83	99	87	99	80	99	55	70	57	77	53	62	46	
45	81	99	86	99	79	99	54	67	56	75	52	59	45	
44	80	99	85	99	78	99	53	65	55	73	51	56	44	
43	79	99	84	99	77	99	53	62	55	71	51	53	43	
42	78	99	83	99	76	99	52	59	54	68	50	50	42	
41	77	99	81	99	74	98	51	57	53	66	49	47	41	
40	76	98	80	99	73	98	50	54	53	63	48	44	40	
39	75	98	79	99	72	97	50	51	52	60	48	41	39	
38	74	98	78	99	71	97	49	48	51	57	47	38	38	
37	73	97	77	98	70	96	48	45	50	54	46	36	37	
36	72	97	76	98	69	95	48	42	50	51	45	33	36	
35	71	96	74	98	68	95	47	39	49	48	45	30	35	
34	70	96	73	97	67	94	46	36	48	45	44	27	34	
33	68	95	72	97	66	93	45	34	47	42	43	25	33	
32	67	94	71	96	65	92	45	31	47	39	42	22	32	
31	66	93	70	96	64	90	44	28	46	36	42	20	31	
30	65	92	69	95	63	89	43	26	45	33	41	18	30	
29	64	91	67	94	62	87	42	23	44	30	40	16	29	
28	63	89	66	93	61	85	42	21	44	27	39	14	28	
27	62	88	65	92	60	83	41	19	43	25	39	13	27	
26	61	86	64	91	59	81	40	17	42	22	38	11	26	
25	60	84	63	89	57	78	40	15	41	20	37	10	25	
24	59	82	62	88	56	76	39	13	41	18	37	8	24	
23	58	79	60	86	55	73	38	11	40	15	36	7	23	
22	57	77	59	84	54	70	37	10	39	13	35	6	22	
21	55	74	58	81	53	66	37	8	39	12	34	5	21	
20	54	71	57	78	52	63	36	7	38	10	34	5	20	
19	53	67	56	75	51	59	35	6	37	8	33	4	19	
18	52	63	55	72	50	55	35	5	36	7	32	3	18	
17	51	60	53	68	49	51	34	4	36	6	31	3	17	
16	50	55	52	64	48	47	33	4	35	5	31	2	16	
15	49	51	51	60	47	42	32	3	34	4	30	2	15	
14	48	47	50	56	46	38	32	2	33	3	29	2	14	
13	47	42	49	51	45	34	31	2	33	3	28	1	13	
12	46	38	48	46	44	29	30	2	32	2	28	1	12	
11	45	33	46	41	43	25	29	1	31	2	27	1	11	

(Continued on next page)

Table A.1 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
10	43	28	45	36	42	21	29	1	30	1	26	1	10	
9	42	24	44	30	40	17	28	1	30	1	25	1	9	
8	41	20	43	26	39	14	27	1	29	1	25	1	8	
7	40	16	42	21	38	11	27	1	28	1	24	1	7	
6	39	12	41	17	37	8	26	1	27	1	23	1	6	
5	38	9	39	13	36	6	25	1	27	1	22	1	5	
4	37	7	38	9	35	4	24	1	26	1	22	1	4	
3	36	4	37	7	34	2	24	1	25	1	21	1	3	
2	35	3	36	4	33	1	23	1	25	1	20	1	2	
1	34	2	35	3	32	1	22	1	24	1	20	1	1	
0	33	1	34	2	31	1	21	1	23	1	20	1	0	
Mean	16.01		14.04		17.97		39.37		36.54		42.20		Mean	
SD	9.21		8.59		9.41		13.81		13.57		13.50		SD	

Table A.2 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
108	--	--	--	--	--	--	102	99	105	99	100	99	108	
107	--	--	--	--	--	--	101	99	104	99	100	99	107	
106	--	--	--	--	--	--	101	99	103	99	99	99	106	
105	--	--	--	--	--	--	100	99	103	99	98	99	105	
104	--	--	--	--	--	--	99	99	102	99	98	99	104	
103	--	--	--	--	--	--	99	99	101	99	97	99	103	
102	--	--	--	--	--	--	98	99	101	99	96	99	102	
101	--	--	--	--	--	--	97	99	100	99	96	99	101	
100	--	--	--	--	--	--	97	99	99	99	95	99	100	
99	--	--	--	--	--	--	96	99	98	99	94	99	99	
98	--	--	--	--	--	--	95	99	98	99	94	99	98	
97	--	--	--	--	--	--	95	99	97	99	93	99	97	
96	--	--	--	--	--	--	94	99	96	99	92	99	96	
95	--	--	--	--	--	--	93	99	96	99	92	99	95	
94	--	--	--	--	--	--	93	99	95	99	91	99	94	
93	--	--	--	--	--	--	92	99	94	99	90	99	93	
92	--	--	--	--	--	--	91	99	94	99	90	99	92	
91	--	--	--	--	--	--	91	99	93	99	89	99	91	
90	--	--	--	--	--	--	90	99	92	99	88	99	90	
89	--	--	--	--	--	--	89	99	91	99	88	99	89	
88	--	--	--	--	--	--	89	99	91	99	87	99	88	
87	--	--	--	--	--	--	88	99	90	99	86	99	87	
86	--	--	--	--	--	--	87	99	89	99	86	99	86	
85	--	--	--	--	--	--	87	99	89	99	85	99	85	
84	--	--	--	--	--	--	86	99	88	99	84	99	84	
83	--	--	--	--	--	--	85	99	87	99	84	99	83	
82	--	--	--	--	--	--	84	99	87	99	83	99	82	
81	--	--	--	--	--	--	84	99	86	99	82	99	81	
80	--	--	--	--	--	--	83	99	85	99	82	99	80	
79	--	--	--	--	--	--	82	99	84	99	81	99	79	
78	--	--	--	--	--	--	82	99	84	99	80	99	78	
77	--	--	--	--	--	--	81	99	83	99	80	99	77	
76	--	--	--	--	--	--	80	99	82	99	79	99	76	
75	--	--	--	--	--	--	80	99	82	99	78	99	75	
74	--	--	--	--	--	--	79	99	81	99	78	99	74	
73	--	--	--	--	--	--	78	99	80	99	77	99	73	
72	--	--	--	--	--	--	78	99	80	99	76	99	72	
71	--	--	--	--	--	--	77	99	79	99	76	99	71	
70	--	--	--	--	--	--	76	99	78	99	75	99	70	
69	--	--	--	--	--	--	76	99	78	99	74	99	69	
68	--	--	--	--	--	--	75	99	77	99	74	99	68	
67	--	--	--	--	--	--	74	99	76	99	73	98	67	
66	--	--	--	--	--	--	74	99	75	99	72	98	66	
65	--	--	--	--	--	--	73	98	75	99	71	98	65	
64	--	--	--	--	--	--	72	98	74	99	71	97	64	
63	--	--	--	--	--	--	72	98	73	99	70	97	63	
62	--	--	--	--	--	--	71	97	73	98	69	96	62	
61	--	--	--	--	--	--	70	97	72	98	69	96	61	

(Continued on next page)

Table A.2 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
60	--	--	--	--	--	--	70	96	71	97	68	95	60	
59	--	--	--	--	--	--	69	96	71	97	67	95	59	
58	--	--	--	--	--	--	68	95	70	96	67	94	58	
57	99	99	105	99	94	99	68	94	69	96	66	93	57	
56	97	99	104	99	93	99	67	94	68	95	65	92	56	
55	96	99	103	99	92	99	66	93	68	94	65	91	55	
54	95	99	101	99	91	99	65	92	67	94	64	90	54	
53	94	99	100	99	90	99	65	91	66	93	63	89	53	
52	93	99	99	99	89	99	64	90	66	92	63	88	52	
51	92	99	98	99	88	99	63	89	65	91	62	87	51	
50	91	99	97	99	87	99	63	88	64	90	61	86	50	
49	90	99	95	99	86	99	62	87	64	89	61	84	49	
48	89	99	94	99	85	99	61	85	63	88	60	83	48	
47	88	99	93	99	84	99	61	84	62	86	59	82	47	
46	86	99	92	99	83	99	60	83	62	85	59	80	46	
45	85	99	91	99	82	99	59	81	61	84	58	78	45	
44	84	99	89	99	81	99	59	80	60	82	57	77	44	
43	83	99	88	99	80	99	58	78	59	81	57	75	43	
42	82	99	87	99	79	99	57	76	59	79	56	73	42	
41	81	99	86	99	78	99	57	74	58	78	55	71	41	
40	80	99	85	99	77	99	56	73	57	76	55	69	40	
39	79	99	83	99	76	98	55	71	57	74	54	67	39	
38	78	99	82	99	75	98	55	69	56	73	53	65	38	
37	77	98	81	99	74	97	54	67	55	71	53	62	37	
36	75	98	80	99	72	97	53	65	55	69	52	60	36	
35	74	98	78	99	71	96	53	62	54	67	51	58	35	
34	73	97	77	99	70	96	52	60	53	65	51	55	34	
33	72	97	76	98	69	95	51	58	52	63	50	53	33	
32	71	96	75	98	68	94	51	56	52	60	49	51	32	
31	70	95	74	97	67	93	50	53	51	58	49	48	31	
30	69	95	72	97	66	92	49	51	50	56	48	46	30	
29	68	94	71	96	65	91	48	48	50	53	47	43	29	
28	67	93	70	95	64	90	48	46	49	51	47	41	28	
27	66	91	69	94	63	89	47	43	48	49	46	38	27	
26	64	90	68	93	62	87	46	41	48	46	45	36	26	
25	63	89	66	92	61	85	46	38	47	43	45	33	25	
24	62	87	65	91	60	84	45	36	46	41	44	31	24	
23	61	86	64	90	59	82	44	33	45	38	43	28	23	
22	60	84	63	88	58	79	44	31	45	36	43	26	22	
21	59	82	62	86	57	77	43	28	44	33	42	23	21	
20	58	79	60	84	56	75	42	26	43	30	41	21	20	
19	57	77	59	82	55	72	42	23	43	28	41	19	19	
18	56	74	58	80	54	69	41	21	42	25	40	17	18	
17	55	72	57	77	53	66	40	18	41	22	39	15	17	
16	53	68	55	74	52	63	40	16	41	20	39	13	16	
15	52	65	54	71	51	59	39	14	40	17	38	11	15	
14	51	62	53	68	50	56	38	12	39	15	37	10	14	
13	50	58	52	64	49	52	38	10	39	12	37	8	13	
12	49	54	51	60	48	48	37	8	38	10	36	7	12	
11	48	49	49	56	47	43	36	7	37	8	35	5	11	

(Continued on next page)

Table A.2 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
10	47	45	48	51	45	39	36	5	36	6	35	4	10	
9	46	40	47	46	44	35	35	4	36	4	34	3	9	
8	45	35	46	41	43	30	34	3	35	3	33	3	8	
7	43	30	45	36	42	26	34	2	34	2	33	2	7	
6	42	25	43	30	41	21	33	1	34	1	32	1	6	
5	41	20	42	24	40	17	32	1	33	1	31	1	5	
4	40	16	41	19	39	13	32	1	32	1	31	1	4	
3	39	11	40	14	38	9	31	1	32	1	30	1	3	
2	38	7	39	9	37	6	30	1	31	1	29	1	2	
1	37	4	37	5	36	3	29	1	30	1	29	1	1	
0	36	2	36	2	35	1	29	1	29	1	28	1	0	
Mean	12.90		11.46		14.34		31.22		29.49		32.96		Mean	
SD	9.08		8.27		9.63		14.72		14.35		14.90		SD	

Table A.3 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
159	--	--	--	--	--	--	--	--	--	--	--	--	102	99	108	99	98	99	159	
158	--	--	--	--	--	--	--	--	--	--	--	--	101	99	108	99	97	99	158	
157	--	--	--	--	--	--	--	--	--	--	--	--	101	99	107	99	97	99	157	
156	--	--	--	--	--	--	--	--	--	--	--	--	101	99	107	99	97	99	156	
155	--	--	--	--	--	--	--	--	--	--	--	--	100	99	106	99	96	99	155	
154	--	--	--	--	--	--	--	--	--	--	--	--	100	99	106	99	96	99	154	
153	--	--	--	--	--	--	--	--	--	--	--	--	99	99	106	99	95	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	99	99	105	99	95	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	98	99	105	99	94	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	98	99	104	99	94	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	98	99	104	99	94	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	97	99	103	99	93	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	97	99	103	99	93	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	96	99	102	99	92	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	96	99	102	99	92	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	95	99	101	99	92	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	95	99	101	99	91	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	95	99	100	99	91	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	94	99	100	99	90	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	94	99	99	99	90	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	93	99	99	99	90	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	93	99	98	99	89	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	92	99	98	99	89	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	92	99	98	99	88	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	92	99	97	99	88	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	91	99	97	99	88	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	91	99	96	99	87	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	90	99	96	99	87	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	90	99	95	99	86	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	89	99	95	99	86	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	89	99	94	99	85	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	89	99	94	99	85	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	88	99	93	99	85	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	88	99	93	99	84	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	87	99	92	99	84	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	87	99	92	99	83	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	86	99	91	99	83	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	86	99	91	99	83	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	85	99	90	99	82	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	85	99	90	99	82	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	85	99	90	99	81	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	84	99	89	99	81	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	84	99	89	99	81	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	83	99	88	99	80	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	83	99	88	99	80	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	82	99	87	99	79	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	82	99	87	99	79	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	82	99	86	99	78	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	81	99	86	99	78	99	111	

(Continued on next page)

Table A.3 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
110	--	--	--	--	--	--	--	--	--	--	--	--	81	99	85	99	78	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	80	99	85	99	77	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	80	99	84	99	77	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	79	99	84	99	76	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	79	99	83	99	76	99	106	
105	--	--	--	--	--	--	--	--	--	--	--	--	79	99	83	99	76	99	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	78	99	82	99	75	99	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	78	99	82	99	75	99	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	77	99	82	99	74	99	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	77	99	81	99	74	99	101	
100	--	--	--	--	--	--	--	--	--	--	--	--	76	99	81	99	74	99	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	76	99	80	99	73	99	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	76	99	80	99	73	99	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	75	99	79	99	72	99	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	75	99	79	99	72	99	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	74	99	78	99	71	98	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	74	99	78	99	71	98	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	73	99	77	99	71	98	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	73	98	77	99	70	97	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	73	98	76	99	70	97	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	72	98	76	99	69	97	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	72	98	75	99	69	96	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	71	97	75	99	69	96	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	71	97	74	98	68	95	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	70	97	74	98	68	95	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	70	96	74	98	67	94	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	69	96	73	98	67	94	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	69	95	73	98	67	93	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	69	95	72	97	66	93	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	68	95	72	97	66	92	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	68	94	71	97	65	91	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	67	94	71	96	65	91	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	67	93	70	96	64	90	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	66	93	70	96	64	89	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	66	92	69	95	64	89	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	66	91	69	95	63	88	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	65	91	68	94	63	87	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	65	90	68	94	62	86	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	64	90	67	93	62	86	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	64	89	67	93	62	85	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	63	88	66	92	61	84	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	63	88	66	92	61	83	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	63	87	66	91	60	82	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	62	86	65	91	60	81	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	62	85	65	90	60	80	66	
65	--	--	--	--	--	--	--	--	--	--	--	--	61	84	64	89	59	79	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	61	84	64	89	59	78	64	
63	--	--	--	--	--	--	--	--	--	--	--	--	60	83	63	88	58	77	63	
62	--	--	--	--	--	--	--	--	--	--	--	--	60	82	63	87	58	76	62	
61	--	--	--	--	--	--	--	--	--	--	--	--	60	81	62	87	58	75	61	

(Continued on next page)

Table A.3 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
60	--	--	--	--	--	--	78	99	82	99	76	99	59	80	62	86	57	74	60	
59	--	--	--	--	--	--	77	99	81	99	75	99	59	79	61	85	57	73	59	
58	--	--	--	--	--	--	77	99	80	99	74	99	58	78	61	84	56	72	58	
57	--	--	--	--	--	--	76	99	79	99	73	99	58	77	60	83	56	71	57	
56	--	--	--	--	--	--	75	99	78	99	73	99	57	76	60	82	55	70	56	
55	--	--	--	--	--	--	74	99	78	99	72	99	57	75	59	81	55	69	55	
54	--	--	--	--	--	--	73	99	77	99	71	99	57	74	59	80	55	68	54	
53	--	--	--	--	--	--	73	99	76	99	70	99	56	73	58	79	54	67	53	
52	--	--	--	--	--	--	72	99	75	99	70	99	56	72	58	78	54	65	52	
51	110	99	119	99	105	99	71	99	74	99	69	99	55	71	58	77	53	64	51	
50	109	99	117	99	103	99	70	99	73	99	68	99	55	70	57	76	53	63	50	
49	107	99	116	99	102	99	70	98	73	99	67	98	54	68	57	75	53	62	49	
48	106	99	114	99	101	99	69	97	72	99	67	96	54	67	56	74	52	60	48	
47	104	99	112	99	99	99	68	96	71	98	66	95	54	66	56	73	52	59	47	
46	103	99	111	99	98	99	67	95	70	97	65	93	53	65	55	72	51	58	46	
45	102	99	109	99	97	99	66	94	69	97	64	91	53	63	55	70	51	57	45	
44	100	99	108	99	95	99	66	93	69	96	63	90	52	62	54	69	51	55	44	
43	99	99	106	99	94	99	65	91	68	95	63	88	52	61	54	68	50	54	43	
42	97	99	104	99	92	99	64	90	67	94	62	86	51	59	53	66	50	53	42	
41	96	99	103	99	91	99	63	88	66	93	61	83	51	58	53	65	49	51	41	
40	94	99	101	99	90	99	62	86	65	91	60	81	50	57	52	64	49	50	40	
39	93	99	99	99	88	99	62	85	64	90	60	79	50	55	52	62	48	49	39	
38	91	99	98	99	87	99	61	83	64	88	59	77	50	54	51	61	48	47	38	
37	90	99	96	99	86	99	60	81	63	87	58	75	49	52	51	59	48	46	37	
36	88	99	94	99	84	99	59	79	62	85	57	72	49	51	50	58	47	44	36	
35	87	99	93	99	83	99	59	77	61	84	57	70	48	49	50	56	47	43	35	
34	85	99	91	99	82	99	58	75	60	82	56	68	48	48	50	54	46	41	34	
33	84	99	90	99	80	99	57	73	59	80	55	65	47	46	49	53	46	40	33	
32	83	99	88	99	79	99	56	70	59	78	54	63	47	45	49	51	46	39	32	
31	81	99	86	99	78	98	55	68	58	76	54	61	47	43	48	49	45	37	31	
30	80	99	85	99	76	98	55	66	57	74	53	58	46	42	48	47	45	36	30	
29	78	98	83	99	75	98	54	64	56	72	52	56	46	40	47	46	44	34	29	
28	77	98	81	99	73	97	53	61	55	69	51	54	45	38	47	44	44	33	28	
27	75	98	80	99	72	97	52	59	54	67	50	51	45	37	46	42	44	31	27	
26	74	97	78	98	71	96	52	57	54	65	50	49	44	35	46	40	43	30	26	
25	72	96	76	98	69	95	51	54	53	62	49	47	44	33	45	38	43	28	25	
24	71	96	75	97	68	94	50	52	52	60	48	44	44	32	45	36	42	27	24	
23	69	95	73	97	67	93	49	49	51	57	47	42	43	30	44	35	42	25	23	
22	68	94	72	96	65	92	48	47	50	54	47	40	43	28	44	33	41	24	22	
21	66	93	70	95	64	90	48	44	49	52	46	37	42	26	43	31	41	22	21	
20	65	91	68	94	63	88	47	42	49	49	45	35	42	25	43	29	41	21	20	
19	64	90	67	93	61	86	46	39	48	46	44	33	41	23	42	27	40	19	19	
18	62	88	65	92	60	84	45	37	47	43	44	30	41	21	42	25	40	18	18	
17	61	86	63	90	59	82	45	34	46	41	43	28	41	20	42	23	39	16	17	
16	59	84	62	88	57	79	44	32	45	38	42	26	40	18	41	21	39	15	16	
15	58	81	60	86	56	76	43	29	45	35	41	24	40	16	41	19	39	14	15	
14	56	78	59	83	54	72	42	27	44	32	41	21	39	15	40	17	38	12	14	
13	55	74	57	80	53	68	41	24	43	29	40	19	39	13	40	15	38	11	13	
12	53	70	55	76	52	64	41	22	42	26	39	17	38	12	39	13	37	10	12	
11	52	65	54	72	50	59	40	19	41	23	38	15	38	10	39	12	37	9	11	

(Continued on next page)

Table A.3 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score		
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
10	50	60	52	67	49	54	39	17	40	20	38	13	38	9	38	10	37	7
9	49	54	50	61	48	48	38	14	40	17	37	11	37	7	38	8	36	6
8	47	48	49	54	46	42	38	12	39	14	36	9	37	6	37	7	36	5
7	46	42	47	47	45	36	37	10	38	12	35	8	36	5	37	5	35	4
6	44	34	45	39	44	30	36	8	37	9	34	6	36	4	36	4	35	3
5	43	27	44	30	42	24	35	6	36	7	34	5	35	3	36	3	34	2
4	42	20	42	22	41	18	34	4	35	5	33	3	35	2	35	2	34	2
3	40	13	41	14	40	12	34	2	35	3	32	2	34	1	35	1	34	1
2	39	7	39	7	38	7	33	1	34	1	31	1	34	1	34	1	33	1
1	37	3	37	2	37	4	32	1	33	1	31	1	34	1	34	1	33	1
0	36	1	36	1	35	1	31	1	32	1	30	1	33	1	33	1	32	1
Mean	9.76		8.79		10.73		24.00		21.64		26.35		38.89		35.05		42.74	
SD	6.84		6.12		7.37		12.82		12.08		13.12		23.14		21.23		24.33	

Table A.4 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
159	--	--	--	--	--	--	--	--	--	--	--	--	104	99	108	99	100	99	159	
158	--	--	--	--	--	--	--	--	--	--	--	--	103	99	108	99	100	99	158	
157	--	--	--	--	--	--	--	--	--	--	--	--	103	99	107	99	100	99	157	
156	--	--	--	--	--	--	--	--	--	--	--	--	102	99	107	99	99	99	156	
155	--	--	--	--	--	--	--	--	--	--	--	--	102	99	107	99	99	99	155	
154	--	--	--	--	--	--	--	--	--	--	--	--	101	99	106	99	98	99	154	
153	--	--	--	--	--	--	--	--	--	--	--	--	101	99	106	99	98	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	100	99	105	99	97	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	100	99	105	99	97	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	100	99	104	99	97	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	99	99	104	99	96	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	99	99	103	99	96	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	98	99	103	99	95	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	98	99	102	99	95	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	97	99	102	99	94	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	97	99	101	99	94	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	96	99	101	99	94	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	96	99	100	99	93	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	96	99	100	99	93	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	95	99	100	99	92	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	95	99	99	99	92	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	94	99	99	99	91	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	94	99	98	99	91	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	93	99	98	99	91	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	93	99	97	99	90	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	93	99	97	99	90	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	92	99	96	99	89	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	92	99	96	99	89	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	91	99	95	99	89	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	91	99	95	99	88	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	90	99	94	99	88	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	90	99	94	99	87	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	89	99	94	99	87	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	89	99	93	99	86	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	89	99	93	99	86	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	88	99	92	99	86	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	88	99	92	99	85	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	87	99	91	99	85	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	87	99	91	99	84	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	86	99	90	99	84	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	86	99	90	99	83	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	86	99	89	99	83	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	85	99	89	99	83	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	85	99	88	99	82	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	84	99	88	99	82	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	84	99	87	99	81	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	83	99	87	99	81	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	83	99	87	99	80	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	82	99	86	99	80	99	111	

(Continued on next page)

Table A.4 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
110	--	--	--	--	--	--	--	--	--	--	--	--	82	99	86	99	80	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	82	99	85	99	79	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	81	99	85	99	79	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	81	99	84	99	78	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	80	99	84	99	78	99	106	
105	--	--	--	--	--	--	--	--	--	--	--	--	80	99	83	99	77	99	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	79	99	83	99	77	99	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	79	99	82	99	77	99	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	79	99	82	99	76	99	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	78	99	81	99	76	99	101	
100	--	--	--	--	--	--	--	--	--	--	--	--	78	99	81	99	75	99	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	77	99	81	99	75	98	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	77	99	80	99	74	98	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	76	99	80	99	74	98	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	76	99	79	99	74	98	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	75	98	79	99	73	98	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	75	98	78	99	73	98	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	75	98	78	99	72	97	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	74	98	77	99	72	97	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	74	98	77	99	71	97	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	73	98	76	98	71	97	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	73	97	76	98	71	96	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	72	97	75	98	70	96	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	72	97	75	98	70	96	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	72	97	74	98	69	96	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	71	96	74	98	69	95	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	71	96	74	97	68	95	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	70	96	73	97	68	94	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	70	96	73	97	68	94	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	69	95	72	97	67	94	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	69	95	72	96	67	93	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	68	94	71	96	66	93	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	68	94	71	96	66	92	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	68	94	70	96	66	92	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	67	93	70	95	65	91	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	67	93	69	95	65	91	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	66	92	69	95	64	90	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	66	92	68	94	64	90	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	65	91	68	94	63	89	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	65	91	68	93	63	88	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	64	90	67	93	63	88	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	64	90	67	93	62	87	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	64	89	66	92	62	86	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	63	89	66	92	61	86	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	63	88	65	91	61	85	66	
65	--	--	--	--	--	--	--	--	--	--	--	--	62	87	65	91	60	84	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	62	87	64	90	60	83	64	
63	--	--	--	--	--	--	--	--	--	--	--	--	61	86	64	89	60	82	63	
62	--	--	--	--	--	--	--	--	--	--	--	--	61	85	63	89	59	81	62	
61	--	--	--	--	--	--	--	--	--	--	--	--	61	84	63	88	59	80	61	

(Continued on next page)

Table A.4 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
60	--	--	--	--	--	--	79	99	82	99	77	99	60	84	62	88	58	80	60	
59	--	--	--	--	--	--	78	99	81	99	76	99	60	83	62	87	58	79	59	
58	--	--	--	--	--	--	77	99	80	99	75	99	59	82	61	86	57	78	58	
57	--	--	--	--	--	--	77	99	80	99	74	99	59	81	61	85	57	77	57	
56	--	--	--	--	--	--	76	99	79	99	74	99	58	80	61	85	57	75	56	
55	--	--	--	--	--	--	75	99	78	99	73	99	58	79	60	84	56	74	55	
54	--	--	--	--	--	--	74	99	77	99	72	99	57	78	60	83	56	73	54	
53	--	--	--	--	--	--	73	99	76	99	71	99	57	77	59	82	55	72	53	
52	--	--	--	--	--	--	73	99	76	99	71	99	57	76	59	81	55	71	52	
51	107	99	116	99	101	99	72	99	75	99	70	98	56	75	58	80	54	70	51	
50	105	99	115	99	99	99	71	98	74	99	69	97	56	74	58	79	54	68	50	
49	104	99	113	99	98	99	70	98	73	99	68	97	55	73	57	78	54	67	49	
48	102	99	112	99	97	99	70	97	72	98	68	96	55	72	57	77	53	66	48	
47	101	99	110	99	96	99	69	96	71	98	67	95	54	70	56	76	53	65	47	
46	100	99	108	99	94	99	68	96	71	97	66	94	54	69	56	75	52	63	46	
45	98	99	107	99	93	99	67	95	70	97	65	92	54	68	55	74	52	62	45	
44	97	99	105	99	92	99	66	94	69	96	64	91	53	66	55	73	51	60	44	
43	96	99	104	99	91	99	66	92	68	95	64	90	53	65	55	71	51	59	43	
42	94	99	102	99	89	99	65	91	67	94	63	88	52	64	54	70	51	57	42	
41	93	99	101	99	88	99	64	90	67	93	62	87	52	62	54	69	50	56	41	
40	92	99	99	99	87	99	63	89	66	92	61	85	51	61	53	67	50	54	40	
39	90	99	98	99	86	99	63	87	65	91	61	83	51	59	53	66	49	53	39	
38	89	99	96	99	84	99	62	85	64	90	60	81	50	58	52	64	49	51	38	
37	87	99	95	99	83	99	61	84	63	88	59	79	50	56	52	63	48	50	37	
36	86	99	93	99	82	99	60	82	62	87	58	77	50	55	51	61	48	48	36	
35	85	99	91	99	80	99	59	80	62	85	58	75	49	53	51	60	48	46	35	
34	83	99	90	99	79	99	59	78	61	84	57	73	49	51	50	58	47	45	34	
33	82	99	88	99	78	98	58	76	60	82	56	71	48	50	50	57	47	43	33	
32	81	99	87	99	77	98	57	74	59	80	55	68	48	48	49	55	46	41	32	
31	79	98	85	99	75	98	56	72	58	78	55	66	47	46	49	53	46	40	31	
30	78	98	84	99	74	97	56	70	58	76	54	64	47	45	48	51	45	38	30	
29	77	98	82	99	73	97	55	68	57	74	53	61	47	43	48	50	45	36	29	
28	75	97	81	98	72	96	54	65	56	72	52	59	46	41	48	48	45	34	28	
27	74	97	79	98	70	95	53	63	55	69	51	56	46	39	47	46	44	33	27	
26	72	96	77	98	69	94	52	60	54	67	51	54	45	37	47	44	44	31	26	
25	71	95	76	97	68	94	52	58	53	65	50	51	45	36	46	42	43	29	25	
24	70	95	74	97	67	93	51	55	53	62	49	49	44	34	46	40	43	28	24	
23	68	94	73	96	65	91	50	53	52	60	48	46	44	32	45	38	43	26	23	
22	67	93	71	95	64	90	49	50	51	57	48	43	43	30	45	36	42	24	22	
21	66	92	70	95	63	89	48	47	50	54	47	41	43	28	44	34	42	23	21	
20	64	90	68	94	62	87	48	45	49	51	46	38	43	26	44	32	41	21	20	
19	63	89	67	93	60	85	47	42	49	49	45	36	42	24	43	30	41	19	19	
18	62	87	65	91	59	83	46	39	48	46	45	33	42	23	43	28	40	18	18	
17	60	85	64	90	58	81	45	37	47	43	44	31	41	21	42	26	40	16	17	
16	59	83	62	88	57	78	45	34	46	40	43	28	41	19	42	24	40	15	16	
15	57	81	60	86	55	75	44	31	45	37	42	26	40	17	42	22	39	13	15	
14	56	78	59	84	54	72	43	28	44	34	42	23	40	16	41	20	39	12	14	
13	55	75	57	81	53	69	42	26	44	31	41	21	40	14	41	18	38	11	13	
12	53	72	56	78	52	65	41	23	43	28	40	19	39	12	40	16	38	9	12	
11	52	68	54	75	50	61	41	21	42	25	39	16	39	11	40	14	37	8	11	

(Continued on next page)

Table A.4 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score		
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
10	51	63	53	71	49	56	40	18	41	22	39	14	38	9	39	12	37	7
9	49	58	51	66	48	51	39	16	40	19	38	12	38	8	39	10	37	6
8	48	53	50	61	47	45	38	13	39	16	37	10	37	7	38	9	36	5
7	47	47	48	54	45	39	38	11	39	14	36	9	37	6	38	7	36	4
6	45	40	46	47	44	33	37	9	38	11	35	7	36	4	37	6	35	3
5	44	32	45	38	43	27	36	7	37	9	35	6	36	3	37	4	35	3
4	43	25	43	29	42	20	35	5	36	7	34	4	36	3	36	3	34	2
3	41	16	42	19	40	14	34	4	35	5	33	3	35	2	36	2	34	1
2	40	9	40	9	39	8	34	3	35	3	32	2	35	1	35	2	34	1
1	38	3	39	2	38	3	33	2	34	2	32	1	34	1	35	1	33	1
0	37	1	37	1	36	1	32	1	33	1	31	1	34	1	35	1	33	1
Mean	9.50		8.27		10.74		22.94		20.83		25.06		36.94		33.30		40.59	
SD	7.34		6.45		7.96		12.83		12.20		13.11		22.81		21.54		23.48	

Table A.5 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
147	--	--	--	--	--	--	--	--	--	--	--	--	106	99	118	99	100	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	106	99	117	99	100	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	105	99	117	99	99	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	105	99	116	99	99	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	104	99	115	99	98	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	104	99	115	99	98	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	103	99	114	99	97	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	103	99	114	99	97	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	102	99	113	99	96	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	102	99	113	99	96	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	101	99	112	99	96	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	101	99	112	99	95	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	100	99	111	99	95	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	100	99	110	99	94	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	99	99	110	99	94	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	99	99	109	99	93	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	98	99	109	99	93	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	98	99	108	99	92	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	97	99	108	99	92	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	97	99	107	99	91	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	97	99	106	99	91	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	96	99	106	99	91	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	96	99	105	99	90	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	95	99	105	99	90	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	95	99	104	99	89	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	94	99	104	99	89	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	94	99	103	99	88	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	93	99	102	99	88	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	93	99	102	99	87	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	92	99	101	99	87	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	92	99	101	99	86	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	91	99	100	99	86	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	91	99	100	99	86	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	90	99	99	99	85	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	90	99	98	99	85	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	89	99	98	99	84	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	89	99	97	99	84	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	88	99	97	99	83	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	88	99	96	99	83	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	87	99	96	99	82	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	87	99	95	99	82	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	86	99	94	99	82	99	106	
105	--	--	--	--	--	--	--	--	--	--	--	--	86	99	94	99	81	99	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	85	99	93	99	81	99	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	85	99	93	99	80	99	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	84	99	92	99	80	99	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	84	99	92	99	79	99	101	

(Continued on next page)

Table A.5 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
100	--	--	--	--	--	--	--	--	--	--	--	--	83	99	91	99	79	99	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	83	99	91	99	78	99	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	82	99	90	99	78	99	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	82	99	89	99	77	99	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	81	99	89	99	77	99	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	81	99	88	99	77	99	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	80	99	88	99	76	99	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	80	99	87	99	76	99	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	79	99	87	99	75	99	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	79	99	86	99	75	99	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	78	99	85	99	74	99	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	78	99	85	99	74	98	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	77	99	84	99	73	98	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	77	99	84	99	73	98	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	76	99	83	99	72	98	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	76	99	83	99	72	97	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	75	99	82	99	72	97	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	75	98	81	99	71	97	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	74	98	81	99	71	97	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	74	98	80	99	70	96	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	74	98	80	99	70	96	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	73	98	79	99	69	95	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	73	97	79	99	69	95	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	72	97	78	99	68	95	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	72	97	77	99	68	94	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	71	96	77	99	68	94	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	71	96	76	99	67	93	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	70	96	76	99	67	93	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	70	95	75	99	66	92	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	69	95	75	99	66	92	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	69	95	74	98	65	91	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	68	94	73	98	65	91	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	68	94	73	98	64	90	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	67	93	72	97	64	89	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	67	93	72	97	63	89	66	
65	--	--	--	--	--	--	--	--	--	--	--	--	66	92	71	97	63	88	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	66	92	71	96	63	87	64	
63	--	--	--	--	--	--	--	--	--	--	--	--	65	91	70	96	62	86	63	
62	--	--	--	--	--	--	--	--	--	--	--	--	65	90	69	95	62	86	62	
61	--	--	--	--	--	--	--	--	--	--	--	--	64	90	69	95	61	85	61	
60	--	--	--	--	--	--	--	--	--	--	--	--	64	89	68	94	61	84	60	
59	--	--	--	--	--	--	--	--	--	--	--	--	63	88	68	94	60	83	59	
58	--	--	--	--	--	--	--	--	--	--	--	--	63	88	67	93	60	82	58	
57	--	--	--	--	--	--	--	--	--	--	--	--	62	87	67	93	59	81	57	
56	--	--	--	--	--	--	--	--	--	--	--	--	62	86	66	92	59	80	56	
55	--	--	--	--	--	--	--	--	--	--	--	--	61	85	66	91	58	79	55	
54	--	--	--	--	--	--	--	--	--	--	--	--	61	85	65	91	58	78	54	
53	--	--	--	--	--	--	--	--	--	--	--	--	60	84	64	90	58	77	53	
52	--	--	--	--	--	--	--	--	--	--	--	--	60	83	64	89	57	76	52	
51	--	--	--	--	--	--	--	--	--	--	--	--	59	82	63	88	57	75	51	

(Continued on next page)

Table A.5 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
50	--	--	--	--	--	--	--	--	--	--	--	--	59	81	63	87	56	74	50	
49	--	--	--	--	--	--	--	--	--	--	--	--	58	80	62	86	56	73	49	
48	--	--	--	--	--	--	--	--	--	--	--	--	58	79	62	85	55	72	48	
47	--	--	--	--	--	--	--	--	--	--	--	--	57	78	61	84	55	70	47	
46	--	--	--	--	--	--	--	--	--	--	--	--	57	76	60	83	54	69	46	
45	--	--	--	--	--	--	--	--	--	--	--	--	56	75	60	82	54	68	45	
44	--	--	--	--	--	--	--	--	--	--	--	--	56	74	59	81	54	67	44	
43	--	--	--	--	--	--	--	--	--	--	--	--	55	73	59	80	53	65	43	
42	--	--	--	--	--	--	--	--	--	--	--	--	55	71	58	79	53	64	42	
41	--	--	--	--	--	--	--	--	--	--	--	--	54	70	58	77	52	62	41	
40	--	--	--	--	--	--	--	--	--	--	--	--	54	69	57	76	52	61	40	
39	102	99	120	99	93	99	91	99	101	99	86	99	53	67	56	75	51	59	39	
38	100	99	120	99	92	99	90	99	100	99	85	99	53	66	56	73	51	58	38	
37	98	99	118	99	90	99	88	99	98	99	83	99	52	64	55	72	50	56	37	
36	97	99	116	99	89	99	87	99	96	99	82	99	52	63	55	70	50	55	36	
35	95	99	114	99	88	99	85	99	94	99	81	99	51	61	54	69	49	53	35	
34	94	99	112	99	86	99	84	99	93	99	79	99	51	60	54	67	49	52	34	
33	92	99	110	99	85	99	83	99	91	99	78	99	51	58	53	65	49	50	33	
32	91	99	108	99	84	99	81	99	89	99	77	99	50	56	52	64	48	48	32	
31	89	99	106	99	82	99	80	99	88	99	75	99	50	54	52	62	48	47	31	
30	88	99	104	99	81	99	78	99	86	99	74	99	49	53	51	60	47	45	30	
29	86	99	102	99	79	99	77	99	84	99	73	98	49	51	51	58	47	43	29	
28	85	99	100	99	78	98	75	99	82	99	71	97	48	49	50	56	46	42	28	
27	83	99	98	99	77	98	74	98	81	99	70	96	48	47	50	54	46	40	27	
26	82	98	96	99	75	97	72	97	79	99	68	95	47	45	49	52	45	38	26	
25	80	98	94	99	74	97	71	97	77	99	67	94	47	43	48	50	45	36	25	
24	79	98	92	99	73	96	69	95	75	99	66	92	46	41	48	48	44	35	24	
23	77	97	90	99	71	95	68	94	74	98	64	90	46	39	47	46	44	33	23	
22	75	97	87	99	70	94	66	93	72	98	63	88	45	37	47	44	44	31	22	
21	74	96	85	99	69	93	65	91	70	96	62	86	45	35	46	42	43	29	21	
20	72	95	83	98	67	92	63	89	69	95	60	83	44	33	46	40	43	27	20	
19	71	95	81	98	66	91	62	86	67	93	59	80	44	31	45	37	42	25	19	
18	69	94	79	98	65	90	61	84	65	91	58	77	43	29	44	35	42	24	18	
17	68	93	77	97	63	88	59	81	63	88	56	73	43	27	44	33	41	22	17	
16	66	92	75	96	62	87	58	78	62	86	55	69	42	25	43	30	41	20	16	
15	65	90	73	96	61	85	56	74	60	82	54	65	42	23	43	28	40	18	15	
14	63	89	71	95	59	83	55	70	58	79	52	61	41	21	42	26	40	17	14	
13	62	87	69	94	58	81	53	66	57	74	51	57	41	19	42	23	39	15	13	
12	60	85	67	93	56	78	52	61	55	70	49	52	40	17	41	21	39	13	12	
11	59	83	65	91	55	75	50	56	53	65	48	47	40	15	41	19	39	12	11	
10	57	81	63	90	54	72	49	51	51	60	47	42	39	13	40	17	38	10	10	
9	55	78	61	88	52	69	47	46	50	54	45	37	39	11	39	14	38	9	9	
8	54	75	59	85	51	65	46	40	48	48	44	32	38	10	39	12	37	7	8	
7	52	72	57	82	50	61	44	34	46	41	43	27	38	8	38	10	37	6	7	
6	51	67	55	79	48	56	43	28	44	35	41	22	37	7	38	8	36	5	6	

(Continued on next page)

Table A.5 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score	
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male		
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	
5	49	62	53	74	47	51	41	22	43	28	40	17	37	5	37	6	36 4
4	48	56	51	68	46	45	40	17	41	21	39	13	36	4	37	5	35 3
3	46	49	49	61	44	37	39	12	39	15	37	9	36	3	36	3	35 2
2	45	40	47	51	43	29	37	7	38	9	36	5	35	2	35	2	35 1
1	43	29	45	37	42	20	36	4	36	4	35	3	35	1	35	1	34 1
0	42	14	43	18	40	10	34	1	34	1	33	1	34	1	34	1	34 0
Mean	5.42		3.65		7.20		10.81		9.22		12.40		31.97		27.69		36.26
SD	6.51		4.89		7.40		6.82		5.80		7.37		20.43		17.60		22.12
																	SD

Table A.6 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
147	--	--	--	--	--	--	--	--	--	--	--	--	111	99	115	99	110	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	111	99	114	99	109	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	110	99	113	99	109	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	110	99	113	99	108	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	109	99	112	99	108	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	109	99	112	99	107	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	108	99	111	99	107	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	108	99	111	99	106	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	107	99	110	99	106	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	107	99	110	99	105	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	106	99	109	99	105	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	106	99	109	99	104	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	105	99	108	99	104	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	104	99	108	99	103	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	104	99	107	99	103	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	103	99	106	99	102	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	103	99	106	99	101	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	102	99	105	99	101	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	102	99	105	99	100	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	101	99	104	99	100	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	101	99	104	99	99	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	100	99	103	99	99	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	100	99	103	99	98	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	99	99	102	99	98	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	99	99	102	99	97	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	98	99	101	99	97	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	98	99	101	99	96	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	97	99	100	99	96	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	97	99	99	99	95	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	96	99	99	99	95	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	96	99	98	99	94	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	95	99	98	99	94	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	94	99	97	99	93	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	94	99	97	99	92	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	93	99	96	99	92	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	93	99	96	99	91	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	92	99	95	99	91	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	92	99	95	99	90	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	91	99	94	99	90	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	91	99	94	99	89	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	90	99	93	99	89	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	90	99	92	99	88	99	106	
105	--	--	--	--	--	--	--	--	--	--	--	--	89	99	92	99	88	99	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	89	99	91	99	87	99	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	88	99	91	99	87	99	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	88	99	90	99	86	99	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	87	99	90	99	86	99	101	

(Continued on next page)

Table A.6 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
100	--	--	--	--	--	--	--	--	--	--	--	--	87	99	89	99	85	99	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	86	99	89	99	85	99	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	86	99	88	99	84	99	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	85	99	88	99	83	99	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	84	99	87	99	83	99	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	84	99	87	99	82	99	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	83	99	86	99	82	99	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	83	99	85	99	81	99	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	82	99	85	99	81	99	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	82	99	84	99	80	99	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	81	99	84	99	80	99	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	81	99	83	99	79	99	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	80	99	83	99	79	99	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	80	99	82	99	78	99	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	79	99	82	99	78	99	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	79	99	81	99	77	99	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	78	99	81	99	77	99	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	78	99	80	99	76	99	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	77	99	80	99	75	99	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	77	99	79	99	75	99	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	76	99	78	99	74	99	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	76	99	78	99	74	99	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	75	99	77	99	73	99	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	74	99	77	99	73	98	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	74	98	76	99	72	98	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	73	98	76	98	72	98	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	73	98	75	98	71	97	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	72	98	75	98	71	97	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	72	97	74	98	70	97	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	71	97	74	98	70	96	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	71	97	73	97	69	96	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	70	96	73	97	69	95	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	70	96	72	97	68	95	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	69	95	71	96	68	94	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	69	95	71	96	67	94	66	
65	--	--	--	--	--	--	--	--	--	--	--	--	68	94	70	96	66	93	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	68	94	70	95	66	92	64	
63	--	--	--	--	--	--	--	--	--	--	--	--	67	93	69	95	65	92	63	
62	--	--	--	--	--	--	--	--	--	--	--	--	67	93	69	94	65	91	62	
61	--	--	--	--	--	--	--	--	--	--	--	--	66	92	68	94	64	90	61	
60	--	--	--	--	--	--	--	--	--	--	--	--	65	91	68	93	64	89	60	
59	--	--	--	--	--	--	--	--	--	--	--	--	65	91	67	93	63	89	59	
58	--	--	--	--	--	--	--	--	--	--	--	--	64	90	67	92	63	88	58	
57	--	--	--	--	--	--	--	--	--	--	--	--	64	89	66	92	62	87	57	
56	--	--	--	--	--	--	--	--	--	--	--	--	63	89	66	91	62	86	56	
55	--	--	--	--	--	--	--	--	--	--	--	--	63	88	65	91	61	85	55	
54	--	--	--	--	--	--	--	--	--	--	--	--	62	87	64	90	61	84	54	
53	--	--	--	--	--	--	--	--	--	--	--	--	62	86	64	89	60	83	53	
52	--	--	--	--	--	--	--	--	--	--	--	--	61	85	63	89	60	82	52	
51	--	--	--	--	--	--	--	--	--	--	--	--	61	84	63	88	59	80	51	

(Continued on next page)

Table A.6 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
50	--	--	--	--	--	--	--	--	--	--	--	--	60	83	62	87	59	79	50	
49	--	--	--	--	--	--	--	--	--	--	--	--	60	82	62	86	58	78	49	
48	--	--	--	--	--	--	--	--	--	--	--	--	59	81	61	85	57	77	48	
47	--	--	--	--	--	--	--	--	--	--	--	--	59	80	61	84	57	75	47	
46	--	--	--	--	--	--	--	--	--	--	--	--	58	79	60	83	56	74	46	
45	--	--	--	--	--	--	--	--	--	--	--	--	58	77	60	82	56	72	45	
44	--	--	--	--	--	--	--	--	--	--	--	--	57	76	59	81	55	71	44	
43	--	--	--	--	--	--	--	--	--	--	--	--	57	75	59	80	55	70	43	
42	--	--	--	--	--	--	--	--	--	--	--	--	56	74	58	79	54	68	42	
41	--	--	--	--	--	--	--	--	--	--	--	--	55	72	57	78	54	66	41	
40	--	--	--	--	--	--	--	--	--	--	--	--	55	71	57	77	53	65	40	
39	117	99	120	99	109	99	97	99	101	99	96	99	54	69	56	76	53	63	39	
38	115	99	120	99	107	99	96	99	99	99	94	99	54	68	56	74	52	61	38	
37	113	99	120	99	106	99	94	99	98	99	93	99	53	66	55	73	52	60	37	
36	111	99	120	99	104	99	93	99	96	99	91	99	53	65	55	72	51	58	36	
35	109	99	120	99	102	99	91	99	94	99	89	99	52	63	54	70	51	56	35	
34	107	99	119	99	100	99	89	99	93	99	88	99	52	62	54	69	50	54	34	
33	105	99	116	99	99	99	88	99	91	99	86	99	51	60	53	67	50	53	33	
32	103	99	114	99	97	99	86	99	89	99	84	99	51	58	53	65	49	51	32	
31	101	99	112	99	95	99	84	99	87	99	83	99	50	56	52	64	48	49	31	
30	99	99	110	99	93	99	83	99	86	99	81	99	50	55	51	62	48	47	30	
29	97	99	107	99	91	99	81	99	84	99	79	99	49	53	51	60	47	45	29	
28	95	99	105	99	90	99	79	99	82	99	78	99	49	51	50	59	47	43	28	
27	93	99	103	99	88	99	78	99	81	99	76	99	48	49	50	57	46	41	27	
26	91	99	101	99	86	99	76	99	79	99	74	99	48	47	49	55	46	39	26	
25	90	99	98	99	84	99	74	99	77	99	73	98	47	45	49	53	45	37	25	
24	88	99	96	99	83	99	73	98	76	99	71	97	47	43	48	51	45	35	24	
23	86	99	94	99	81	99	71	97	74	99	69	96	46	41	48	49	44	33	23	
22	84	99	92	99	79	98	69	96	72	98	68	95	45	39	47	47	44	31	22	
21	82	99	89	99	77	98	68	95	70	97	66	93	45	37	47	44	43	29	21	
20	80	98	87	99	76	97	66	93	69	95	64	91	44	35	46	42	43	27	20	
19	78	98	85	99	74	96	65	91	67	94	63	88	44	32	46	40	42	25	19	
18	76	97	83	99	72	96	63	88	65	92	61	85	43	30	45	38	42	23	18	
17	74	96	80	98	70	95	61	85	64	89	59	82	43	28	44	35	41	21	17	
16	72	95	78	98	69	93	60	82	62	87	58	77	42	26	44	33	41	19	16	
15	70	94	76	97	67	92	58	78	60	83	56	73	42	24	43	31	40	17	15	
14	68	93	74	96	65	91	56	74	59	80	54	68	41	22	43	28	39	16	14	
13	66	92	71	95	63	89	55	69	57	76	53	62	41	20	42	26	39	14	13	
12	64	90	69	94	62	87	53	64	55	71	51	56	40	18	42	23	38	12	12	
11	63	88	67	92	60	84	51	58	54	66	49	50	40	16	41	21	38	11	11	
10	61	86	65	91	58	82	50	52	52	61	48	44	39	14	41	19	37	9	10	
9	59	84	62	89	56	78	48	46	50	55	46	37	39	12	40	16	37	8	9	
8	57	80	60	86	54	75	46	40	48	49	44	31	38	10	40	14	36	6	8	
7	55	77	58	83	53	70	45	34	47	42	43	25	38	8	39	12	36	5	7	
6	53	72	56	79	51	65	43	28	45	36	41	20	37	7	39	10	35	4	6	

(Continued on next page)

Table A.6 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score	
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male		
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	
5	51	67	53	74	49	59	41	22	43	29	39	15	37	5	38	8	35 3
4	49	60	51	68	47	52	40	16	42	23	38	10	36	4	37	6	34 2
3	47	52	49	60	46	44	38	12	40	17	36	7	35	3	37	4	34 1
2	45	42	47	50	44	34	37	8	38	11	34	4	35	2	36	3	33 1
1	43	29	44	36	42	22	35	5	37	7	33	2	34	1	36	2	33 1
0	41	14	42	19	40	10	33	2	35	3	31	1	34	1	35	1	32 1
Mean	4.48		3.49		5.46		10.17		8.92		11.42		30.57		27.23		33.90
SD	5.19		4.45		5.67		6.08		5.90		6.00		18.99		18.55		18.86

Table A.7 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
147	--	--	--	--	--	--	102	99	105	99	100	99	147	
146	--	--	--	--	--	--	102	99	105	99	100	99	146	
145	--	--	--	--	--	--	101	99	104	99	99	99	145	
144	--	--	--	--	--	--	101	99	104	99	99	99	144	
143	--	--	--	--	--	--	100	99	103	99	98	99	143	
142	--	--	--	--	--	--	99	99	102	99	98	99	142	
141	--	--	--	--	--	--	99	99	102	99	97	99	141	
140	--	--	--	--	--	--	98	99	101	99	96	99	140	
139	--	--	--	--	--	--	98	99	101	99	96	99	139	
138	--	--	--	--	--	--	97	99	100	99	95	99	138	
137	--	--	--	--	--	--	96	99	99	99	95	99	137	
136	--	--	--	--	--	--	96	99	99	99	94	99	136	
135	--	--	--	--	--	--	95	99	98	99	93	99	135	
134	--	--	--	--	--	--	95	99	98	99	93	99	134	
133	--	--	--	--	--	--	94	99	97	99	92	99	133	
132	--	--	--	--	--	--	94	99	96	99	92	99	132	
131	--	--	--	--	--	--	93	99	96	99	91	99	131	
130	--	--	--	--	--	--	92	99	95	99	91	99	130	
129	--	--	--	--	--	--	92	99	95	99	90	99	129	
128	--	--	--	--	--	--	91	99	94	99	89	99	128	
127	--	--	--	--	--	--	91	99	93	99	89	99	127	
126	--	--	--	--	--	--	90	99	93	99	88	99	126	
125	--	--	--	--	--	--	89	99	92	99	88	99	125	
124	--	--	--	--	--	--	89	99	92	99	87	99	124	
123	--	--	--	--	--	--	88	99	91	99	87	99	123	
122	--	--	--	--	--	--	88	99	90	99	86	99	122	
121	--	--	--	--	--	--	87	99	90	99	85	99	121	
120	--	--	--	--	--	--	87	99	89	99	85	99	120	
119	--	--	--	--	--	--	86	99	89	99	84	99	119	
118	--	--	--	--	--	--	85	99	88	99	84	99	118	
117	--	--	--	--	--	--	85	99	87	99	83	99	117	
116	--	--	--	--	--	--	84	99	87	99	82	99	116	
115	--	--	--	--	--	--	84	99	86	99	82	99	115	
114	--	--	--	--	--	--	83	99	86	99	81	99	114	
113	--	--	--	--	--	--	82	99	85	99	81	99	113	
112	--	--	--	--	--	--	82	99	84	99	80	99	112	
111	--	--	--	--	--	--	81	99	84	99	80	99	111	
110	--	--	--	--	--	--	81	99	83	99	79	99	110	
109	--	--	--	--	--	--	80	99	83	99	78	99	109	
108	--	--	--	--	--	--	79	99	82	99	78	99	108	
107	--	--	--	--	--	--	79	99	81	99	77	99	107	
106	--	--	--	--	--	--	78	99	81	99	77	99	106	
105	--	--	--	--	--	--	78	99	80	99	76	99	105	
104	--	--	--	--	--	--	77	99	80	99	75	99	104	
103	--	--	--	--	--	--	77	99	79	99	75	99	103	
102	--	--	--	--	--	--	76	99	78	99	74	99	102	
101	--	--	--	--	--	--	75	99	78	99	74	99	101	

(Continued on next page)

Table A.7 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
100	--	--	--	--	--	--	75	99	77	99	73	99	100	
99	--	--	--	--	--	--	74	99	77	99	73	98	99	
98	--	--	--	--	--	--	74	99	76	99	72	98	98	
97	--	--	--	--	--	--	73	99	75	99	71	98	97	
96	--	--	--	--	--	--	72	98	75	99	71	98	96	
95	--	--	--	--	--	--	72	98	74	99	70	97	95	
94	--	--	--	--	--	--	71	98	73	99	70	97	94	
93	--	--	--	--	--	--	71	98	73	99	69	97	93	
92	--	--	--	--	--	--	70	97	72	98	69	96	92	
91	--	--	--	--	--	--	70	97	72	98	68	96	91	
90	--	--	--	--	--	--	69	96	71	98	67	95	90	
89	--	--	--	--	--	--	68	96	70	97	67	95	89	
88	--	--	--	--	--	--	68	96	70	97	66	94	88	
87	--	--	--	--	--	--	67	95	69	97	66	93	87	
86	--	--	--	--	--	--	67	94	69	96	65	93	86	
85	--	--	--	--	--	--	66	94	68	96	64	92	85	
84	--	--	--	--	--	--	65	93	67	95	64	91	84	
83	--	--	--	--	--	--	65	92	67	95	63	90	83	
82	--	--	--	--	--	--	64	92	66	94	63	89	82	
81	--	--	--	--	--	--	64	91	66	93	62	88	81	
80	--	--	--	--	--	--	63	90	65	93	62	87	80	
79	--	--	--	--	--	--	63	89	64	92	61	86	79	
78	--	--	--	--	--	--	62	88	64	91	60	85	78	
77	--	--	--	--	--	--	61	87	63	90	60	83	77	
76	--	--	--	--	--	--	61	85	63	89	59	82	76	
75	--	--	--	--	--	--	60	84	62	88	59	81	75	
74	--	--	--	--	--	--	60	83	61	87	58	79	74	
73	--	--	--	--	--	--	59	82	61	85	57	78	73	
72	--	--	--	--	--	--	58	80	60	84	57	76	72	
71	--	--	--	--	--	--	58	78	60	83	56	74	71	
70	--	--	--	--	--	--	57	77	59	81	56	72	70	
69	--	--	--	--	--	--	57	75	58	80	55	71	69	
68	--	--	--	--	--	--	56	73	58	78	55	69	68	
67	--	--	--	--	--	--	56	72	57	77	54	67	67	
66	--	--	--	--	--	--	55	70	57	75	53	65	66	
65	--	--	--	--	--	--	54	68	56	73	53	63	65	
64	--	--	--	--	--	--	54	66	55	71	52	60	64	
63	93	99	98	99	89	99	53	64	55	69	52	58	63	
62	92	99	97	99	88	99	53	62	54	67	51	56	62	
61	91	99	96	99	87	99	52	60	54	65	51	54	61	
60	90	99	95	99	86	99	51	57	53	63	50	52	60	
59	89	99	94	99	85	99	51	55	52	61	49	49	59	
58	88	99	92	99	84	99	50	53	52	59	49	47	58	
57	87	99	91	99	83	99	50	51	51	56	48	45	57	
56	86	99	90	99	82	99	49	48	51	54	48	42	56	
55	85	99	89	99	81	99	49	46	50	52	47	40	55	
54	83	99	88	99	80	99	48	44	49	50	46	38	54	
53	82	99	87	99	79	99	47	42	49	47	46	36	53	
52	81	99	86	99	78	99	47	39	48	45	45	34	52	
51	80	99	85	99	77	99	46	37	48	43	45	31	51	

(Continued on next page)

Table A.7 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
50	79	99	83	99	76	99	46	35	47	40	44	29	50	
49	78	99	82	99	75	99	45	33	46	38	44	27	49	
48	77	99	81	99	74	99	44	31	46	36	43	25	48	
47	76	99	80	99	73	98	44	28	45	34	42	23	47	
46	75	99	79	99	73	98	43	26	45	31	42	21	46	
45	74	98	78	99	72	98	43	24	44	29	41	20	45	
44	73	98	77	99	71	97	42	23	43	27	41	18	44	
43	72	98	76	99	70	97	42	21	43	25	40	16	43	
42	71	97	74	99	69	96	41	19	42	23	39	15	42	
41	70	97	73	98	68	95	40	17	42	21	39	13	41	
40	69	96	72	98	67	94	40	16	41	19	38	12	40	
39	68	95	71	97	66	93	39	14	40	18	38	11	39	
38	67	95	70	97	65	92	39	13	40	16	37	10	38	
37	66	94	69	96	64	91	38	11	39	14	37	8	37	
36	65	92	68	95	63	89	37	10	39	13	36	7	36	
35	64	91	67	94	62	88	37	9	38	12	35	7	35	
34	63	90	65	93	61	86	36	8	37	10	35	6	34	
33	62	88	64	92	60	84	36	7	37	9	34	5	33	
32	61	86	63	90	59	82	35	6	36	8	34	4	32	
31	60	84	62	88	58	79	35	5	36	7	33	4	31	
30	59	81	61	86	57	77	34	5	35	6	33	3	30	
29	58	79	60	84	56	74	33	4	34	5	32	3	29	
28	57	76	59	81	55	71	33	3	34	4	31	2	28	
27	56	73	58	78	54	67	32	3	33	4	31	2	27	
26	55	70	56	75	53	64	32	2	33	3	30	1	26	
25	53	66	55	72	52	60	31	2	32	3	30	1	25	
24	52	62	54	68	51	57	30	2	31	2	29	1	24	
23	51	58	53	64	50	53	30	1	31	2	28	1	23	
22	50	54	52	60	49	49	29	1	30	1	28	1	22	
21	49	50	51	55	48	45	29	1	30	1	27	1	21	
20	48	46	50	51	47	41	28	1	29	1	27	1	20	
19	47	42	49	46	46	37	28	1	28	1	26	1	19	
18	46	37	47	42	45	33	27	1	28	1	26	1	18	
17	45	33	46	37	44	29	26	1	27	1	25	1	17	
16	44	29	45	33	43	25	26	1	27	1	24	1	16	
15	43	25	44	29	42	22	25	1	26	1	24	1	15	
14	42	22	43	25	41	19	25	1	25	1	23	1	14	
13	41	19	42	21	40	16	24	1	25	1	23	1	13	
12	40	16	41	18	39	13	23	1	24	1	22	1	12	
11	39	13	40	15	38	11	23	1	24	1	22	1	11	
10	38	10	38	12	37	9	22	1	23	1	21	1	10	
9	37	8	37	10	36	7	22	1	22	1	20	1	9	
8	36	7	36	8	35	6	21	1	22	1	20	1	8	
7	35	5	35	6	34	5	21	1	21	1	20	1	7	
6	34	4	34	4	33	3	20	1	21	1	20	1	6	

(Continued on next page)

Table A.7 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
5	33	3	33	3	32	3	20	1	20	1	20	1	5	
4	32	2	32	2	31	2	20	1	20	1	20	1	4	
3	31	2	31	2	30	1	20	1	20	1	20	1	3	
2	30	1	30	1	29	1	20	1	20	1	20	1	2	
1	29	1	28	1	28	1	20	1	20	1	20	1	1	
0	28	1	27	1	27	1	20	1	20	1	20	1	0	
Mean	21.62		20.25		22.99		57.50		54.90		60.10		Mean	
SD	9.67		8.91		10.22		17.12		16.64		17.23		SD	

Table A.8 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
147	--	--	--	--	--	--	117	99	120	99	113	99	147	
146	--	--	--	--	--	--	116	99	120	99	112	99	146	
145	--	--	--	--	--	--	115	99	120	99	112	99	145	
144	--	--	--	--	--	--	115	99	120	99	111	99	144	
143	--	--	--	--	--	--	114	99	119	99	110	99	143	
142	--	--	--	--	--	--	113	99	119	99	110	99	142	
141	--	--	--	--	--	--	113	99	118	99	109	99	141	
140	--	--	--	--	--	--	112	99	117	99	109	99	140	
139	--	--	--	--	--	--	111	99	117	99	108	99	139	
138	--	--	--	--	--	--	111	99	116	99	107	99	138	
137	--	--	--	--	--	--	110	99	115	99	107	99	137	
136	--	--	--	--	--	--	109	99	115	99	106	99	136	
135	--	--	--	--	--	--	109	99	114	99	105	99	135	
134	--	--	--	--	--	--	108	99	113	99	105	99	134	
133	--	--	--	--	--	--	108	99	113	99	104	99	133	
132	--	--	--	--	--	--	107	99	112	99	104	99	132	
131	--	--	--	--	--	--	106	99	111	99	103	99	131	
130	--	--	--	--	--	--	106	99	111	99	102	99	130	
129	--	--	--	--	--	--	105	99	110	99	102	99	129	
128	--	--	--	--	--	--	104	99	109	99	101	99	128	
127	--	--	--	--	--	--	104	99	109	99	100	99	127	
126	--	--	--	--	--	--	103	99	108	99	100	99	126	
125	--	--	--	--	--	--	102	99	107	99	99	99	125	
124	--	--	--	--	--	--	102	99	106	99	99	99	124	
123	--	--	--	--	--	--	101	99	106	99	98	99	123	
122	--	--	--	--	--	--	100	99	105	99	97	99	122	
121	--	--	--	--	--	--	100	99	104	99	97	99	121	
120	--	--	--	--	--	--	99	99	104	99	96	99	120	
119	--	--	--	--	--	--	98	99	103	99	95	99	119	
118	--	--	--	--	--	--	98	99	102	99	95	99	118	
117	--	--	--	--	--	--	97	99	102	99	94	99	117	
116	--	--	--	--	--	--	97	99	101	99	94	99	116	
115	--	--	--	--	--	--	96	99	100	99	93	99	115	
114	--	--	--	--	--	--	95	99	100	99	92	99	114	
113	--	--	--	--	--	--	95	99	99	99	92	99	113	
112	--	--	--	--	--	--	94	99	98	99	91	99	112	
111	--	--	--	--	--	--	93	99	98	99	90	99	111	
110	--	--	--	--	--	--	93	99	97	99	90	99	110	
109	--	--	--	--	--	--	92	99	96	99	89	99	109	
108	--	--	--	--	--	--	91	99	96	99	89	99	108	
107	--	--	--	--	--	--	91	99	95	99	88	99	107	
106	--	--	--	--	--	--	90	99	94	99	87	99	106	
105	--	--	--	--	--	--	89	99	93	99	87	99	105	
104	--	--	--	--	--	--	89	99	93	99	86	99	104	
103	--	--	--	--	--	--	88	99	92	99	85	99	103	
102	--	--	--	--	--	--	87	99	91	99	85	99	102	
101	--	--	--	--	--	--	87	99	91	99	84	99	101	

(Continued on next page)

Table A.8 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
100	--	--	--	--	--	--	86	99	90	99	84	99	100	
99	--	--	--	--	--	--	86	99	89	99	83	99	99	
98	--	--	--	--	--	--	85	99	89	99	82	99	98	
97	--	--	--	--	--	--	84	99	88	99	82	99	97	
96	--	--	--	--	--	--	84	99	87	99	81	99	96	
95	--	--	--	--	--	--	83	99	87	99	80	99	95	
94	--	--	--	--	--	--	82	99	86	99	80	99	94	
93	--	--	--	--	--	--	82	99	85	99	79	99	93	
92	--	--	--	--	--	--	81	99	85	99	79	99	92	
91	--	--	--	--	--	--	80	99	84	99	78	99	91	
90	--	--	--	--	--	--	80	99	83	99	77	99	90	
89	--	--	--	--	--	--	79	99	83	99	77	99	89	
88	--	--	--	--	--	--	78	99	82	99	76	99	88	
87	--	--	--	--	--	--	78	99	81	99	75	98	87	
86	--	--	--	--	--	--	77	99	80	99	75	98	86	
85	--	--	--	--	--	--	77	99	80	99	74	98	85	
84	--	--	--	--	--	--	76	99	79	99	74	98	84	
83	--	--	--	--	--	--	75	98	78	99	73	98	83	
82	--	--	--	--	--	--	75	98	78	99	72	97	82	
81	--	--	--	--	--	--	74	98	77	99	72	97	81	
80	--	--	--	--	--	--	73	98	76	99	71	97	80	
79	--	--	--	--	--	--	73	98	76	99	70	97	79	
78	--	--	--	--	--	--	72	97	75	99	70	96	78	
77	--	--	--	--	--	--	71	97	74	98	69	96	77	
76	--	--	--	--	--	--	71	97	74	98	69	95	76	
75	--	--	--	--	--	--	70	96	73	98	68	95	75	
74	--	--	--	--	--	--	69	96	72	98	67	95	74	
73	--	--	--	--	--	--	69	96	72	97	67	94	73	
72	--	--	--	--	--	--	68	95	71	97	66	93	72	
71	--	--	--	--	--	--	67	95	70	97	65	93	71	
70	--	--	--	--	--	--	67	94	70	96	65	92	70	
69	--	--	--	--	--	--	66	94	69	96	64	91	69	
68	--	--	--	--	--	--	66	93	68	95	64	91	68	
67	--	--	--	--	--	--	65	92	67	95	63	90	67	
66	--	--	--	--	--	--	64	92	67	94	62	89	66	
65	--	--	--	--	--	--	64	91	66	94	62	88	65	
64	--	--	--	--	--	--	63	90	65	93	61	87	64	
63	100	99	106	99	97	99	62	89	65	92	60	86	63	
62	99	99	105	99	96	99	62	88	64	91	60	85	62	
61	98	99	104	99	95	99	61	87	63	90	59	83	61	
60	97	99	103	99	94	99	60	86	63	89	59	82	60	
59	96	99	102	99	93	99	60	84	62	88	58	80	59	
58	95	99	100	99	91	99	59	83	61	87	57	79	58	
57	94	99	99	99	90	99	58	81	61	86	57	77	57	
56	93	99	98	99	89	99	58	80	60	84	56	76	56	
55	92	99	97	99	88	99	57	78	59	83	55	74	55	
54	90	99	96	99	87	99	57	77	59	81	55	72	54	
53	89	99	94	99	86	99	56	75	58	79	54	70	53	
52	88	99	93	99	85	99	55	73	57	78	54	68	52	
51	87	99	92	99	84	99	55	71	57	76	53	66	51	

(Continued on next page)

Table A.8 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
50	86	99	91	99	83	99	54	69	56	74	52	63	50	
49	85	99	90	99	82	99	53	66	55	72	52	61	49	
48	84	99	89	99	81	99	53	64	54	69	51	58	48	
47	83	99	87	99	80	99	52	62	54	67	50	56	47	
46	82	99	86	99	79	99	51	59	53	65	50	53	46	
45	81	99	85	99	78	99	51	57	52	62	49	51	45	
44	79	99	84	99	77	99	50	54	52	60	49	48	44	
43	78	99	83	99	76	98	49	51	51	57	48	46	43	
42	77	99	81	99	75	98	49	49	50	55	47	43	42	
41	76	98	80	99	73	98	48	46	50	52	47	40	41	
40	75	98	79	99	72	97	47	43	49	49	46	37	40	
39	74	98	78	99	71	97	47	41	48	46	45	35	39	
38	73	97	77	99	70	96	46	38	48	43	45	32	38	
37	72	97	76	98	69	96	46	35	47	41	44	30	37	
36	71	96	74	98	68	95	45	32	46	38	44	27	36	
35	70	96	73	98	67	94	44	30	46	35	43	25	35	
34	68	95	72	97	66	93	44	27	45	32	42	22	34	
33	67	94	71	96	65	92	43	25	44	30	42	20	33	
32	66	93	70	96	64	91	42	22	44	27	41	18	32	
31	65	92	68	95	63	89	42	20	43	25	40	16	31	
30	64	91	67	94	62	88	41	18	42	22	40	14	30	
29	63	90	66	93	61	86	40	16	41	20	39	12	29	
28	62	88	65	92	60	84	40	14	41	18	39	11	28	
27	61	86	64	90	59	82	39	12	40	16	38	9	27	
26	60	84	63	89	58	80	38	11	39	14	37	8	26	
25	59	82	61	87	56	77	38	9	39	12	37	7	25	
24	58	79	60	85	55	74	37	8	38	11	36	6	24	
23	56	77	59	82	54	71	36	7	37	9	35	5	23	
22	55	74	58	80	53	68	36	6	37	8	35	4	22	
21	54	70	57	77	52	64	35	5	36	6	34	3	21	
20	53	67	55	74	51	60	35	4	35	5	34	3	20	
19	52	63	54	70	50	56	34	3	35	4	33	2	19	
18	51	59	53	66	49	52	33	3	34	4	32	2	18	
17	50	55	52	62	48	47	33	2	33	3	32	1	17	
16	49	50	51	58	47	43	32	2	33	2	31	1	16	
15	48	46	50	53	46	38	31	1	32	2	30	1	15	
14	47	41	48	49	45	34	31	1	31	1	30	1	14	
13	45	36	47	44	44	29	30	1	30	1	29	1	13	
12	44	32	46	39	43	25	29	1	30	1	29	1	12	
11	43	27	45	34	42	21	29	1	29	1	28	1	11	
10	42	23	44	29	41	17	28	1	28	1	27	1	10	
9	41	19	42	24	40	13	27	1	28	1	27	1	9	
8	40	15	41	20	38	10	27	1	27	1	26	1	8	
7	39	11	40	15	37	7	26	1	26	1	25	1	7	
6	38	8	39	12	36	5	26	1	26	1	25	1	6	

(Continued on next page)

Table A.8 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
5	37	6	38	9	35	4	25	1	25	1	24	1	5	
4	36	4	37	6	34	2	24	1	24	1	23	1	4	
3	34	3	35	4	33	1	24	1	24	1	23	1	3	
2	33	2	34	2	32	1	23	1	23	1	22	1	2	
1	32	1	33	1	31	1	22	1	22	1	22	1	1	
0	31	1	32	1	30	1	22	1	22	1	21	1	0	
Mean	17.14		15.41		18.88		43.92		41.50		46.34		Mean	
SD	9.12		8.46		9.44		15.49		14.61		15.98		SD	

Table A.9 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
165	--	--	--	--	--	--	--	--	--	--	--	--	116	99	119	99	114	99	165	
164	--	--	--	--	--	--	--	--	--	--	--	--	116	99	119	99	113	99	164	
163	--	--	--	--	--	--	--	--	--	--	--	--	115	99	118	99	113	99	163	
162	--	--	--	--	--	--	--	--	--	--	--	--	115	99	118	99	112	99	162	
161	--	--	--	--	--	--	--	--	--	--	--	--	114	99	117	99	112	99	161	
160	--	--	--	--	--	--	--	--	--	--	--	--	114	99	117	99	111	99	160	
159	--	--	--	--	--	--	--	--	--	--	--	--	113	99	116	99	111	99	159	
158	--	--	--	--	--	--	--	--	--	--	--	--	112	99	116	99	110	99	158	
157	--	--	--	--	--	--	--	--	--	--	--	--	112	99	115	99	109	99	157	
156	--	--	--	--	--	--	--	--	--	--	--	--	111	99	114	99	109	99	156	
155	--	--	--	--	--	--	--	--	--	--	--	--	111	99	114	99	108	99	155	
154	--	--	--	--	--	--	--	--	--	--	--	--	110	99	113	99	108	99	154	
153	--	--	--	--	--	--	--	--	--	--	--	--	110	99	113	99	107	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	109	99	112	99	107	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	109	99	112	99	106	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	108	99	111	99	106	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	108	99	110	99	105	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	107	99	110	99	105	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	106	99	109	99	104	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	106	99	109	99	104	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	105	99	108	99	103	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	105	99	108	99	103	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	104	99	107	99	102	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	104	99	107	99	102	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	103	99	106	99	101	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	103	99	105	99	100	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	102	99	105	99	100	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	102	99	104	99	99	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	101	99	104	99	99	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	100	99	103	99	98	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	100	99	103	99	98	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	99	99	102	99	97	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	99	99	101	99	97	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	98	99	101	99	96	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	98	99	100	99	96	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	97	99	100	99	95	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	97	99	99	99	95	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	96	99	99	99	94	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	96	99	98	99	94	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	95	99	98	99	93	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	95	99	97	99	93	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	94	99	96	99	92	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	93	99	96	99	91	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	93	99	95	99	91	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	92	99	95	99	90	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	92	99	94	99	90	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	91	99	94	99	89	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	91	99	93	99	89	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	90	99	93	99	88	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	90	99	92	99	88	99	116	

(Continued on next page)

Table A.9 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
115	--	--	--	--	--	--	--	--	--	--	--	--	89	99	91	99	87	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	89	99	91	99	87	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	88	99	90	99	86	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	87	99	90	99	86	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	87	99	89	99	85	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	86	99	89	99	85	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	86	99	88	99	84	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	85	99	87	99	84	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	85	99	87	99	83	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	84	99	86	99	82	99	106	
105	--	--	--	--	--	--	--	--	--	--	--	--	84	99	86	99	82	99	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	83	99	85	99	81	99	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	83	99	85	99	81	99	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	82	99	84	99	80	99	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	81	99	84	99	80	99	101	
100	--	--	--	--	--	--	--	--	--	--	--	--	81	99	83	99	79	99	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	80	99	82	99	79	99	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	80	99	82	99	78	99	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	79	99	81	99	78	99	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	79	99	81	99	77	99	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	78	99	80	99	77	99	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	78	99	80	99	76	99	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	77	99	79	99	76	98	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	77	99	78	99	75	98	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	76	98	78	99	75	98	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	76	98	77	99	74	98	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	75	98	77	99	73	98	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	74	98	76	99	73	97	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	74	98	76	98	72	97	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	73	98	75	98	72	97	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	73	97	75	98	71	97	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	72	97	74	98	71	96	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	72	97	73	98	70	96	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	71	97	73	98	70	96	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	71	96	72	97	69	95	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	70	96	72	97	69	95	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	70	96	71	97	68	94	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	69	95	71	97	68	94	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	68	95	70	96	67	94	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	68	95	69	96	67	93	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	67	94	69	96	66	93	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	67	94	68	95	65	92	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	66	93	68	95	65	91	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	66	93	67	94	64	91	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	65	92	67	94	64	90	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	65	91	66	93	63	89	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	64	91	66	93	63	89	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	64	90	65	92	62	88	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	63	89	64	92	62	87	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	62	88	64	91	61	86	66	

(Continued on next page)

Table A.9 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
65	--	--	--	--	--	--	--	--	--	--	--	--	62	88	63	90	61	85	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	61	87	63	89	60	84	64	
63	107	99	111	99	105	99	--	--	--	--	--	--	61	86	62	89	60	83	63	
62	106	99	109	99	104	99	--	--	--	--	--	--	60	85	62	88	59	82	62	
61	105	99	108	99	103	99	--	--	--	--	--	--	60	84	61	87	59	81	61	
60	104	99	107	99	101	99	--	--	--	--	--	--	59	83	61	86	58	80	60	
59	102	99	106	99	100	99	--	--	--	--	--	--	59	82	60	85	58	79	59	
58	101	99	104	99	99	99	--	--	--	--	--	--	58	80	59	84	57	77	58	
57	100	99	103	99	98	99	--	--	--	--	--	--	58	79	59	82	56	76	57	
56	99	99	102	99	97	99	--	--	--	--	--	--	57	78	58	81	56	75	56	
55	98	99	101	99	96	99	--	--	--	--	--	--	57	76	58	80	55	73	55	
54	96	99	99	99	94	99	--	--	--	--	--	--	56	75	57	78	55	72	54	
53	95	99	98	99	93	99	--	--	--	--	--	--	55	74	57	77	54	70	53	
52	94	99	97	99	92	99	--	--	--	--	--	--	55	72	56	75	54	69	52	
51	93	99	96	99	91	99	--	--	--	--	--	--	54	70	55	74	53	67	51	
50	92	99	94	99	90	99	--	--	--	--	--	--	54	69	55	72	53	65	50	
49	90	99	93	99	88	99	--	--	--	--	--	--	53	67	54	70	52	64	49	
48	89	99	92	99	87	99	--	--	--	--	--	--	53	65	54	69	52	62	48	
47	88	99	90	99	86	99	--	--	--	--	--	--	52	63	53	67	51	60	47	
46	87	99	89	99	85	99	--	--	--	--	--	--	52	61	53	65	51	58	46	
45	85	99	88	99	84	99	--	--	--	--	--	--	51	59	52	63	50	56	45	
44	84	99	87	99	82	99	--	--	--	--	--	--	51	57	52	61	50	54	44	
43	83	99	85	99	81	99	--	--	--	--	--	--	50	55	51	59	49	52	43	
42	82	99	84	99	80	99	--	--	--	--	--	--	49	53	50	56	49	50	42	
41	81	99	83	99	79	99	--	--	--	--	--	--	49	51	50	54	48	48	41	
40	79	99	82	99	78	99	--	--	--	--	--	--	48	49	49	52	47	46	40	
39	78	99	80	99	76	99	--	--	--	--	--	--	48	47	49	50	47	44	39	
38	77	99	79	99	75	99	--	--	--	--	--	--	47	44	48	47	46	42	38	
37	76	99	78	99	74	98	--	--	--	--	--	--	47	42	48	45	46	39	37	
36	75	98	77	99	73	98	100	99	104	99	97	99	46	40	47	42	45	37	36	
35	73	98	75	98	72	97	98	99	102	99	95	99	46	37	46	40	45	35	35	
34	72	97	74	98	71	97	96	99	100	99	93	99	45	35	46	38	44	33	34	
33	71	97	73	98	69	96	94	99	98	99	91	99	45	33	45	35	44	31	33	
32	70	96	72	97	68	95	92	99	96	99	89	99	44	31	45	33	43	28	32	
31	69	95	70	96	67	94	90	99	94	99	87	99	43	28	44	31	43	26	31	
30	67	94	69	96	66	93	88	99	92	99	86	99	43	26	44	28	42	24	30	
29	66	93	68	95	65	91	86	99	90	99	84	99	42	24	43	26	42	22	29	
28	65	92	67	94	63	90	85	99	88	99	82	99	42	22	43	24	41	20	28	
27	64	90	65	92	62	88	83	99	86	99	80	99	41	20	42	22	41	18	27	
26	62	88	64	91	61	86	81	99	84	99	78	99	41	18	41	20	40	16	26	
25	61	86	63	89	60	83	79	99	82	99	76	98	40	16	41	18	40	14	25	
24	60	84	62	87	59	81	77	98	80	99	75	98	40	14	40	16	39	12	24	
23	59	81	60	85	57	78	75	98	78	99	73	97	39	12	40	14	38	11	23	
22	58	79	59	82	56	75	73	97	76	98	71	96	39	11	39	12	38	9	22	
21	56	76	58	80	55	72	71	96	74	98	69	95	38	9	39	11	37	8	21	
20	55	72	57	76	54	68	69	95	72	97	67	93	38	8	38	10	37	6	20	
19	54	69	55	73	53	64	67	94	69	96	65	92	37	7	38	8	36	5	19	
18	53	65	54	69	52	60	65	92	67	95	63	90	36	6	37	7	36	4	18	
17	52	60	53	65	50	56	63	90	65	93	62	87	36	5	36	6	35	3	17	
16	50	56	52	61	49	51	61	87	63	91	60	84	35	4	36	5	35	2	16	

(Continued on next page)

Table A.9 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score	
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male		
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	
15	49	51	50	56	48	47	59	84	61	88	58	81	35	3	35	4	15
14	48	47	49	51	47	42	58	80	59	84	56	77	34	2	35	3	14
13	47	42	48	46	46	37	56	76	57	80	54	72	34	2	34	3	13
12	46	37	47	41	44	32	54	70	55	75	52	66	33	1	34	2	12
11	44	32	45	36	43	28	52	64	53	68	51	60	33	1	33	2	11
10	43	27	44	31	42	23	50	56	51	60	49	53	32	1	32	1	10
9	42	22	43	26	41	19	48	48	49	52	47	45	32	1	32	1	9
8	41	18	42	21	40	15	46	40	47	42	45	37	31	1	31	1	8
7	39	14	40	17	38	11	44	31	45	33	43	28	30	1	31	1	7
6	38	11	39	13	37	8	42	22	43	24	41	20	30	1	30	1	6
5	37	8	38	9	36	6	40	15	41	16	40	12	29	1	30	1	5
4	36	5	37	6	35	4	38	8	39	10	38	6	29	1	29	1	4
3	35	3	35	4	34	2	36	4	37	6	36	2	28	1	29	1	3
2	33	2	34	3	33	1	34	1	35	3	34	1	28	1	28	1	2
1	32	1	33	1	31	1	33	1	33	1	32	1	27	1	27	1	1
0	31	1	32	1	30	1	31	1	31	1	30	1	27	1	27	1	0
Mean	15.71		14.70		16.72		10.07		9.46		10.68		43.00		41.27		Mean
SD	8.25		7.98		8.41		5.20		4.89		5.42		18.42		17.81		SD

Table A.10 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
165	--	--	--	--	--	--	--	--	--	--	--	--	115	99	116	99	114	99	165	
164	--	--	--	--	--	--	--	--	--	--	--	--	114	99	116	99	113	99	164	
163	--	--	--	--	--	--	--	--	--	--	--	--	114	99	115	99	113	99	163	
162	--	--	--	--	--	--	--	--	--	--	--	--	113	99	115	99	112	99	162	
161	--	--	--	--	--	--	--	--	--	--	--	--	113	99	114	99	112	99	161	
160	--	--	--	--	--	--	--	--	--	--	--	--	112	99	114	99	111	99	160	
159	--	--	--	--	--	--	--	--	--	--	--	--	112	99	113	99	111	99	159	
158	--	--	--	--	--	--	--	--	--	--	--	--	111	99	113	99	110	99	158	
157	--	--	--	--	--	--	--	--	--	--	--	--	111	99	112	99	110	99	157	
156	--	--	--	--	--	--	--	--	--	--	--	--	110	99	112	99	109	99	156	
155	--	--	--	--	--	--	--	--	--	--	--	--	110	99	111	99	109	99	155	
154	--	--	--	--	--	--	--	--	--	--	--	--	109	99	111	99	108	99	154	
153	--	--	--	--	--	--	--	--	--	--	--	--	109	99	110	99	108	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	108	99	110	99	107	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	107	99	109	99	106	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	107	99	109	99	106	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	106	99	108	99	105	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	106	99	108	99	105	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	105	99	107	99	104	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	105	99	107	99	104	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	104	99	106	99	103	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	104	99	105	99	103	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	103	99	105	99	102	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	103	99	104	99	102	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	102	99	104	99	101	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	102	99	103	99	101	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	101	99	103	99	100	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	101	99	102	99	100	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	100	99	102	99	99	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	100	99	101	99	99	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	99	99	101	99	98	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	99	99	100	99	98	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	98	99	100	99	97	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	98	99	99	99	97	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	97	99	99	99	96	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	97	99	98	99	96	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	96	99	98	99	95	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	96	99	97	99	95	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	95	99	97	99	94	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	94	99	96	99	93	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	94	99	95	99	93	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	93	99	95	99	92	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	93	99	94	99	92	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	92	99	94	99	91	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	92	99	93	99	91	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	91	99	93	99	90	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	91	99	92	99	90	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	90	99	92	99	89	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	90	99	91	99	89	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	89	99	91	99	88	99	116	

(Continued on next page)

Table A.10 Index T Scores and Percentiles

Raw Score	EBD Probability Index				ADHD Probability Index				Functional Impairment Index				Raw Score							
	Combined		Female		Male		Combined		Female		Male			Combined		Female		Male		
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		T	%ile	T	%ile	T	%ile	
115	--	--	--	--	--	--	--	--	--	--	--	--	89	99	90	99	88	99		
114	--	--	--	--	--	--	--	--	--	--	--	--	88	99	90	99	87	99		
113	--	--	--	--	--	--	--	--	--	--	--	--	88	99	89	99	87	99		
112	--	--	--	--	--	--	--	--	--	--	--	--	87	99	89	99	86	99		
111	--	--	--	--	--	--	--	--	--	--	--	--	87	99	88	99	86	99		
110	--	--	--	--	--	--	--	--	--	--	--	--	86	99	88	99	85	99		
109	--	--	--	--	--	--	--	--	--	--	--	--	86	99	87	99	85	99		
108	--	--	--	--	--	--	--	--	--	--	--	--	85	99	87	99	84	99		
107	--	--	--	--	--	--	--	--	--	--	--	--	85	99	86	99	84	99		
106	--	--	--	--	--	--	--	--	--	--	--	--	84	99	86	99	83	99		
105	--	--	--	--	--	--	--	--	--	--	--	--	84	99	85	99	83	99		
104	--	--	--	--	--	--	--	--	--	--	--	--	83	99	84	99	82	99		
103	--	--	--	--	--	--	--	--	--	--	--	--	83	99	84	99	82	99		
102	--	--	--	--	--	--	--	--	--	--	--	--	82	99	83	99	81	99		
101	--	--	--	--	--	--	--	--	--	--	--	--	82	99	83	99	80	99		
100	--	--	--	--	--	--	--	--	--	--	--	--	81	99	82	99	80	99		
99	--	--	--	--	--	--	--	--	--	--	--	--	80	99	82	99	79	99		
98	--	--	--	--	--	--	--	--	--	--	--	--	80	99	81	99	79	99		
97	--	--	--	--	--	--	--	--	--	--	--	--	79	99	81	99	78	99		
96	--	--	--	--	--	--	--	--	--	--	--	--	79	99	80	99	78	99		
95	--	--	--	--	--	--	--	--	--	--	--	--	78	99	80	99	77	99		
94	--	--	--	--	--	--	--	--	--	--	--	--	78	99	79	99	77	99		
93	--	--	--	--	--	--	--	--	--	--	--	--	77	99	79	99	76	99		
92	--	--	--	--	--	--	--	--	--	--	--	--	77	99	78	99	76	99		
91	--	--	--	--	--	--	--	--	--	--	--	--	76	99	78	99	75	98		
90	--	--	--	--	--	--	--	--	--	--	--	--	76	99	77	99	75	98		
89	--	--	--	--	--	--	--	--	--	--	--	--	75	98	77	99	74	98		
88	--	--	--	--	--	--	--	--	--	--	--	--	75	98	76	99	74	98		
87	--	--	--	--	--	--	--	--	--	--	--	--	74	98	76	99	73	98		
86	--	--	--	--	--	--	--	--	--	--	--	--	74	98	75	98	73	98		
85	--	--	--	--	--	--	--	--	--	--	--	--	73	98	74	98	72	97		
84	--	--	--	--	--	--	--	--	--	--	--	--	73	98	74	98	72	97		
83	--	--	--	--	--	--	--	--	--	--	--	--	72	97	73	98	71	97		
82	--	--	--	--	--	--	--	--	--	--	--	--	72	97	73	98	71	97		
81	--	--	--	--	--	--	--	--	--	--	--	--	71	97	72	97	70	96		
80	--	--	--	--	--	--	--	--	--	--	--	--	71	97	72	97	70	96		
79	--	--	--	--	--	--	--	--	--	--	--	--	70	96	71	97	69	96		
78	--	--	--	--	--	--	--	--	--	--	--	--	70	96	71	97	68	95		
77	--	--	--	--	--	--	--	--	--	--	--	--	69	96	70	96	68	95		
76	--	--	--	--	--	--	--	--	--	--	--	--	69	95	70	96	67	95		
75	--	--	--	--	--	--	--	--	--	--	--	--	68	95	69	96	67	94		
74	--	--	--	--	--	--	--	--	--	--	--	--	67	94	69	95	66	94		
73	--	--	--	--	--	--	--	--	--	--	--	--	67	94	68	95	66	93		
72	--	--	--	--	--	--	--	--	--	--	--	--	66	93	68	94	65	92		
71	--	--	--	--	--	--	--	--	--	--	--	--	66	93	67	94	65	92		
70	--	--	--	--	--	--	--	--	--	--	--	--	65	92	67	93	64	91		
69	--	--	--	--	--	--	--	--	--	--	--	--	65	92	66	93	64	91		
68	--	--	--	--	--	--	--	--	--	--	--	--	64	91	66	92	63	90		
67	--	--	--	--	--	--	--	--	--	--	--	--	64	90	65	92	63	89		
66	--	--	--	--	--	--	--	--	--	--	--	--	63	90	65	91	62	88		

(Continued on next page)

Table A.10 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
65	--	--	--	--	--	--	--	--	--	--	--	--	63	89	64	90	62	87	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	62	88	63	90	61	87	64	
63	104	99	107	99	103	99	--	--	--	--	--	--	62	87	63	89	61	86	63	
62	103	99	106	99	101	99	--	--	--	--	--	--	61	86	62	88	60	85	62	
61	102	99	105	99	100	99	--	--	--	--	--	--	61	85	62	87	60	84	61	
60	101	99	104	99	99	99	--	--	--	--	--	--	60	85	61	86	59	83	60	
59	100	99	102	99	98	99	--	--	--	--	--	--	60	83	61	86	59	81	59	
58	99	99	101	99	97	99	--	--	--	--	--	--	59	82	60	85	58	80	58	
57	97	99	100	99	96	99	--	--	--	--	--	--	59	81	60	84	58	79	57	
56	96	99	99	99	95	99	--	--	--	--	--	--	58	80	59	82	57	78	56	
55	95	99	98	99	93	99	--	--	--	--	--	--	58	79	59	81	57	76	55	
54	94	99	97	99	92	99	--	--	--	--	--	--	57	77	58	80	56	75	54	
53	93	99	95	99	91	99	--	--	--	--	--	--	57	76	58	79	55	73	53	
52	92	99	94	99	90	99	--	--	--	--	--	--	56	75	57	78	55	72	52	
51	91	99	93	99	89	99	--	--	--	--	--	--	56	73	57	76	54	70	51	
50	89	99	92	99	88	99	--	--	--	--	--	--	55	72	56	75	54	68	50	
49	88	99	91	99	87	99	--	--	--	--	--	--	54	70	56	73	53	67	49	
48	87	99	90	99	85	99	--	--	--	--	--	--	54	68	55	72	53	65	48	
47	86	99	88	99	84	99	--	--	--	--	--	--	53	67	55	70	52	63	47	
46	85	99	87	99	83	99	--	--	--	--	--	--	53	65	54	69	52	61	46	
45	84	99	86	99	82	99	--	--	--	--	--	--	52	63	53	67	51	59	45	
44	83	99	85	99	81	99	--	--	--	--	--	--	52	61	53	65	51	57	44	
43	81	99	84	99	80	99	--	--	--	--	--	--	51	60	52	64	50	55	43	
42	80	99	83	99	79	99	--	--	--	--	--	--	51	58	52	62	50	53	42	
41	79	99	81	99	78	99	--	--	--	--	--	--	50	56	51	60	49	51	41	
40	78	99	80	99	76	99	--	--	--	--	--	--	50	54	51	58	49	49	40	
39	77	99	79	99	75	98	--	--	--	--	--	--	49	52	50	56	48	47	39	
38	76	99	78	99	74	98	--	--	--	--	--	--	49	50	50	54	48	45	38	
37	75	98	77	99	73	98	--	--	--	--	--	--	48	47	49	52	47	43	37	
36	73	98	75	98	72	97	100	99	104	99	98	99	48	45	49	50	47	40	36	
35	72	97	74	98	71	97	98	99	102	99	96	99	47	43	48	48	46	38	35	
34	71	97	73	98	70	96	96	99	100	99	94	99	47	41	48	46	46	36	34	
33	70	96	72	97	68	95	94	99	98	99	92	99	46	39	47	44	45	34	33	
32	69	95	71	96	67	94	93	99	96	99	90	99	46	37	47	42	45	32	32	
31	68	94	70	96	66	93	91	99	94	99	88	99	45	35	46	39	44	30	31	
30	67	93	68	95	65	92	89	99	92	99	87	99	45	32	46	37	44	28	30	
29	65	92	67	94	64	91	87	99	90	99	85	99	44	30	45	35	43	26	29	
28	64	91	66	93	63	89	85	99	88	99	83	99	44	28	45	33	42	24	28	
27	63	89	65	91	62	87	83	99	86	99	81	99	43	26	44	31	42	22	27	
26	62	88	64	90	60	85	81	99	84	99	79	99	43	24	44	29	41	20	26	
25	61	86	63	88	59	83	80	99	82	99	77	99	42	22	43	27	41	18	25	
24	60	83	61	86	58	80	78	99	80	99	76	98	41	21	42	25	40	17	24	
23	59	81	60	84	57	78	76	98	79	99	74	98	41	19	42	23	40	15	23	
22	57	78	59	82	56	75	74	98	77	99	72	97	40	17	41	21	39	14	22	
21	56	75	58	79	55	71	72	97	75	98	70	96	40	15	41	19	39	12	21	
20	55	72	57	77	54	68	70	96	73	97	68	95	39	14	40	17	38	11	20	
19	54	69	56	74	52	64	68	95	71	96	67	93	39	12	40	15	38	9	19	
18	53	65	54	70	51	60	67	93	69	95	65	91	38	11	39	13	37	8	18	
17	52	61	53	67	50	55	65	91	67	93	63	89	38	9	39	12	37	7	17	
16	51	57	52	63	49	51	63	89	65	91	61	87	37	8	38	10	36	6	16	

(Continued on next page)

Table A.10 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score	
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male		
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	
15	49	53	51	59	48	46	61	86	63	89	59	83	37	7	38	9	15
14	48	48	50	54	47	42	59	83	61	86	57	79	36	6	37	8	14
13	47	43	48	50	46	37	57	79	59	82	56	75	36	5	37	7	13
12	46	39	47	45	45	32	55	74	57	78	54	69	35	4	36	6	12
11	45	34	46	40	43	28	53	68	55	73	52	63	35	4	36	5	11
10	44	29	45	35	42	23	52	62	53	67	50	57	34	3	35	4	10
9	43	25	44	30	41	19	50	55	51	61	48	49	34	2	35	3	9
8	41	20	43	25	40	15	48	47	49	53	47	41	33	2	34	2	8
7	40	16	41	21	39	12	46	39	47	45	45	33	33	1	34	2	7
6	39	13	40	16	38	9	44	31	45	37	43	26	32	1	33	1	6
5	38	9	39	13	37	7	42	23	43	29	41	18	32	1	32	1	5
4	37	7	38	9	35	5	40	16	41	21	39	12	31	1	32	1	4
3	36	5	37	6	34	3	39	10	40	13	37	7	31	1	31	1	3
2	35	3	36	4	33	2	37	5	38	7	36	3	30	1	31	1	2
1	33	2	34	2	32	1	35	2	36	3	34	1	30	1	30	1	1
0	32	1	33	1	31	1	33	1	34	1	32	1	29	1	30	1	0
Mean	15.55		14.30		16.80		9.14		8.37		9.92		40.41		38.35		Mean
SD	8.75		8.52		8.80		5.37		5.13		5.49		19.24		19.05		SD

Table A.11 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
153	--	--	--	--	--	--	--	--	--	--	--	--	107	99	112	99	105	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	107	99	111	99	104	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	106	99	110	99	104	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	106	99	110	99	103	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	105	99	109	99	103	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	105	99	109	99	102	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	104	99	108	99	102	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	104	99	108	99	101	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	103	99	107	99	101	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	103	99	107	99	100	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	102	99	106	99	100	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	102	99	106	99	99	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	101	99	105	99	99	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	101	99	105	99	98	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	100	99	104	99	98	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	100	99	104	99	97	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	99	99	103	99	97	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	99	99	102	99	96	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	98	99	102	99	96	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	98	99	101	99	95	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	97	99	101	99	95	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	97	99	100	99	94	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	96	99	100	99	94	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	96	99	99	99	93	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	95	99	99	99	93	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	95	99	98	99	92	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	94	99	98	99	92	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	94	99	97	99	91	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	93	99	97	99	91	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	93	99	96	99	90	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	92	99	95	99	90	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	92	99	95	99	89	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	91	99	94	99	89	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	91	99	94	99	88	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	90	99	93	99	88	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	89	99	93	99	87	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	89	99	92	99	87	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	88	99	92	99	86	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	88	99	91	99	86	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	87	99	91	99	85	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	87	99	90	99	85	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	86	99	90	99	84	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	86	99	89	99	84	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	85	99	89	99	83	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	85	99	88	99	83	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	84	99	87	99	82	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	84	99	87	99	82	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	83	99	86	99	81	99	106	

(Continued on next page)

Table A.11 Index T Scores and Percentiles

Raw Score	EBD Probability Index				ADHD Probability Index				Functional Impairment Index				Raw Score							
	Combined		Female		Male		Combined		Female		Male			Combined		Female		Male		
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		T	%ile	T	%ile	T	%ile	
105	--	--	--	--	--	--	--	--	--	--	--	--	83	99	86	99	81	99		
104	--	--	--	--	--	--	--	--	--	--	--	--	82	99	85	99	80	99		
103	--	--	--	--	--	--	--	--	--	--	--	--	82	99	85	99	80	99		
102	--	--	--	--	--	--	--	--	--	--	--	--	81	99	84	99	79	99		
101	--	--	--	--	--	--	--	--	--	--	--	--	81	99	84	99	79	99		
100	--	--	--	--	--	--	--	--	--	--	--	--	80	99	83	99	78	99		
99	--	--	--	--	--	--	--	--	--	--	--	--	80	99	83	99	78	99		
98	--	--	--	--	--	--	--	--	--	--	--	--	79	99	82	99	77	99		
97	--	--	--	--	--	--	--	--	--	--	--	--	79	99	82	99	77	99		
96	--	--	--	--	--	--	--	--	--	--	--	--	78	99	81	99	76	99		
95	--	--	--	--	--	--	--	--	--	--	--	--	78	99	80	99	76	99		
94	--	--	--	--	--	--	--	--	--	--	--	--	77	99	80	99	75	99		
93	--	--	--	--	--	--	--	--	--	--	--	--	77	99	79	99	75	99		
92	--	--	--	--	--	--	--	--	--	--	--	--	76	99	79	99	74	98		
91	--	--	--	--	--	--	--	--	--	--	--	--	76	99	78	99	74	98		
90	--	--	--	--	--	--	--	--	--	--	--	--	75	99	78	99	73	98		
89	--	--	--	--	--	--	--	--	--	--	--	--	75	98	77	99	73	98		
88	--	--	--	--	--	--	--	--	--	--	--	--	74	98	77	99	72	98		
87	--	--	--	--	--	--	--	--	--	--	--	--	74	98	76	99	72	97		
86	--	--	--	--	--	--	--	--	--	--	--	--	73	98	76	99	71	97		
85	--	--	--	--	--	--	--	--	--	--	--	--	73	98	75	98	71	97		
84	--	--	--	--	--	--	--	--	--	--	--	--	72	97	75	98	70	97		
83	--	--	--	--	--	--	--	--	--	--	--	--	72	97	74	98	70	96		
82	--	--	--	--	--	--	--	--	--	--	--	--	71	97	74	98	69	96		
81	--	--	--	--	--	--	--	--	--	--	--	--	71	97	73	98	69	96		
80	--	--	--	--	--	--	--	--	--	--	--	--	70	96	72	97	68	95		
79	--	--	--	--	--	--	--	--	--	--	--	--	70	96	72	97	68	95		
78	--	--	--	--	--	--	--	--	--	--	--	--	69	96	71	97	67	94		
77	--	--	--	--	--	--	--	--	--	--	--	--	69	95	71	97	67	94		
76	--	--	--	--	--	--	--	--	--	--	--	--	68	95	70	96	66	93		
75	--	--	--	--	--	--	--	--	--	--	--	--	68	94	70	96	66	93		
74	--	--	--	--	--	--	--	--	--	--	--	--	67	94	69	96	65	92		
73	--	--	--	--	--	--	--	--	--	--	--	--	67	93	69	95	65	91		
72	--	--	--	--	--	--	--	--	--	--	--	--	66	93	68	95	64	91		
71	--	--	--	--	--	--	--	--	--	--	--	--	65	92	68	94	64	90		
70	--	--	--	--	--	--	--	--	--	--	--	--	65	92	67	94	63	89		
69	--	--	--	--	--	--	--	--	--	--	--	--	64	91	67	93	63	89		
68	--	--	--	--	--	--	--	--	--	--	--	--	64	90	66	93	62	88		
67	--	--	--	--	--	--	--	--	--	--	--	--	63	90	65	92	62	87		
66	--	--	--	--	--	--	--	--	--	--	--	--	63	89	65	92	61	86		
65	--	--	--	--	--	--	--	--	--	--	--	--	62	88	64	91	61	85		
64	--	--	--	--	--	--	--	--	--	--	--	--	62	87	64	90	60	84		
63	--	--	--	--	--	--	--	--	--	--	--	--	61	86	63	90	60	83		
62	--	--	--	--	--	--	--	--	--	--	--	--	61	85	63	89	59	82		
61	--	--	--	--	--	--	--	--	--	--	--	--	60	84	62	88	59	81		
60	--	--	--	--	--	--	--	--	--	--	--	--	60	83	62	87	58	80		
59	--	--	--	--	--	--	--	--	--	--	--	--	59	82	61	86	58	78		
58	--	--	--	--	--	--	--	--	--	--	--	--	59	81	61	85	57	77		
57	--	--	--	--	--	--	--	--	--	--	--	--	58	80	60	84	57	76		
56	--	--	--	--	--	--	--	--	--	--	--	--	58	79	60	83	56	75		

(Continued on next page)

Table A.11 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
55	--	--	--	--	--	--	--	--	--	--	--	--	57	78	59	82	56	73	55	
54	--	--	--	--	--	--	--	--	--	--	--	--	57	76	59	81	55	72	54	
53	--	--	--	--	--	--	--	--	--	--	--	--	56	75	58	79	55	70	53	
52	--	--	--	--	--	--	--	--	--	--	--	--	56	73	57	78	54	69	52	
51	--	--	--	--	--	--	--	--	--	--	--	--	55	72	57	77	54	67	51	
50	--	--	--	--	--	--	--	--	--	--	--	--	55	70	56	75	53	66	50	
49	--	--	--	--	--	--	--	--	--	--	--	--	54	69	56	74	53	64	49	
48	--	--	--	--	--	--	--	--	--	--	--	--	54	67	55	73	52	62	48	
47	--	--	--	--	--	--	--	--	--	--	--	--	53	66	55	71	52	60	47	
46	--	--	--	--	--	--	--	--	--	--	--	--	53	64	54	69	51	59	46	
45	--	--	--	--	--	--	--	--	--	--	--	--	52	62	54	68	51	57	45	
44	--	--	--	--	--	--	--	--	--	--	--	--	52	60	53	66	50	55	44	
43	--	--	--	--	--	--	--	--	--	--	--	--	51	59	53	64	50	53	43	
42	84	99	87	99	82	99	--	--	--	--	--	--	51	57	52	62	49	51	42	
41	83	99	86	99	80	99	--	--	--	--	--	--	50	55	52	60	49	49	41	
40	81	99	84	99	79	99	--	--	--	--	--	--	50	53	51	59	48	48	40	
39	80	99	83	99	78	99	--	--	--	--	--	--	49	51	50	57	48	46	39	
38	79	99	82	99	76	99	--	--	--	--	--	--	49	49	50	55	47	44	38	
37	77	99	80	99	75	99	--	--	--	--	--	--	48	47	49	53	47	42	37	
36	76	99	79	99	74	99	88	99	94	99	84	99	48	45	49	50	46	40	36	
35	75	99	77	99	73	99	86	99	92	99	83	99	47	43	48	48	46	38	35	
34	73	99	76	99	71	98	85	99	90	99	81	99	47	41	48	46	45	36	34	
33	72	99	75	99	70	98	83	99	88	99	80	99	46	39	47	44	45	34	33	
32	71	98	73	99	69	97	81	99	86	99	78	99	46	37	47	42	44	32	32	
31	69	97	72	99	67	96	80	99	85	99	76	99	45	35	46	40	44	30	31	
30	68	96	71	98	66	94	78	99	83	99	75	99	45	33	46	37	43	28	30	
29	67	95	69	97	65	92	76	99	81	99	73	98	44	31	45	35	43	26	29	
28	65	93	68	96	64	90	75	99	79	99	72	98	44	29	45	33	42	24	28	
27	64	91	66	94	62	88	73	98	77	99	70	97	43	27	44	31	42	23	27	
26	63	89	65	92	61	85	71	97	75	99	69	96	42	25	44	29	41	21	26	
25	61	86	64	90	60	82	70	96	73	98	67	94	42	23	43	27	41	19	25	
24	60	83	62	87	58	79	68	95	72	98	65	93	41	21	42	25	40	18	24	
23	59	80	61	85	57	75	66	94	70	97	64	91	41	19	42	23	40	16	23	
22	57	76	59	81	56	71	65	92	68	95	62	88	40	18	41	21	39	15	22	
21	56	72	58	78	55	67	63	90	66	94	61	86	40	16	41	19	39	13	21	
20	55	68	57	74	53	63	61	87	64	91	59	82	39	14	40	17	38	12	20	
19	54	64	55	70	52	58	60	83	62	89	58	78	39	13	40	15	38	10	19	
18	52	59	54	66	51	53	58	80	60	85	56	74	38	11	39	13	37	9	18	
17	51	55	53	61	49	48	56	75	59	81	54	69	38	10	39	12	37	8	17	
16	50	50	51	56	48	43	55	70	57	76	53	64	37	9	38	10	36	7	16	
15	48	45	50	51	47	39	53	64	55	70	51	58	37	8	38	9	36	6	15	
14	47	40	48	46	45	34	51	58	53	64	50	52	36	6	37	8	35	5	14	
13	46	35	47	41	44	30	49	51	51	57	48	45	36	5	37	7	35	4	13	
12	44	31	46	36	43	25	48	44	49	50	46	39	35	5	36	5	34	4	12	
11	43	26	44	31	42	21	46	37	47	42	45	32	35	4	36	4	34	3	11	

(Continued on next page)

Table A.11 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score		
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
10	42	22	43	27	40	18	44	31	46	35	43	26	34	3	35	4	33	2
9	40	18	42	22	39	14	43	24	44	28	42	21	34	2	34	3	33	2
8	39	15	40	18	38	11	41	19	42	21	40	16	33	2	34	2	32	2
7	38	11	39	14	36	9	39	14	40	16	39	12	33	1	33	2	32	1
6	36	9	37	11	35	7	38	10	38	11	37	8	32	1	33	1	31	1
5	35	6	36	8	34	5	36	6	36	7	35	6	32	1	32	1	31	1
4	34	4	35	5	33	3	34	4	34	5	34	4	31	1	32	1	30	1
3	32	3	33	3	31	2	33	2	33	3	32	2	31	1	31	1	30	1
2	31	2	32	2	30	2	31	1	31	2	31	1	30	1	31	1	29	1
1	30	1	31	1	29	1	29	1	29	1	29	1	30	1	30	1	29	1
0	29	1	29	1	27	1	28	1	27	1	27	1	29	1	30	1	28	1
Mean	16.31		15.11		17.51		13.31		12.38		14.25		40.69		38.07		43.30	
SD	7.60		7.26		7.74		5.94		5.38		6.32		19.58		18.67		20.13	

Table A.12 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
153	--	--	--	--	--	--	--	--	--	--	--	--	116	99	116	99	115	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	115	99	116	99	114	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	115	99	115	99	114	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	114	99	115	99	113	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	113	99	114	99	113	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	113	99	114	99	112	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	112	99	113	99	112	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	112	99	112	99	111	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	111	99	112	99	111	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	111	99	111	99	110	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	110	99	111	99	109	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	110	99	110	99	109	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	109	99	110	99	108	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	108	99	109	99	108	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	108	99	108	99	107	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	107	99	108	99	107	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	107	99	107	99	106	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	106	99	107	99	106	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	106	99	106	99	105	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	105	99	106	99	104	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	104	99	105	99	104	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	104	99	105	99	103	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	103	99	104	99	103	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	103	99	103	99	102	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	102	99	103	99	102	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	102	99	102	99	101	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	101	99	102	99	101	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	101	99	101	99	100	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	100	99	101	99	99	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	99	99	100	99	99	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	99	99	99	99	98	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	98	99	99	99	98	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	98	99	98	99	97	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	97	99	98	99	97	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	97	99	97	99	96	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	96	99	97	99	96	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	96	99	96	99	95	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	95	99	96	99	94	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	94	99	95	99	94	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	94	99	94	99	93	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	93	99	94	99	93	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	93	99	93	99	92	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	92	99	93	99	92	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	92	99	92	99	91	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	91	99	92	99	91	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	91	99	91	99	90	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	90	99	91	99	89	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	89	99	90	99	89	99	106	

(Continued on next page)

Table A.12 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
105	--	--	--	--	--	--	--	--	--	--	--	--	89	99	89	99	88	99	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	88	99	89	99	88	99	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	88	99	88	99	87	99	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	87	99	88	99	87	99	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	87	99	87	99	86	99	101	
100	--	--	--	--	--	--	--	--	--	--	--	--	86	99	87	99	86	99	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	86	99	86	99	85	99	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	85	99	85	99	85	99	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	84	99	85	99	84	99	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	84	99	84	99	83	99	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	83	99	84	99	83	99	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	83	99	83	99	82	99	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	82	99	83	99	82	99	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	82	99	82	99	81	99	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	81	99	82	99	81	99	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	81	99	81	99	80	99	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	80	99	80	99	80	99	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	79	99	80	99	79	99	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	79	99	79	99	78	99	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	78	99	79	99	78	99	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	78	99	78	99	77	99	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	77	99	78	99	77	99	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	77	99	77	99	76	99	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	76	99	76	99	76	99	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	76	99	76	99	75	98	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	75	98	75	99	75	98	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	74	98	75	98	74	98	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	74	98	74	98	73	98	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	73	98	74	98	73	98	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	73	98	73	98	72	97	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	72	97	73	98	72	97	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	72	97	72	97	71	97	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	71	97	71	97	71	96	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	71	96	71	97	70	96	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	70	96	70	96	70	96	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	69	96	70	96	69	95	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	69	95	69	95	68	95	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	68	95	69	95	68	94	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	68	94	68	95	67	94	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	67	94	67	94	67	93	66	
65	--	--	--	--	--	--	--	--	--	--	--	--	67	93	67	94	66	93	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	66	93	66	93	66	92	64	
63	--	--	--	--	--	--	--	--	--	--	--	--	65	92	66	92	65	92	63	
62	--	--	--	--	--	--	--	--	--	--	--	--	65	91	65	92	65	91	62	
61	--	--	--	--	--	--	--	--	--	--	--	--	64	91	65	91	64	90	61	
60	--	--	--	--	--	--	--	--	--	--	--	--	64	90	64	90	64	89	60	
59	--	--	--	--	--	--	--	--	--	--	--	--	63	89	64	90	63	89	59	
58	--	--	--	--	--	--	--	--	--	--	--	--	63	88	63	89	62	88	58	
57	--	--	--	--	--	--	--	--	--	--	--	--	62	87	62	88	62	87	57	
56	--	--	--	--	--	--	--	--	--	--	--	--	62	86	62	87	61	86	56	

(Continued on next page)

Table A.12 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
55	--	--	--	--	--	--	--	--	--	--	--	--	61	85	61	86	61	85	55	
54	--	--	--	--	--	--	--	--	--	--	--	--	60	84	61	85	60	84	54	
53	--	--	--	--	--	--	--	--	--	--	--	--	60	83	60	84	60	83	53	
52	--	--	--	--	--	--	--	--	--	--	--	--	59	82	60	83	59	82	52	
51	--	--	--	--	--	--	--	--	--	--	--	--	59	81	59	82	59	81	51	
50	--	--	--	--	--	--	--	--	--	--	--	--	58	80	59	80	58	79	50	
49	--	--	--	--	--	--	--	--	--	--	--	--	58	79	58	79	57	78	49	
48	--	--	--	--	--	--	--	--	--	--	--	--	57	77	57	78	57	77	48	
47	--	--	--	--	--	--	--	--	--	--	--	--	57	76	57	76	56	75	47	
46	--	--	--	--	--	--	--	--	--	--	--	--	56	74	56	75	56	74	46	
45	--	--	--	--	--	--	--	--	--	--	--	--	55	73	56	73	55	72	45	
44	--	--	--	--	--	--	--	--	--	--	--	--	55	71	55	72	55	71	44	
43	--	--	--	--	--	--	--	--	--	--	--	--	54	70	55	70	54	69	43	
42	87	99	88	99	86	99	--	--	--	--	--	--	54	68	54	69	54	67	42	
41	86	99	87	99	85	99	--	--	--	--	--	--	53	66	53	67	53	66	41	
40	84	99	85	99	83	99	--	--	--	--	--	--	53	64	53	65	52	64	40	
39	83	99	84	99	82	99	--	--	--	--	--	--	52	63	52	63	52	62	39	
38	82	99	83	99	81	99	--	--	--	--	--	--	52	61	52	61	51	60	38	
37	80	99	81	99	79	99	--	--	--	--	--	--	51	59	51	59	51	58	37	
36	79	99	80	99	78	99	95	99	95	99	95	99	50	57	51	57	50	56	36	
35	78	99	78	99	77	99	93	99	93	99	94	99	50	55	50	55	50	54	35	
34	76	99	77	99	75	99	91	99	91	99	92	99	49	53	50	53	49	52	34	
33	75	99	76	99	74	99	90	99	90	99	90	99	49	51	49	51	49	50	33	
32	74	99	74	99	73	98	88	99	88	99	88	99	48	48	48	49	48	48	32	
31	72	98	73	99	71	98	86	99	86	99	86	99	48	46	48	47	47	46	31	
30	71	98	72	98	70	97	84	99	84	99	84	99	47	44	47	44	47	43	30	
29	70	97	70	98	69	96	82	99	82	99	82	99	47	42	47	42	46	41	29	
28	68	96	69	96	68	95	80	99	81	99	80	99	46	39	46	40	46	39	28	
27	67	94	68	95	66	93	78	99	79	99	78	99	45	37	46	38	45	37	27	
26	65	93	66	94	65	92	77	99	77	99	76	99	45	35	45	35	45	34	26	
25	64	91	65	92	64	90	75	98	75	99	74	98	44	33	44	33	44	32	25	
24	63	89	63	89	62	88	73	98	73	98	73	98	44	30	44	31	44	30	24	
23	61	86	62	87	61	85	71	97	71	97	71	97	43	28	43	29	43	28	23	
22	60	83	61	84	60	83	69	96	70	96	69	96	43	26	43	26	42	25	22	
21	59	80	59	81	58	79	67	94	68	95	67	94	42	24	42	24	42	23	21	
20	57	77	58	77	57	76	65	93	66	93	65	92	42	22	42	22	41	21	20	
19	56	73	57	73	56	72	64	90	64	91	63	90	41	19	41	20	41	19	19	
18	55	69	55	69	54	68	62	87	62	88	61	87	40	17	41	18	40	17	18	
17	53	64	54	65	53	64	60	84	60	85	59	83	40	15	40	16	40	15	17	
16	52	60	52	60	52	59	58	80	59	81	57	78	39	14	39	14	39	13	16	
15	51	55	51	56	50	54	56	75	57	76	55	73	39	12	39	12	39	11	15	
14	49	50	50	51	49	49	54	69	55	71	54	67	38	10	38	11	38	10	14	
13	48	45	48	46	48	44	52	63	53	65	52	60	38	9	38	9	38	8	13	
12	47	40	47	41	46	39	51	56	51	59	50	53	37	7	37	8	37	7	12	
11	45	35	46	36	45	34	49	48	49	52	48	45	37	6	37	6	36	5	11	

(Continued on next page)

Table A.12 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score		
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
10	44	30	44	31	44	29	47	41	48	44	46	37	36	5	36	5	36	4
9	43	25	43	26	43	25	45	33	46	37	44	30	35	4	35	4	35	3
8	41	21	41	22	41	20	43	26	44	29	42	23	35	3	35	3	35	2
7	40	17	40	18	40	16	41	19	42	23	40	16	34	2	34	2	34	2
6	39	13	39	14	39	13	39	14	40	16	38	11	34	1	34	2	34	1
5	37	10	37	10	37	9	38	9	38	11	36	7	33	1	33	1	33	1
4	36	7	36	8	36	7	36	6	37	7	35	4	33	1	33	1	33	1
3	35	5	35	5	35	5	34	3	35	4	33	2	32	1	32	1	32	1
2	33	3	33	3	33	3	32	2	33	2	31	1	31	1	32	1	31	1
1	32	2	32	2	32	2	30	1	31	1	29	1	31	1	31	1	31	1
0	31	1	30	1	31	1	28	1	29	1	27	1	30	1	30	1	30	1
Mean	14.46		14.24		14.69		11.72		11.32		12.11		35.21		34.85		35.58	
SD	7.45		7.29		7.60		5.38		5.47		5.26		17.94		17.81		18.08	

Table A.13 Index T Scores and Percentiles

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
73	98	99	100	99	96	99
72	97	99	99	99	95	99
71	96	99	98	99	94	99
70	95	99	97	99	94	99
69	94	99	96	99	93	99
68	93	99	95	99	92	99
67	92	99	94	99	91	99
66	91	99	93	99	90	99
65	91	99	92	99	89	99
64	90	99	91	99	88	99
63	89	99	90	99	87	99
62	88	99	90	99	87	99
61	87	99	89	99	86	99
60	86	99	88	99	85	99
59	85	99	87	99	84	99
58	84	99	86	99	83	99
57	83	99	85	99	82	99
56	83	99	84	99	81	99
55	82	99	83	99	80	99
54	81	99	82	99	80	99
53	80	99	81	99	79	99
52	79	99	80	99	78	99
51	78	99	80	99	77	99
50	77	99	79	99	76	99
49	76	99	78	99	75	98
48	75	98	77	99	74	98
47	75	98	76	98	73	98
46	74	98	75	98	73	97
45	73	97	74	98	72	97
44	72	97	73	97	71	96
43	71	96	72	97	70	96
42	70	96	71	97	69	95
41	69	95	70	96	68	95
40	68	95	69	95	67	94
39	67	94	69	95	66	93
38	67	93	68	94	65	92
37	66	92	67	93	65	91
36	65	91	66	92	64	90
35	64	90	65	91	63	89
34	63	89	64	90	62	88
33	62	88	63	89	61	86
32	61	86	62	88	60	85
31	60	85	61	86	59	83
30	59	83	60	85	58	81
29	58	81	59	83	58	79
28	58	79	59	81	57	77
27	57	77	58	79	56	75
26	56	75	57	77	55	72

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
25	55	72	56	75	54	70
24	54	70	55	72	53	67
23	53	67	54	70	52	64
22	52	64	53	67	51	61
21	51	61	52	64	51	57
20	50	57	51	61	50	54
19	50	54	50	57	49	51
18	49	51	49	54	48	47
17	48	47	49	50	47	43
16	47	43	48	47	46	40
15	46	39	47	43	45	36
14	45	36	46	39	44	32
13	44	32	45	35	44	29
12	43	28	44	31	43	25
11	42	24	43	27	42	22
10	42	21	42	23	41	19
9	41	18	41	20	40	16
8	40	14	40	16	39	13
7	39	12	39	13	38	10
6	38	9	39	10	37	8
5	37	7	38	8	37	6
4	36	5	37	5	36	4
3	35	3	36	4	35	3
2	34	2	35	2	34	2
1	34	1	34	1	33	1
0	33	1	33	1	32	1
Mean	19.48		18.62		20.33	
SD	11.22		10.97		11.40	

Table A.14 Index T Scores and Percentiles

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
91	101	99	100	99	102	99
90	100	99	99	99	102	99
89	100	99	98	99	101	99
88	99	99	98	99	100	99
87	98	99	97	99	99	99
86	97	99	96	99	99	99
85	96	99	95	99	98	99
84	96	99	95	99	97	99
83	95	99	94	99	96	99
82	94	99	93	99	95	99
81	93	99	92	99	95	99
80	93	99	92	99	94	99
79	92	99	91	99	93	99
78	91	99	90	99	92	99
77	90	99	89	99	91	99
76	89	99	88	99	91	99
75	89	99	88	99	90	99
74	88	99	87	99	89	99
73	87	99	86	99	88	99
72	86	99	85	99	87	99
71	86	99	85	99	87	99
70	85	99	84	99	86	99
69	84	99	83	99	85	99
68	83	99	82	99	84	99
67	82	99	82	99	84	99
66	82	99	81	99	83	99
65	81	99	80	99	82	99
64	80	99	79	99	81	99
63	79	99	78	99	80	99
62	79	99	78	99	80	99
61	78	99	77	99	79	99
60	77	99	76	99	78	99
59	76	99	75	99	77	99
58	76	98	75	98	76	98
57	75	98	74	98	76	98
56	74	98	73	98	75	98
55	73	98	72	98	74	98
54	72	97	72	97	73	97
53	72	97	71	97	73	97
52	71	96	70	96	72	97
51	70	96	69	96	71	96
50	69	95	69	95	70	96
49	69	95	68	94	69	95
48	68	94	67	94	69	95
47	67	94	66	93	68	94
46	66	93	65	92	67	94

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
45	65	92	65	91	66	93
44	65	91	64	90	65	92
43	64	90	63	89	65	91
42	63	89	62	88	64	90
41	62	88	62	87	63	89
40	62	87	61	85	62	88
39	61	85	60	84	61	87
38	60	84	59	82	61	86
37	59	82	59	81	60	84
36	58	81	58	79	59	83
35	58	79	57	77	58	81
34	57	77	56	75	58	79
33	56	75	55	73	57	77
32	55	73	55	70	56	75
31	55	71	54	68	55	73
30	54	68	53	66	54	71
29	53	66	52	63	54	69
28	52	63	52	60	53	66
27	51	61	51	58	52	63
26	51	58	50	55	51	61
25	50	55	49	52	50	58
24	49	52	49	49	50	55
23	48	49	48	46	49	52
22	48	46	47	43	48	48
21	47	42	46	40	47	45
20	46	39	45	37	46	42
19	45	36	45	34	46	38
18	44	33	44	31	45	35
17	44	29	43	28	44	31
16	43	26	42	25	43	28
15	42	23	42	22	43	25
14	41	20	41	19	42	21
13	41	17	40	16	41	18
12	40	15	39	14	40	15
11	39	12	39	12	39	13
10	38	10	38	10	39	10
9	37	8	37	8	38	8
8	37	6	36	6	37	6
7	36	5	36	5	36	4
6	35	3	35	3	35	3
5	34	2	34	2	35	2
4	34	1	33	2	34	1
3	33	1	32	1	33	1
2	32	1	32	1	32	1
1	31	1	31	1	31	1
0	30	1	30	1	31	1
Mean	25.17		25.88		24.46	
SD	12.87		13.03		12.68	

Table A.15 Index T Scores and Percentiles

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
91	112	99	111	99	114	99
90	111	99	110	99	113	99
89	110	99	109	99	112	99
88	109	99	108	99	111	99
87	108	99	107	99	110	99
86	107	99	106	99	109	99
85	106	99	105	99	108	99
84	105	99	104	99	107	99
83	104	99	103	99	106	99
82	103	99	102	99	105	99
81	103	99	101	99	104	99
80	102	99	100	99	103	99
79	101	99	100	99	102	99
78	100	99	99	99	102	99
77	99	99	98	99	101	99
76	98	99	97	99	100	99
75	97	99	96	99	99	99
74	96	99	95	99	98	99
73	95	99	94	99	97	99
72	94	99	93	99	96	99
71	93	99	92	99	95	99
70	92	99	91	99	94	99
69	92	99	90	99	93	99
68	91	99	90	99	92	99
67	90	99	89	99	91	99
66	89	99	88	99	90	99
65	88	99	87	99	89	99
64	87	99	86	99	89	99
63	86	99	85	99	88	99
62	85	99	84	99	87	99
61	84	99	83	99	86	99
60	83	99	82	99	85	99
59	82	99	81	99	84	99
58	82	99	80	99	83	99
57	81	99	79	99	82	99
56	80	99	79	99	81	99
55	79	99	78	99	80	99
54	78	99	77	99	79	99
53	77	99	76	99	78	99
52	76	98	75	99	77	98
51	75	98	74	98	76	98
50	74	98	73	98	76	98
49	73	98	72	97	75	98
48	72	97	71	97	74	97
47	71	97	70	96	73	97
46	71	96	69	96	72	97

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
45	70	96	69	95	71	96
44	69	95	68	94	70	96
43	68	94	67	94	69	95
42	67	94	66	93	68	95
41	66	93	65	92	67	94
40	65	92	64	90	66	93
39	64	91	63	89	65	92
38	63	90	62	88	64	91
37	62	88	61	86	63	90
36	61	87	60	84	63	89
35	60	85	59	82	62	88
34	60	83	58	80	61	86
33	59	82	58	78	60	85
32	58	79	57	76	59	83
31	57	77	56	73	58	81
30	56	75	55	71	57	79
29	55	72	54	68	56	76
28	54	69	53	65	55	74
27	53	67	52	62	54	71
26	52	63	51	59	53	68
25	51	60	50	55	52	65
24	50	57	49	52	51	62
23	49	53	48	48	50	58
22	49	49	48	44	50	55
21	48	46	47	41	49	51
20	47	42	46	37	48	47
19	46	38	45	33	47	43
18	45	34	44	30	46	39
17	44	30	43	26	45	34
16	43	26	42	23	44	30
15	42	23	41	20	43	26
14	41	19	40	17	42	22
13	40	16	39	14	41	19
12	39	13	38	11	40	15
11	38	10	37	9	39	12
10	38	8	37	7	38	9
9	37	6	36	5	37	7
8	36	4	35	4	37	5
7	35	3	34	3	36	3
6	34	2	33	2	35	2
5	33	1	32	1	34	1
4	32	1	31	1	33	1
3	31	1	30	1	32	1
2	30	1	29	1	31	1
1	29	1	28	1	30	1
0	28	1	27	1	29	1
Mean	23.61		24.73		22.50	
SD	10.91		10.95		10.77	

Table A.16 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
108	--	--	--	--	--	--	99	99	101	99	98	99	108	
107	--	--	--	--	--	--	98	99	100	99	97	99	107	
106	--	--	--	--	--	--	97	99	99	99	97	99	106	
105	--	--	--	--	--	--	96	99	98	99	96	99	105	
104	--	--	--	--	--	--	96	99	98	99	95	99	104	
103	--	--	--	--	--	--	95	99	97	99	94	99	103	
102	--	--	--	--	--	--	94	99	96	99	94	99	102	
101	--	--	--	--	--	--	94	99	96	99	93	99	101	
100	--	--	--	--	--	--	93	99	95	99	92	99	100	
99	--	--	--	--	--	--	92	99	94	99	92	99	99	
98	--	--	--	--	--	--	91	99	93	99	91	99	98	
97	--	--	--	--	--	--	91	99	93	99	90	99	97	
96	--	--	--	--	--	--	90	99	92	99	89	99	96	
95	--	--	--	--	--	--	89	99	91	99	89	99	95	
94	--	--	--	--	--	--	89	99	91	99	88	99	94	
93	--	--	--	--	--	--	88	99	90	99	87	99	93	
92	--	--	--	--	--	--	87	99	89	99	87	99	92	
91	--	--	--	--	--	--	86	99	88	99	86	99	91	
90	--	--	--	--	--	--	86	99	88	99	85	99	90	
89	--	--	--	--	--	--	85	99	87	99	85	99	89	
88	--	--	--	--	--	--	84	99	86	99	84	99	88	
87	--	--	--	--	--	--	84	99	86	99	83	99	87	
86	--	--	--	--	--	--	83	99	85	99	82	99	86	
85	--	--	--	--	--	--	82	99	84	99	82	99	85	
84	--	--	--	--	--	--	82	99	83	99	81	99	84	
83	--	--	--	--	--	--	81	99	83	99	80	99	83	
82	--	--	--	--	--	--	80	99	82	99	80	99	82	
81	--	--	--	--	--	--	79	99	81	99	79	99	81	
80	--	--	--	--	--	--	79	99	81	99	78	99	80	
79	--	--	--	--	--	--	78	99	80	99	77	99	79	
78	--	--	--	--	--	--	77	99	79	99	77	99	78	
77	--	--	--	--	--	--	77	99	78	99	76	99	77	
76	--	--	--	--	--	--	76	99	78	99	75	99	76	
75	--	--	--	--	--	--	75	99	77	99	75	99	75	
74	--	--	--	--	--	--	74	99	76	99	74	99	74	
73	--	--	--	--	--	--	74	99	76	99	73	99	73	
72	--	--	--	--	--	--	73	99	75	99	72	99	72	
71	--	--	--	--	--	--	72	99	74	99	72	99	71	
70	--	--	--	--	--	--	72	99	73	99	71	98	70	
69	--	--	--	--	--	--	71	98	73	99	70	98	69	
68	--	--	--	--	--	--	70	98	72	99	70	97	68	
67	--	--	--	--	--	--	69	97	71	98	69	97	67	
66	--	--	--	--	--	--	69	97	71	98	68	96	66	
65	--	--	--	--	--	--	68	96	70	97	67	96	65	
64	--	--	--	--	--	--	67	95	69	97	67	95	64	
63	--	--	--	--	--	--	67	94	68	96	66	94	63	
62	--	--	--	--	--	--	66	94	68	95	65	93	62	
61	--	--	--	--	--	--	65	93	67	95	65	92	61	

(Continued on next page)

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
60	--	--	--	--	--	--	65	92	66	94	64	91	60	
59	--	--	--	--	--	--	64	90	66	93	63	90	59	
58	--	--	--	--	--	--	63	89	65	92	62	88	58	
57	90	99	97	99	88	99	62	88	64	91	62	87	57	
56	89	99	96	99	87	99	62	86	63	90	61	85	56	
55	88	99	95	99	86	99	61	85	63	88	60	84	55	
54	87	99	94	99	85	99	60	83	62	87	60	82	54	
53	86	99	92	99	84	99	60	82	61	85	59	80	53	
52	85	99	91	99	83	99	59	80	61	84	58	78	52	
51	84	99	90	99	82	99	58	78	60	82	58	76	51	
50	83	99	89	99	81	99	57	76	59	81	57	74	50	
49	82	99	88	99	80	99	57	74	58	79	56	72	49	
48	81	99	87	99	79	99	56	72	58	77	55	70	48	
47	80	99	86	99	78	99	55	70	57	75	55	68	47	
46	79	99	85	99	77	99	55	67	56	73	54	65	46	
45	78	99	84	99	76	99	54	65	56	71	53	63	45	
44	77	99	83	99	75	99	53	63	55	69	53	60	44	
43	76	99	82	99	74	99	52	60	54	66	52	58	43	
42	75	99	80	99	73	98	52	58	53	64	51	55	42	
41	74	98	79	99	72	98	51	55	53	62	50	53	41	
40	73	98	78	99	71	97	50	53	52	59	50	50	40	
39	72	97	77	99	70	97	50	50	51	57	49	47	39	
38	71	97	76	99	69	96	49	47	51	54	48	45	38	
37	70	96	75	98	68	95	48	45	50	52	48	42	37	
36	69	95	74	98	68	94	48	42	49	49	47	40	36	
35	68	94	73	97	67	93	47	40	48	47	46	37	35	
34	67	93	72	97	66	92	46	37	48	44	45	35	34	
33	66	92	71	96	65	91	45	35	47	41	45	32	33	
32	65	91	70	95	64	89	45	32	46	39	44	30	32	
31	64	89	69	94	63	88	44	30	46	36	43	27	31	
30	63	88	67	93	62	86	43	27	45	34	43	25	30	
29	62	86	66	92	61	84	43	25	44	31	42	23	29	
28	61	84	65	91	60	82	42	23	44	29	41	21	28	
27	60	82	64	89	59	80	41	21	43	26	40	19	27	
26	59	80	63	88	58	77	40	19	42	24	40	17	26	
25	58	78	62	86	57	75	40	17	41	22	39	15	25	
24	57	76	61	84	56	72	39	15	41	19	38	13	24	
23	56	73	60	83	55	69	38	13	40	17	38	11	23	
22	55	70	59	81	54	66	38	11	39	15	37	10	22	
21	54	67	58	78	53	63	37	10	39	13	36	8	21	
20	53	64	57	76	52	60	36	8	38	12	35	7	20	
19	52	61	55	73	51	56	35	7	37	10	35	6	19	
18	51	58	54	71	50	53	35	6	36	8	34	5	18	
17	50	54	53	68	49	49	34	5	36	7	33	4	17	
16	49	51	52	64	48	45	33	4	35	6	33	3	16	
15	48	47	51	61	47	42	33	3	34	4	32	3	15	
14	47	43	50	58	46	38	32	2	34	3	31	2	14	
13	46	39	49	54	45	34	31	2	33	3	31	2	13	
12	45	36	48	50	44	30	31	1	32	2	30	1	12	
11	44	32	47	46	43	26	30	1	31	1	29	1	11	

(Continued on next page)

Table A.16 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
10	43	28	46	41	42	23	29	1	31	1	28	1	10	
9	42	24	45	36	41	19	28	1	30	1	28	1	9	
8	41	20	43	32	40	16	28	1	29	1	27	1	8	
7	40	16	42	27	39	13	27	1	29	1	26	1	7	
6	39	13	41	22	38	10	26	1	28	1	26	1	6	
5	38	10	40	16	37	7	26	1	27	1	25	1	5	
4	37	7	39	12	36	5	25	1	26	1	24	1	4	
3	36	5	38	7	35	4	24	1	26	1	23	1	3	
2	35	3	37	3	34	2	23	1	25	1	23	1	2	
1	34	1	36	1	33	1	23	1	24	1	22	1	1	
0	33	1	35	1	32	1	22	1	24	1	21	1	0	
Mean	17.15		13.99		18.37		39.50		37.11		40.42		Mean	
SD	10.02		9.19		10.07		14.12		14.03		14.07		SD	

Table A.17 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
159	--	--	--	--	--	--	--	--	--	--	--	--	93	99	94	99	93	99	159	
158	--	--	--	--	--	--	--	--	--	--	--	--	93	99	94	99	92	99	158	
157	--	--	--	--	--	--	--	--	--	--	--	--	92	99	94	99	92	99	157	
156	--	--	--	--	--	--	--	--	--	--	--	--	92	99	93	99	91	99	156	
155	--	--	--	--	--	--	--	--	--	--	--	--	91	99	93	99	91	99	155	
154	--	--	--	--	--	--	--	--	--	--	--	--	91	99	92	99	91	99	154	
153	--	--	--	--	--	--	--	--	--	--	--	--	90	99	92	99	90	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	90	99	92	99	90	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	90	99	91	99	89	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	89	99	91	99	89	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	89	99	90	99	88	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	88	99	90	99	88	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	88	99	90	99	88	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	88	99	89	99	87	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	87	99	89	99	87	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	87	99	88	99	86	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	86	99	88	99	86	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	86	99	87	99	85	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	85	99	87	99	85	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	85	99	87	99	85	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	85	99	86	99	84	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	84	99	86	99	84	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	84	99	85	99	83	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	83	99	85	99	83	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	83	99	85	99	82	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	82	99	84	99	82	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	82	99	84	99	82	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	82	99	83	99	81	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	81	99	83	99	81	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	81	99	82	99	80	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	80	99	82	99	80	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	80	99	82	99	79	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	80	99	81	99	79	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	79	99	81	99	79	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	79	99	80	99	78	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	78	99	80	99	78	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	78	99	80	99	77	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	77	99	79	99	77	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	77	99	79	99	76	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	77	99	78	99	76	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	76	99	78	99	76	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	76	99	77	99	75	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	75	99	77	99	75	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	75	99	77	99	74	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	75	99	76	99	74	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	74	99	76	99	73	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	74	99	75	99	73	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	73	99	75	99	73	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	73	99	75	99	72	99	111	

(Continued on next page)

Table A.17 Index T Scores and Percentiles

Raw Score	EBD Probability Index				ADHD Probability Index				Functional Impairment Index				Raw Score							
	Combined		Female		Male		Combined		Female		Male			Combined		Female		Male		
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		T	%ile	T	%ile	T	%ile	
110	--	--	--	--	--	--	--	--	--	--	--	--	72	99	74	99	72	99		
109	--	--	--	--	--	--	--	--	--	--	--	--	72	99	74	99	71	99		
108	--	--	--	--	--	--	--	--	--	--	--	--	72	99	73	99	71	99		
107	--	--	--	--	--	--	--	--	--	--	--	--	71	99	73	99	70	99		
106	--	--	--	--	--	--	--	--	--	--	--	--	71	99	73	99	70	99		
105	--	--	--	--	--	--	--	--	--	--	--	--	70	99	72	99	70	98		
104	--	--	--	--	--	--	--	--	--	--	--	--	70	98	72	99	69	98		
103	--	--	--	--	--	--	--	--	--	--	--	--	70	98	71	99	69	98		
102	--	--	--	--	--	--	--	--	--	--	--	--	69	98	71	99	68	97		
101	--	--	--	--	--	--	--	--	--	--	--	--	69	98	70	98	68	97		
100	--	--	--	--	--	--	--	--	--	--	--	--	68	97	70	98	67	97		
99	--	--	--	--	--	--	--	--	--	--	--	--	68	97	70	98	67	96		
98	--	--	--	--	--	--	--	--	--	--	--	--	67	96	69	97	67	96		
97	--	--	--	--	--	--	--	--	--	--	--	--	67	96	69	97	66	95		
96	--	--	--	--	--	--	--	--	--	--	--	--	67	95	68	97	66	95		
95	--	--	--	--	--	--	--	--	--	--	--	--	66	95	68	96	65	94		
94	--	--	--	--	--	--	--	--	--	--	--	--	66	94	68	96	65	93		
93	--	--	--	--	--	--	--	--	--	--	--	--	65	94	67	95	64	93		
92	--	--	--	--	--	--	--	--	--	--	--	--	65	93	67	95	64	92		
91	--	--	--	--	--	--	--	--	--	--	--	--	65	92	66	94	64	91		
90	--	--	--	--	--	--	--	--	--	--	--	--	64	92	66	94	63	90		
89	--	--	--	--	--	--	--	--	--	--	--	--	64	91	65	93	63	89		
88	--	--	--	--	--	--	--	--	--	--	--	--	63	90	65	92	62	89		
87	--	--	--	--	--	--	--	--	--	--	--	--	63	89	65	92	62	88		
86	--	--	--	--	--	--	--	--	--	--	--	--	62	88	64	91	61	87		
85	--	--	--	--	--	--	--	--	--	--	--	--	62	87	64	90	61	86		
84	--	--	--	--	--	--	--	--	--	--	--	--	62	86	63	90	61	85		
83	--	--	--	--	--	--	--	--	--	--	--	--	61	85	63	89	60	83		
82	--	--	--	--	--	--	--	--	--	--	--	--	61	84	63	88	60	82		
81	--	--	--	--	--	--	--	--	--	--	--	--	60	83	62	87	59	81		
80	--	--	--	--	--	--	--	--	--	--	--	--	60	82	62	86	59	80		
79	--	--	--	--	--	--	--	--	--	--	--	--	59	81	61	85	59	79		
78	--	--	--	--	--	--	--	--	--	--	--	--	59	80	61	84	58	77		
77	--	--	--	--	--	--	--	--	--	--	--	--	59	79	60	83	58	76		
76	--	--	--	--	--	--	--	--	--	--	--	--	58	78	60	82	57	75		
75	--	--	--	--	--	--	--	--	--	--	--	--	58	76	60	81	57	73		
74	--	--	--	--	--	--	--	--	--	--	--	--	57	75	59	80	56	72		
73	--	--	--	--	--	--	--	--	--	--	--	--	57	74	59	79	56	70		
72	--	--	--	--	--	--	--	--	--	--	--	--	57	72	58	78	56	69		
71	--	--	--	--	--	--	--	--	--	--	--	--	56	71	58	77	55	68		
70	--	--	--	--	--	--	--	--	--	--	--	--	56	70	58	76	55	66		
69	--	--	--	--	--	--	--	--	--	--	--	--	55	68	57	75	54	65		
68	--	--	--	--	--	--	--	--	--	--	--	--	55	67	57	73	54	63		
67	--	--	--	--	--	--	--	--	--	--	--	--	54	66	56	72	53	61		
66	--	--	--	--	--	--	--	--	--	--	--	--	54	64	56	71	53	60		
65	--	--	--	--	--	--	--	--	--	--	--	--	54	63	55	70	53	58		
64	--	--	--	--	--	--	--	--	--	--	--	--	53	61	55	68	52	57		
63	--	--	--	--	--	--	--	--	--	--	--	--	53	60	55	67	52	55		
62	--	--	--	--	--	--	--	--	--	--	--	--	52	58	54	66	51	54		
61	--	--	--	--	--	--	--	--	--	--	--	--	52	57	54	64	51	52		

(Continued on next page)

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
60	--	--	--	--	--	--	73	99	74	99	72	99	52	55	53	63	50	50	60	
59	--	--	--	--	--	--	72	99	73	99	71	99	51	54	53	61	50	49	59	
58	--	--	--	--	--	--	71	99	73	99	71	99	51	52	53	60	50	47	58	
57	--	--	--	--	--	--	70	99	72	99	70	99	50	51	52	59	49	46	57	
56	--	--	--	--	--	--	69	99	71	99	69	99	50	49	52	57	49	44	56	
55	--	--	--	--	--	--	69	99	70	99	68	99	49	48	51	56	48	43	55	
54	--	--	--	--	--	--	68	99	69	99	67	99	49	46	51	54	48	41	54	
53	--	--	--	--	--	--	67	99	69	99	66	98	49	45	51	53	47	40	53	
52	--	--	--	--	--	--	66	98	68	99	65	97	48	43	50	51	47	38	52	
51	91	99	96	99	90	99	65	97	67	98	65	96	48	42	50	50	47	37	51	
50	90	99	94	99	89	99	64	95	66	97	64	94	47	40	49	48	46	35	50	
49	89	99	93	99	87	99	64	93	65	96	63	92	47	39	49	47	46	34	49	
48	88	99	92	99	86	99	63	91	64	94	62	89	47	37	48	45	45	32	48	
47	87	99	91	99	85	99	62	89	64	92	61	87	46	36	48	44	45	31	47	
46	86	99	90	99	84	99	61	86	63	90	60	84	46	34	48	42	44	29	46	
45	84	99	88	99	83	99	60	84	62	88	59	81	45	33	47	41	44	28	45	
44	83	99	87	99	82	99	59	81	61	86	58	78	45	32	47	39	44	27	44	
43	82	99	86	99	81	99	59	78	60	83	58	74	44	30	46	38	43	25	43	
42	81	99	85	99	79	99	58	75	60	81	57	71	44	29	46	37	43	24	42	
41	80	99	84	99	78	99	57	72	59	78	56	68	44	28	46	35	42	23	41	
40	79	99	82	99	77	99	56	68	58	75	55	64	43	26	45	34	42	22	40	
39	78	99	81	99	76	99	55	65	57	72	54	61	43	25	45	32	41	21	39	
38	76	99	80	99	75	99	54	62	56	69	53	58	42	24	44	31	41	20	38	
37	75	99	79	99	74	98	54	59	55	66	52	54	42	23	44	30	41	18	37	
36	74	98	78	99	73	98	53	56	55	63	52	51	42	21	43	28	40	17	36	
35	73	98	77	99	72	97	52	53	54	60	51	48	41	20	43	27	40	16	35	
34	72	97	75	98	70	97	51	50	53	58	50	45	41	19	43	26	39	15	34	
33	71	97	74	98	69	96	50	47	52	55	49	42	40	18	42	24	39	14	33	
32	70	96	73	97	68	95	49	44	51	52	48	39	40	17	42	23	38	13	32	
31	68	95	72	96	67	94	49	41	51	49	47	36	39	16	41	22	38	13	31	
30	67	94	71	96	66	93	48	38	50	46	46	33	39	15	41	20	38	12	30	
29	66	93	69	95	65	91	47	36	49	43	46	31	39	14	41	19	37	11	29	
28	65	91	68	94	64	90	46	33	48	41	45	28	38	13	40	18	37	10	28	
27	64	90	67	93	62	88	45	31	47	38	44	26	38	12	40	17	36	9	27	
26	63	88	66	91	61	86	44	28	46	35	43	24	37	11	39	16	36	9	26	
25	62	86	65	90	60	84	44	26	46	33	42	22	37	11	39	15	35	8	25	
24	61	84	63	88	59	81	43	24	45	31	41	20	36	10	38	14	35	7	24	
23	59	82	62	87	58	78	42	22	44	28	40	18	36	9	38	13	35	7	23	
22	58	79	61	85	57	76	41	20	43	26	39	16	36	8	38	12	34	6	22	
21	57	77	60	83	56	72	40	18	42	24	39	14	35	8	37	11	34	6	21	
20	56	74	59	81	55	69	39	16	42	22	38	13	35	7	37	10	33	5	20	
19	55	71	58	78	53	66	39	15	41	20	37	11	34	6	36	9	33	5	19	
18	54	67	56	76	52	62	38	13	40	18	36	10	34	6	36	8	32	4	18	
17	53	64	55	73	51	58	37	12	39	16	35	9	34	5	36	8	32	4	17	
16	51	60	54	70	50	54	36	10	38	14	34	8	33	5	35	7	32	4	16	
15	50	56	53	66	49	50	35	9	37	13	33	7	33	4	35	6	31	3	15	
14	49	52	52	63	48	45	34	8	37	11	33	6	32	4	34	5	31	3	14	
13	48	48	50	59	47	41	34	7	36	10	32	5	32	3	34	5	30	3	13	
12	47	44	49	55	45	37	33	6	35	9	31	4	31	3	33	4	30	2	12	
11	46	39	48	51	44	32	32	5	34	7	30	4	31	3	33	4	29	2	11	

(Continued on next page)

Table A.17 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score		
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
10	45	35	47	46	43	28	31	4	33	6	29	3	31	2	33	3	29	2
9	43	30	46	41	42	24	30	4	33	5	28	3	30	2	32	3	29	2
8	42	26	44	36	41	20	29	3	32	4	27	2	30	2	32	2	28	1
7	41	21	43	30	40	16	29	2	31	4	27	2	29	2	31	2	28	1
6	40	17	42	25	39	13	28	2	30	3	26	1	29	1	31	2	27	1
5	39	13	41	19	38	10	27	2	29	2	25	1	29	1	31	1	27	1
4	38	9	40	14	36	7	26	1	29	2	24	1	28	1	30	1	26	1
3	37	6	38	8	35	5	25	1	28	1	23	1	28	1	30	1	26	1
2	36	4	37	4	34	3	24	1	27	1	22	1	27	1	29	1	26	1
1	34	2	36	1	33	2	24	1	26	1	21	1	27	1	29	1	25	1
0	33	1	35	1	32	1	23	1	25	1	20	1	26	1	29	1	25	1
Mean	14.74		12.69		16.00		32.72		30.33		34.20		56.31		51.77		59.12	
SD	8.81		8.41		8.82		11.98		12.25		11.58		23.91		24.10		23.39	

Table A.18 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
159	--	--	--	--	--	--	--	--	--	--	--	--	93	99	90	99	94	99	159	
158	--	--	--	--	--	--	--	--	--	--	--	--	93	99	90	99	94	99	158	
157	--	--	--	--	--	--	--	--	--	--	--	--	92	99	90	99	93	99	157	
156	--	--	--	--	--	--	--	--	--	--	--	--	92	99	89	99	93	99	156	
155	--	--	--	--	--	--	--	--	--	--	--	--	91	99	89	99	92	99	155	
154	--	--	--	--	--	--	--	--	--	--	--	--	91	99	88	99	92	99	154	
153	--	--	--	--	--	--	--	--	--	--	--	--	90	99	88	99	91	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	90	99	88	99	91	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	90	99	87	99	90	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	89	99	87	99	90	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	89	99	86	99	90	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	88	99	86	99	89	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	88	99	85	99	89	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	87	99	85	99	88	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	87	99	85	99	88	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	86	99	84	99	87	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	86	99	84	99	87	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	85	99	83	99	86	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	85	99	83	99	86	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	85	99	83	99	85	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	84	99	82	99	85	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	84	99	82	99	84	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	83	99	81	99	84	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	83	99	81	99	83	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	82	99	80	99	83	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	82	99	80	99	83	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	81	99	80	99	82	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	81	99	79	99	82	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	80	99	79	99	81	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	80	99	78	99	81	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	80	99	78	99	80	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	79	99	78	99	80	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	79	99	77	99	79	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	78	99	77	99	79	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	78	99	76	99	78	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	77	99	76	99	78	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	77	99	75	99	77	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	76	99	75	99	77	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	76	99	75	99	76	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	75	99	74	99	76	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	75	99	74	99	76	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	75	99	73	99	75	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	74	99	73	99	75	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	74	99	73	99	74	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	73	99	72	99	74	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	73	99	72	99	73	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	72	99	71	99	73	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	72	99	71	99	72	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	71	99	70	99	72	99	111	

(Continued on next page)

Table A.18 Index T Scores and Percentiles

Raw Score	EBD Probability Index				ADHD Probability Index				Functional Impairment Index				Raw Score							
	Combined		Female		Male		Combined		Female		Male			Combined		Female		Male		
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		T	%ile	T	%ile	T	%ile	
110	--	--	--	--	--	--	--	--	--	--	--	--	71	99	70	99	71	99		
109	--	--	--	--	--	--	--	--	--	--	--	--	71	99	70	99	71	99		
108	--	--	--	--	--	--	--	--	--	--	--	--	70	99	69	99	70	98		
107	--	--	--	--	--	--	--	--	--	--	--	--	70	98	69	98	70	98		
106	--	--	--	--	--	--	--	--	--	--	--	--	69	98	68	98	69	98		
105	--	--	--	--	--	--	--	--	--	--	--	--	69	98	68	98	69	98		
104	--	--	--	--	--	--	--	--	--	--	--	--	68	97	68	97	69	97		
103	--	--	--	--	--	--	--	--	--	--	--	--	68	97	67	97	68	97		
102	--	--	--	--	--	--	--	--	--	--	--	--	67	97	67	96	68	97		
101	--	--	--	--	--	--	--	--	--	--	--	--	67	96	66	96	67	96		
100	--	--	--	--	--	--	--	--	--	--	--	--	66	96	66	95	67	96		
99	--	--	--	--	--	--	--	--	--	--	--	--	66	95	65	95	66	95		
98	--	--	--	--	--	--	--	--	--	--	--	--	66	95	65	94	66	95		
97	--	--	--	--	--	--	--	--	--	--	--	--	65	94	65	94	65	94		
96	--	--	--	--	--	--	--	--	--	--	--	--	65	94	64	93	65	94		
95	--	--	--	--	--	--	--	--	--	--	--	--	64	93	64	92	64	93		
94	--	--	--	--	--	--	--	--	--	--	--	--	64	92	63	91	64	92		
93	--	--	--	--	--	--	--	--	--	--	--	--	63	91	63	91	63	92		
92	--	--	--	--	--	--	--	--	--	--	--	--	63	91	63	90	63	91		
91	--	--	--	--	--	--	--	--	--	--	--	--	62	90	62	89	62	90		
90	--	--	--	--	--	--	--	--	--	--	--	--	62	89	62	88	62	89		
89	--	--	--	--	--	--	--	--	--	--	--	--	61	88	61	87	62	88		
88	--	--	--	--	--	--	--	--	--	--	--	--	61	87	61	86	61	87		
87	--	--	--	--	--	--	--	--	--	--	--	--	61	85	60	85	61	86		
86	--	--	--	--	--	--	--	--	--	--	--	--	60	84	60	83	60	85		
85	--	--	--	--	--	--	--	--	--	--	--	--	60	83	60	82	60	83		
84	--	--	--	--	--	--	--	--	--	--	--	--	59	82	59	81	59	82		
83	--	--	--	--	--	--	--	--	--	--	--	--	59	81	59	80	59	81		
82	--	--	--	--	--	--	--	--	--	--	--	--	58	79	58	78	58	79		
81	--	--	--	--	--	--	--	--	--	--	--	--	58	78	58	77	58	78		
80	--	--	--	--	--	--	--	--	--	--	--	--	57	76	58	76	57	77		
79	--	--	--	--	--	--	--	--	--	--	--	--	57	75	57	74	57	75		
78	--	--	--	--	--	--	--	--	--	--	--	--	56	73	57	73	56	73		
77	--	--	--	--	--	--	--	--	--	--	--	--	56	72	56	71	56	72		
76	--	--	--	--	--	--	--	--	--	--	--	--	56	70	56	70	55	70		
75	--	--	--	--	--	--	--	--	--	--	--	--	55	68	55	68	55	68		
74	--	--	--	--	--	--	--	--	--	--	--	--	55	67	55	67	55	67		
73	--	--	--	--	--	--	--	--	--	--	--	--	54	65	55	65	54	65		
72	--	--	--	--	--	--	--	--	--	--	--	--	54	63	54	64	54	63		
71	--	--	--	--	--	--	--	--	--	--	--	--	53	61	54	62	53	61		
70	--	--	--	--	--	--	--	--	--	--	--	--	53	60	53	61	53	59		
69	--	--	--	--	--	--	--	--	--	--	--	--	52	58	53	59	52	57		
68	--	--	--	--	--	--	--	--	--	--	--	--	52	56	53	58	52	56		
67	--	--	--	--	--	--	--	--	--	--	--	--	52	54	52	56	51	54		
66	--	--	--	--	--	--	--	--	--	--	--	--	51	53	52	54	51	52		
65	--	--	--	--	--	--	--	--	--	--	--	--	51	51	51	53	50	50		
64	--	--	--	--	--	--	--	--	--	--	--	--	50	49	51	51	50	48		
63	--	--	--	--	--	--	--	--	--	--	--	--	50	47	50	50	49	46		
62	--	--	--	--	--	--	--	--	--	--	--	--	49	45	50	48	49	44		
61	--	--	--	--	--	--	--	--	--	--	--	--	49	44	50	46	48	43		

(Continued on next page)

Table A.18 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
60	--	--	--	--	--	--	73	99	72	99	73	99	48	42	49	45	48	41	60	
59	--	--	--	--	--	--	72	99	71	99	72	99	48	40	49	43	48	39	59	
58	--	--	--	--	--	--	71	99	70	99	71	99	47	39	48	42	47	37	58	
57	--	--	--	--	--	--	70	99	69	99	70	99	47	37	48	40	47	35	57	
56	--	--	--	--	--	--	69	99	68	99	69	99	47	35	48	39	46	34	56	
55	--	--	--	--	--	--	68	99	68	99	68	99	46	34	47	37	46	32	55	
54	--	--	--	--	--	--	67	99	67	99	67	99	46	32	47	36	45	31	54	
53	--	--	--	--	--	--	66	98	66	99	66	98	45	31	46	35	45	29	53	
52	--	--	--	--	--	--	65	97	65	98	65	97	45	29	46	33	44	27	52	
51	86	99	84	99	87	99	64	96	64	96	64	95	44	28	45	32	44	26	51	
50	85	99	83	99	86	99	63	93	63	94	63	93	44	26	45	30	43	25	50	
49	84	99	82	99	85	99	62	91	62	91	62	91	43	25	45	29	43	23	49	
48	83	99	81	99	84	99	61	88	61	88	61	88	43	23	44	28	42	22	48	
47	82	99	80	99	83	99	60	85	60	85	60	85	42	22	44	27	42	21	47	
46	80	99	79	99	81	99	59	81	59	81	59	81	42	21	43	25	41	19	46	
45	79	99	78	99	80	99	58	78	58	77	58	78	42	20	43	24	41	18	45	
44	78	99	77	99	79	99	57	74	58	74	57	74	41	19	43	23	41	17	44	
43	77	99	76	99	78	99	56	70	57	70	56	70	41	18	42	22	40	16	43	
42	76	99	75	99	77	99	55	66	56	66	55	66	40	16	42	21	40	15	42	
41	75	99	74	99	76	99	54	62	55	62	54	61	40	15	41	20	39	14	41	
40	74	99	73	99	74	99	53	58	54	59	53	57	39	14	41	19	39	13	40	
39	73	98	72	98	73	98	52	54	53	55	52	53	39	14	40	18	38	12	39	
38	71	98	71	97	72	98	51	50	52	52	51	49	38	13	40	17	38	11	38	
37	70	97	70	96	71	97	50	46	51	48	50	45	38	12	40	16	37	10	37	
36	69	96	69	95	70	97	49	42	50	45	49	41	37	11	39	15	37	10	36	
35	68	96	68	94	68	96	48	39	49	42	48	38	37	10	39	14	36	9	35	
34	67	94	67	93	67	95	48	36	49	39	47	34	37	10	38	13	36	8	34	
33	66	93	66	92	66	94	47	33	48	36	46	31	36	9	38	12	35	8	33	
32	65	92	65	90	65	92	46	30	47	34	45	28	36	8	38	12	35	7	32	
31	64	90	64	89	64	91	45	27	46	31	44	25	35	8	37	11	35	7	31	
30	62	88	63	87	62	89	44	24	45	29	43	23	35	7	37	10	34	6	30	
29	61	86	62	85	61	87	43	22	44	26	42	20	34	7	36	10	34	6	29	
28	60	84	61	83	60	84	42	20	43	24	41	18	34	6	36	9	33	5	28	
27	59	81	60	81	59	81	41	18	42	22	40	16	33	6	35	8	33	5	27	
26	58	78	59	79	58	78	40	16	41	20	39	14	33	5	35	8	32	4	26	
25	57	75	58	76	56	75	39	14	40	18	38	12	33	5	35	7	32	4	25	
24	56	72	57	74	55	71	38	12	40	16	37	11	32	4	34	7	31	4	24	
23	55	68	56	71	54	67	37	11	39	15	36	10	32	4	34	6	31	3	23	
22	53	65	55	69	53	63	36	10	38	13	35	8	31	4	33	6	30	3	22	
21	52	61	54	66	52	59	35	8	37	12	34	7	31	3	33	5	30	3	21	
20	51	56	53	63	51	54	34	7	36	11	33	6	30	3	33	5	29	3	20	
19	50	52	52	60	49	49	33	6	35	9	32	5	30	3	32	5	29	2	19	
18	49	48	51	56	48	45	32	6	34	8	31	5	29	3	32	4	28	2	18	
17	48	44	50	53	47	40	31	5	33	7	30	4	29	2	31	4	28	2	17	
16	47	39	49	50	46	35	30	4	32	6	29	3	28	2	31	3	28	2	16	
15	45	35	48	46	45	31	29	4	31	5	28	3	28	2	30	3	27	2	15	
14	44	31	47	43	43	26	28	3	31	5	27	3	28	2	30	3	27	1	14	
13	43	27	46	39	42	22	27	3	30	4	26	2	27	2	30	3	26	1	13	
12	42	23	45	35	41	19	26	2	29	3	25	2	27	1	29	2	26	1	12	
11	41	19	44	32	40	15	25	2	28	3	24	2	26	1	29	2	25	1	11	

(Continued on next page)

Table A.18 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score		
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
10	40	16	43	28	39	12	24	2	27	2	23	1	26	1	28	2	25	1
9	39	13	42	24	37	10	23	1	26	2	22	1	25	1	28	2	24	1
8	38	10	41	20	36	8	22	1	25	1	21	1	25	1	27	2	24	1
7	36	8	40	16	35	6	21	1	24	1	20	1	24	1	27	1	23	1
6	35	6	39	13	34	4	20	1	23	1	20	1	24	1	27	1	23	1
5	34	4	38	10	33	3	20	1	22	1	20	1	23	1	26	1	22	1
4	33	3	37	7	31	2	20	1	21	1	20	1	23	1	26	1	22	1
3	32	2	36	4	30	1	20	1	21	1	20	1	23	1	25	1	21	1
2	31	1	35	2	29	1	20	1	20	1	20	1	22	1	25	1	21	1
1	30	1	34	1	28	1	20	1	20	1	20	1	22	1	25	1	21	1
0	29	1	33	1	27	1	20	1	20	1	20	1	21	1	24	1	20	1
Mean	19.00		17.38		19.58		36.57		35.59		36.92		63.65		61.95		64.25	
SD	8.85		9.95		8.39		10.29		11.08		10.02		22.11		23.98		21.46	

Table A.19 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
147	--	--	--	--	--	--	--	--	--	--	--	--	96	99	101	99	95	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	96	99	101	99	94	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	95	99	100	99	94	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	95	99	100	99	93	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	95	99	99	99	93	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	94	99	99	99	93	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	94	99	98	99	92	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	93	99	98	99	92	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	93	99	97	99	91	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	92	99	97	99	91	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	92	99	96	99	90	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	91	99	96	99	90	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	91	99	95	99	89	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	90	99	95	99	89	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	90	99	95	99	88	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	89	99	94	99	88	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	89	99	94	99	87	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	89	99	93	99	87	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	88	99	93	99	87	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	88	99	92	99	86	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	87	99	92	99	86	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	87	99	91	99	85	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	86	99	91	99	85	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	86	99	90	99	84	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	85	99	90	99	84	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	85	99	89	99	83	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	84	99	89	99	83	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	84	99	88	99	82	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	83	99	88	99	82	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	83	99	87	99	81	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	83	99	87	99	81	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	82	99	86	99	80	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	82	99	86	99	80	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	81	99	85	99	80	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	81	99	85	99	79	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	80	99	84	99	79	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	80	99	84	99	78	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	79	99	83	99	78	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	79	99	83	99	77	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	78	99	82	99	77	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	78	99	82	99	76	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	77	99	81	99	76	99	106	
105	--	--	--	--	--	--	--	--	--	--	--	--	77	99	81	99	75	99	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	77	99	81	99	75	99	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	76	99	80	99	74	99	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	76	99	80	99	74	99	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	75	99	79	99	74	99	101	

(Continued on next page)

Table A.19 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
100	--	--	--	--	--	--	--	--	--	--	--	--	75	99	79	99	73	99	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	74	99	78	99	73	99	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	74	99	78	99	72	99	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	73	99	77	99	72	99	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	73	99	77	99	71	98	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	72	99	76	99	71	98	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	72	99	76	99	70	98	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	71	98	75	99	70	98	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	71	98	75	99	69	97	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	71	98	74	99	69	97	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	70	98	74	99	68	97	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	70	97	73	99	68	96	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	69	97	73	99	67	96	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	69	97	72	99	67	95	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	68	96	72	99	67	95	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	68	96	71	98	66	94	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	67	95	71	98	66	94	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	67	95	70	98	65	93	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	66	94	70	97	65	92	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	66	94	69	97	64	92	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	65	93	69	97	64	91	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	65	92	68	96	63	90	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	65	92	68	96	63	89	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	64	91	67	95	62	88	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	64	90	67	95	62	87	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	63	89	66	94	61	86	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	63	89	66	93	61	85	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	62	88	66	93	61	84	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	62	87	65	92	60	83	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	61	86	65	91	60	82	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	61	85	64	90	59	81	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	60	84	64	90	59	80	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	60	83	63	89	58	78	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	59	81	63	88	58	77	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	59	80	62	87	57	76	66	
65	--	--	--	--	--	--	--	--	--	--	--	--	59	79	62	86	57	74	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	58	78	61	85	56	73	64	
63	--	--	--	--	--	--	--	--	--	--	--	--	58	77	61	84	56	71	63	
62	--	--	--	--	--	--	--	--	--	--	--	--	57	75	60	83	55	70	62	
61	--	--	--	--	--	--	--	--	--	--	--	--	57	74	60	82	55	68	61	
60	--	--	--	--	--	--	--	--	--	--	--	--	56	73	59	80	54	67	60	
59	--	--	--	--	--	--	--	--	--	--	--	--	56	71	59	79	54	65	59	
58	--	--	--	--	--	--	--	--	--	--	--	--	55	70	58	78	54	64	58	
57	--	--	--	--	--	--	--	--	--	--	--	--	55	68	58	77	53	62	57	
56	--	--	--	--	--	--	--	--	--	--	--	--	54	67	57	75	53	60	56	
55	--	--	--	--	--	--	--	--	--	--	--	--	54	65	57	74	52	59	55	
54	--	--	--	--	--	--	--	--	--	--	--	--	53	64	56	73	52	57	54	
53	--	--	--	--	--	--	--	--	--	--	--	--	53	62	56	71	51	55	53	
52	--	--	--	--	--	--	--	--	--	--	--	--	53	60	55	70	51	54	52	
51	--	--	--	--	--	--	--	--	--	--	--	--	52	59	55	68	50	52	51	

(Continued on next page)

Table A.19 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
50	--	--	--	--	--	--	--	--	--	--	--	--	52	57	54	67	50	50	50	
49	--	--	--	--	--	--	--	--	--	--	--	--	51	56	54	65	49	48	49	
48	--	--	--	--	--	--	--	--	--	--	--	--	51	54	53	64	49	47	48	
47	--	--	--	--	--	--	--	--	--	--	--	--	50	52	53	62	48	45	47	
46	--	--	--	--	--	--	--	--	--	--	--	--	50	51	52	61	48	43	46	
45	--	--	--	--	--	--	--	--	--	--	--	--	49	49	52	59	48	41	45	
44	--	--	--	--	--	--	--	--	--	--	--	--	49	47	52	57	47	40	44	
43	--	--	--	--	--	--	--	--	--	--	--	--	48	45	51	56	47	38	43	
42	--	--	--	--	--	--	--	--	--	--	--	--	48	44	51	54	46	36	42	
41	--	--	--	--	--	--	--	--	--	--	--	--	47	42	50	52	46	35	41	
40	--	--	--	--	--	--	--	--	--	--	--	--	47	40	50	51	45	33	40	
39	88	99	101	99	84	99	84	99	88	99	83	99	47	39	49	49	45	31	39	
38	87	99	99	99	83	99	83	99	87	99	81	99	46	37	49	47	44	30	38	
37	86	99	98	99	82	99	81	99	85	99	80	99	46	35	48	45	44	28	37	
36	84	99	96	99	80	99	80	99	84	99	78	99	45	34	48	44	43	27	36	
35	83	99	95	99	79	99	78	99	82	99	77	99	45	32	47	42	43	25	35	
34	82	99	93	99	78	99	77	99	81	99	75	99	44	31	47	40	42	24	34	
33	81	99	91	99	77	99	75	99	79	99	74	99	44	29	46	39	42	22	33	
32	79	99	90	99	76	99	74	99	78	99	73	99	43	27	46	37	41	21	32	
31	78	99	88	99	74	98	73	99	76	99	71	99	43	26	45	35	41	20	31	
30	77	98	87	99	73	97	71	99	75	99	70	98	42	24	45	33	41	18	30	
29	75	98	85	99	72	97	70	98	73	99	68	96	42	23	44	32	40	17	29	
28	74	97	84	99	71	96	68	96	72	99	67	95	41	22	44	30	40	16	28	
27	73	97	82	99	70	95	67	95	70	98	65	93	41	20	43	28	39	15	27	
26	72	96	81	99	68	94	65	93	69	97	64	91	41	19	43	27	39	14	26	
25	70	95	79	99	67	93	64	91	67	95	62	88	40	18	42	25	38	13	25	
24	69	94	77	98	66	92	62	88	66	93	61	85	40	16	42	24	38	12	24	
23	68	93	76	97	65	90	61	85	64	91	59	81	39	15	41	22	37	11	23	
22	67	92	74	97	64	89	60	82	63	88	58	77	39	14	41	20	37	10	22	
21	65	91	73	96	62	87	58	78	61	85	56	72	38	13	40	19	36	9	21	
20	64	89	71	95	61	85	57	74	60	82	55	68	38	12	40	18	36	8	20	
19	63	87	70	94	60	83	55	69	58	78	53	63	37	11	39	16	35	7	19	
18	61	86	68	93	59	81	54	64	57	74	52	58	37	10	39	15	35	7	18	
17	60	84	66	91	58	78	52	59	55	69	50	52	36	9	38	13	35	6	17	
16	59	81	65	90	56	75	51	54	54	65	49	47	36	8	38	12	34	5	16	
15	58	79	63	88	55	72	50	49	52	60	48	41	36	7	37	11	34	5	15	
14	56	76	62	86	54	69	48	44	51	55	46	36	35	6	37	10	33	4	14	
13	55	74	60	84	53	66	47	39	49	49	45	31	35	6	37	9	33	4	13	
12	54	70	59	82	52	62	45	34	48	44	43	26	34	5	36	8	32	3	12	
11	53	67	57	79	50	58	44	29	46	39	42	22	34	4	36	7	32	3	11	
10	51	63	55	76	49	54	42	24	45	34	40	18	33	4	35	6	31	2	10	
9	50	59	54	72	48	50	41	20	43	29	39	14	33	3	35	5	31	2	9	
8	49	55	52	69	47	45	39	16	42	24	37	11	32	3	34	4	30	2	8	
7	48	50	51	64	46	40	38	12	41	19	36	8	32	2	34	3	30	2	7	
6	46	45	49	59	44	35	37	9	39	15	34	6	31	2	33	3	29	1	6	

(Continued on next page)

Table A.19 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score	
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male		
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	
5	45	39	48	53	43	30	35	7	38	11	33	4	31	2	33	2	5
4	44	33	46	46	42	25	34	5	36	8	31	3	30	1	32	2	4
3	42	27	45	39	41	19	32	3	35	6	30	2	30	1	32	1	3
2	41	20	43	29	40	14	31	2	33	3	28	1	30	1	31	1	2
1	40	13	41	19	38	10	29	1	32	2	27	1	29	1	31	1	1
0	39	7	40	7	37	6	28	1	30	1	25	1	29	1	30	1	0
Mean	8.96		6.50		10.68		15.32		13.37		16.69		46.44		40.86		50.35
SD	7.87		6.38		8.35		6.96		6.72		6.80		21.69		20.69		21.54

Table A.20 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
147	--	--	--	--	--	--	--	--	--	--	--	--	96	99	99	99	95	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	95	99	99	99	94	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	95	99	98	99	94	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	94	99	98	99	93	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	94	99	97	99	93	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	93	99	97	99	92	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	93	99	96	99	92	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	92	99	96	99	91	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	92	99	95	99	91	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	91	99	95	99	90	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	91	99	94	99	90	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	90	99	94	99	89	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	90	99	93	99	89	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	89	99	93	99	88	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	89	99	92	99	88	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	88	99	92	99	87	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	88	99	91	99	87	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	87	99	91	99	86	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	87	99	90	99	86	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	86	99	90	99	85	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	86	99	89	99	85	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	85	99	89	99	84	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	85	99	88	99	84	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	84	99	88	99	83	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	84	99	87	99	83	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	83	99	87	99	83	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	83	99	86	99	82	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	82	99	86	99	82	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	82	99	85	99	81	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	81	99	85	99	81	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	81	99	84	99	80	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	81	99	84	99	80	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	80	99	83	99	79	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	80	99	83	99	79	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	79	99	82	99	78	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	79	99	82	99	78	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	78	99	81	99	77	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	78	99	81	99	77	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	77	99	80	99	76	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	77	99	80	99	76	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	76	99	79	99	75	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	76	99	79	99	75	99	106	
105	--	--	--	--	--	--	--	--	--	--	--	--	75	99	78	99	74	99	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	75	99	78	99	74	99	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	74	99	77	99	73	99	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	74	99	77	99	73	99	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	73	99	76	99	72	99	101	

(Continued on next page)

Table A.20 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
100	--	--	--	--	--	--	--	--	--	--	--	--	73	99	76	99	72	99	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	72	99	75	99	71	99	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	72	99	75	99	71	99	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	71	99	74	99	71	98	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	71	98	74	99	70	98	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	70	98	73	99	70	98	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	70	98	73	99	69	97	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	69	98	72	99	69	97	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	69	97	72	98	68	97	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	68	97	71	98	68	96	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	68	96	71	98	67	96	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	67	96	70	98	67	95	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	67	95	70	97	66	95	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	66	95	69	97	66	94	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	66	94	69	97	65	93	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	65	94	68	96	65	93	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	65	93	68	96	64	92	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	64	92	67	95	64	91	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	64	91	67	95	63	90	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	64	91	66	94	63	89	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	63	90	65	94	62	88	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	63	89	65	93	62	87	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	62	88	64	92	61	86	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	62	87	64	92	61	85	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	61	86	63	91	60	84	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	61	85	63	90	60	83	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	60	83	62	89	59	82	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	60	82	62	88	59	80	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	59	81	61	87	59	79	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	59	80	61	86	58	78	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	58	78	60	85	58	76	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	58	77	60	84	57	75	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	57	75	59	82	57	73	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	57	74	59	81	56	72	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	56	72	58	80	56	70	66	
65	--	--	--	--	--	--	--	--	--	--	--	--	56	71	58	78	55	69	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	55	69	57	77	55	67	64	
63	--	--	--	--	--	--	--	--	--	--	--	--	55	68	57	75	54	65	63	
62	--	--	--	--	--	--	--	--	--	--	--	--	54	66	56	74	54	64	62	
61	--	--	--	--	--	--	--	--	--	--	--	--	54	64	56	72	53	62	61	
60	--	--	--	--	--	--	--	--	--	--	--	--	53	63	55	70	53	60	60	
59	--	--	--	--	--	--	--	--	--	--	--	--	53	61	55	69	52	58	59	
58	--	--	--	--	--	--	--	--	--	--	--	--	52	59	54	67	52	57	58	
57	--	--	--	--	--	--	--	--	--	--	--	--	52	57	54	65	51	55	57	
56	--	--	--	--	--	--	--	--	--	--	--	--	51	55	53	63	51	53	56	
55	--	--	--	--	--	--	--	--	--	--	--	--	51	54	53	61	50	51	55	
54	--	--	--	--	--	--	--	--	--	--	--	--	50	52	52	60	50	49	54	
53	--	--	--	--	--	--	--	--	--	--	--	--	50	50	52	58	49	48	53	
52	--	--	--	--	--	--	--	--	--	--	--	--	49	48	51	56	49	46	52	
51	--	--	--	--	--	--	--	--	--	--	--	--	49	46	51	54	48	44	51	

(Continued on next page)

Table A.20 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
50	--	--	--	--	--	--	--	--	--	--	--	--	48	45	50	52	48	42	50	
49	--	--	--	--	--	--	--	--	--	--	--	--	48	43	50	50	47	41	49	
48	--	--	--	--	--	--	--	--	--	--	--	--	48	41	49	48	47	39	48	
47	--	--	--	--	--	--	--	--	--	--	--	--	47	39	49	46	46	37	47	
46	--	--	--	--	--	--	--	--	--	--	--	--	47	37	48	44	46	35	46	
45	--	--	--	--	--	--	--	--	--	--	--	--	46	36	48	42	46	34	45	
44	--	--	--	--	--	--	--	--	--	--	--	--	46	34	47	40	45	32	44	
43	--	--	--	--	--	--	--	--	--	--	--	--	45	32	47	38	45	30	43	
42	--	--	--	--	--	--	--	--	--	--	--	--	45	31	46	36	44	29	42	
41	--	--	--	--	--	--	--	--	--	--	--	--	44	29	46	34	44	27	41	
40	--	--	--	--	--	--	--	--	--	--	--	--	44	27	45	32	43	26	40	
39	84	99	97	99	82	99	82	99	86	99	81	99	43	26	45	31	43	24	39	
38	83	99	96	99	81	99	81	99	85	99	79	99	43	24	44	29	42	23	38	
37	82	99	94	99	80	99	79	99	83	99	78	99	42	23	44	27	42	21	37	
36	81	99	92	99	79	99	78	99	81	99	77	99	42	21	43	25	41	20	36	
35	79	99	91	99	77	99	76	99	80	99	75	99	41	20	43	24	41	19	35	
34	78	99	89	99	76	99	74	99	78	99	74	99	41	19	42	22	40	18	34	
33	77	99	88	99	75	99	73	99	76	99	72	99	40	17	42	21	40	16	33	
32	76	99	86	99	74	98	71	99	75	99	71	98	40	16	41	19	39	15	32	
31	74	98	85	99	73	98	70	98	73	99	69	97	39	15	41	18	39	14	31	
30	73	98	83	99	71	97	68	97	72	99	68	96	39	14	40	17	38	13	30	
29	72	97	81	99	70	96	67	95	70	99	66	94	38	13	40	15	38	12	29	
28	71	97	80	99	69	96	65	94	68	98	65	92	38	12	39	14	37	11	28	
27	69	96	78	99	68	94	64	91	67	96	63	90	37	11	39	13	37	10	27	
26	68	95	77	99	66	93	62	89	65	94	62	87	37	10	38	12	36	9	26	
25	67	93	75	99	65	92	61	85	63	92	60	83	36	9	38	11	36	8	25	
24	66	92	73	99	64	90	59	81	62	88	59	79	36	8	37	10	35	8	24	
23	64	90	72	98	63	88	58	77	60	84	57	75	35	7	37	9	35	7	23	
22	63	88	70	96	62	86	56	73	59	80	56	70	35	7	36	8	34	6	22	
21	62	86	69	95	60	84	55	67	57	75	54	65	34	6	36	7	34	6	21	
20	61	84	67	93	59	81	53	62	55	69	53	60	34	5	35	7	34	5	20	
19	59	82	66	91	58	78	52	56	54	63	51	54	33	5	35	6	33	4	19	
18	58	79	64	89	57	75	50	51	52	56	50	49	33	4	34	5	33	4	18	
17	57	76	62	86	56	72	49	45	50	50	48	43	32	4	34	5	32	4	17	
16	56	73	61	83	54	69	47	39	49	44	47	38	32	3	33	4	32	3	16	
15	54	69	59	80	53	65	46	34	47	37	45	33	32	3	33	4	31	3	15	
14	53	65	58	77	52	61	44	29	46	32	44	28	31	3	32	3	31	2	14	
13	52	61	56	73	51	57	43	24	44	27	42	23	31	2	32	3	30	2	13	
12	51	57	55	69	50	53	41	20	42	22	41	19	30	2	31	3	30	2	12	
11	49	53	53	65	48	49	40	16	41	18	39	15	30	2	31	2	29	2	11	
10	48	48	51	61	47	44	38	12	39	14	38	12	29	1	30	2	29	1	10	
9	47	43	50	56	46	39	37	9	37	11	36	9	29	1	30	2	28	1	9	
8	46	38	48	50	45	35	35	7	36	9	35	6	28	1	29	1	28	1	8	
7	44	33	47	45	44	30	33	5	34	6	33	4	28	1	29	1	27	1	7	
6	43	28	45	39	42	26	32	3	33	5	32	3	27	1	28	1	27	1	6	

(Continued on next page)

Table A.20 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
5	42	24	44	33	41	21	30	2	31	4	30	2	27	1	27	1	26	1	5	
4	41	19	42	26	40	17	29	1	29	3	29	1	26	1	27	1	26	1	4	
3	39	14	40	20	39	13	27	1	28	2	27	1	26	1	26	1	25	1	3	
2	38	10	39	13	38	10	26	1	26	1	26	1	25	1	26	1	25	1	2	
1	37	7	37	7	36	7	24	1	24	1	24	1	25	1	25	1	24	1	1	
0	36	4	36	2	35	4	23	1	23	1	23	1	24	1	25	1	24	1	0	
Mean	11.51		9.06		12.31		17.87		16.73		18.25		53.10		49.42		54.30		Mean	
SD	7.98		6.36		8.30		6.59		6.15		6.70		20.62		19.74		20.81		SD	

Table A.21 Index T Scores and Percentiles

Raw Score	EBD Probability Index		ADHD Probability Index		Functional Impairment Index	
	Combined		Combined		Combined	
	T	%ile	T	%ile	T	%ile
147	--	--	--	--	95	99
146	--	--	--	--	94	99
145	--	--	--	--	94	99
144	--	--	--	--	93	99
143	--	--	--	--	93	99
142	--	--	--	--	92	99
141	--	--	--	--	92	99
140	--	--	--	--	91	99
139	--	--	--	--	91	99
138	--	--	--	--	90	99
137	--	--	--	--	90	99
136	--	--	--	--	89	99
135	--	--	--	--	89	99
134	--	--	--	--	88	99
133	--	--	--	--	88	99
132	--	--	--	--	87	99
131	--	--	--	--	87	99
130	--	--	--	--	86	99
129	--	--	--	--	86	99
128	--	--	--	--	86	99
127	--	--	--	--	85	99
126	--	--	--	--	85	99
125	--	--	--	--	84	99
124	--	--	--	--	84	99
123	--	--	--	--	83	99
122	--	--	--	--	83	99
121	--	--	--	--	82	99
120	--	--	--	--	82	99
119	--	--	--	--	81	99
118	--	--	--	--	81	99
117	--	--	--	--	80	99
116	--	--	--	--	80	99
115	--	--	--	--	79	99
114	--	--	--	--	79	99
113	--	--	--	--	78	99
112	--	--	--	--	78	99
111	--	--	--	--	77	99
110	--	--	--	--	77	99
109	--	--	--	--	76	99
108	--	--	--	--	76	99
107	--	--	--	--	76	99
106	--	--	--	--	75	99
105	--	--	--	--	75	99
104	--	--	--	--	74	99
103	--	--	--	--	74	99
102	--	--	--	--	73	99
101	--	--	--	--	73	99

Raw Score	EBD Probability Index		ADHD Probability Index		Functional Impairment Index	
	Combined		Combined		Combined	
	T	%ile	T	%ile	T	%ile
100	--	--	--	--	72	99
99	--	--	--	--	72	99
98	--	--	--	--	71	99
97	--	--	--	--	71	99
96	--	--	--	--	70	99
95	--	--	--	--	70	99
94	--	--	--	--	69	99
93	--	--	--	--	69	98
92	--	--	--	--	68	98
91	--	--	--	--	68	98
90	--	--	--	--	67	97
89	--	--	--	--	67	97
88	--	--	--	--	67	96
87	--	--	--	--	66	95
86	--	--	--	--	66	95
85	--	--	--	--	65	94
84	--	--	--	--	65	93
83	--	--	--	--	64	92
82	--	--	--	--	64	91
81	--	--	--	--	63	90
80	--	--	--	--	63	89
79	--	--	--	--	62	88
78	--	--	--	--	62	87
77	--	--	--	--	61	86
76	--	--	--	--	61	84
75	--	--	--	--	60	83
74	--	--	--	--	60	82
73	--	--	--	--	59	81
72	--	--	--	--	59	79
71	--	--	--	--	58	78
70	--	--	--	--	58	76
69	--	--	--	--	57	75
68	--	--	--	--	57	73
67	--	--	--	--	57	72
66	--	--	--	--	56	70
65	--	--	--	--	56	69
64	--	--	--	--	55	67
63	--	--	--	--	55	65
62	--	--	--	--	54	64
61	--	--	--	--	54	62
60	--	--	--	--	53	60
59	--	--	--	--	53	59
58	--	--	--	--	52	57
57	--	--	--	--	52	55
56	--	--	--	--	51	54

(Continued on next page)

Table A.21 Index T Scores and Percentiles

Raw Score	EBD Probability Index		ADHD Probability Index		Functional Impairment Index	
	Combined		Combined		Combined	
	T	%ile	T	%ile	T	%ile
55	--	--	--	--	51	52
54	--	--	--	--	50	50
53	--	--	--	--	50	49
52	--	--	--	--	49	47
51	--	--	--	--	49	45
50	--	--	--	--	48	44
49	--	--	--	--	48	42
48	--	--	--	--	48	40
47	--	--	--	--	47	39
46	--	--	--	--	47	37
45	--	--	--	--	46	36
44	--	--	--	--	46	34
43	--	--	--	--	45	32
42	--	--	--	--	45	31
41	--	--	--	--	44	29
40	--	--	--	--	44	28
39	96	99	80	99	43	27
38	94	99	79	99	43	25
37	93	99	77	99	42	24
36	91	99	76	99	42	23
35	90	99	75	99	41	21
34	88	99	73	99	41	20
33	87	99	72	99	40	19
32	86	99	70	99	40	18
31	84	99	69	99	39	16
30	83	99	68	98	39	15
29	81	99	66	96	38	14
28	80	98	65	94	38	13
27	78	98	64	91	38	12
26	77	97	62	88	37	11
25	76	97	61	84	37	10
24	74	96	59	80	36	10
23	73	96	58	76	36	9
22	71	95	57	71	35	8
21	70	94	55	67	35	7
20	69	93	54	62	34	7
19	67	92	52	57	34	6
18	66	91	51	52	33	5
17	64	89	50	47	33	5
16	63	88	48	43	32	4
15	61	86	47	38	32	4
14	60	85	46	33	31	3
13	59	83	44	29	31	3
12	57	80	43	25	30	2
11	56	78	41	21	30	2
10	54	75	40	18	29	2
9	53	72	39	15	29	1
8	51	68	37	12	29	1
7	50	64	36	9	28	1
6	49	59	34	7	28	1

Raw Score	EBD Probability Index		ADHD Probability Index		Functional Impairment Index	
	Combined		Combined		Combined	
	T	%ile	T	%ile	T	%ile
5	47	53	33	5	27	1
4	46	47	32	4	27	1
3	44	38	30	2	26	1
2	43	28	29	1	26	1
1	41	15	28	1	25	1
0	40	1	26	1	25	1
Mean	6.98		17.24		53.22	
SD	7.03		7.22		21.05	

Table A.22 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
147	--	--	--	--	--	--	94	99	96	99	93	99	147	
146	--	--	--	--	--	--	93	99	96	99	92	99	146	
145	--	--	--	--	--	--	93	99	95	99	92	99	145	
144	--	--	--	--	--	--	92	99	95	99	91	99	144	
143	--	--	--	--	--	--	92	99	94	99	91	99	143	
142	--	--	--	--	--	--	91	99	94	99	90	99	142	
141	--	--	--	--	--	--	91	99	93	99	90	99	141	
140	--	--	--	--	--	--	90	99	93	99	89	99	140	
139	--	--	--	--	--	--	90	99	92	99	89	99	139	
138	--	--	--	--	--	--	89	99	92	99	88	99	138	
137	--	--	--	--	--	--	89	99	91	99	88	99	137	
136	--	--	--	--	--	--	88	99	90	99	87	99	136	
135	--	--	--	--	--	--	88	99	90	99	87	99	135	
134	--	--	--	--	--	--	87	99	89	99	86	99	134	
133	--	--	--	--	--	--	87	99	89	99	86	99	133	
132	--	--	--	--	--	--	86	99	88	99	85	99	132	
131	--	--	--	--	--	--	86	99	88	99	85	99	131	
130	--	--	--	--	--	--	85	99	87	99	84	99	130	
129	--	--	--	--	--	--	85	99	87	99	84	99	129	
128	--	--	--	--	--	--	84	99	86	99	83	99	128	
127	--	--	--	--	--	--	84	99	86	99	83	99	127	
126	--	--	--	--	--	--	83	99	85	99	82	99	126	
125	--	--	--	--	--	--	83	99	85	99	82	99	125	
124	--	--	--	--	--	--	82	99	84	99	81	99	124	
123	--	--	--	--	--	--	82	99	84	99	81	99	123	
122	--	--	--	--	--	--	81	99	83	99	80	99	122	
121	--	--	--	--	--	--	81	99	83	99	80	99	121	
120	--	--	--	--	--	--	80	99	82	99	79	99	120	
119	--	--	--	--	--	--	80	99	82	99	79	99	119	
118	--	--	--	--	--	--	79	99	81	99	78	99	118	
117	--	--	--	--	--	--	79	99	81	99	78	99	117	
116	--	--	--	--	--	--	78	99	80	99	77	99	116	
115	--	--	--	--	--	--	78	99	80	99	77	99	115	
114	--	--	--	--	--	--	77	99	79	99	76	99	114	
113	--	--	--	--	--	--	77	99	79	99	76	99	113	
112	--	--	--	--	--	--	76	99	78	99	75	99	112	
111	--	--	--	--	--	--	76	99	77	99	75	99	111	
110	--	--	--	--	--	--	75	99	77	99	74	99	110	
109	--	--	--	--	--	--	75	99	76	99	74	99	109	
108	--	--	--	--	--	--	74	99	76	99	73	99	108	
107	--	--	--	--	--	--	74	99	75	99	73	99	107	
106	--	--	--	--	--	--	73	99	75	99	72	99	106	
105	--	--	--	--	--	--	73	99	74	99	72	98	105	
104	--	--	--	--	--	--	72	98	74	99	71	98	104	
103	--	--	--	--	--	--	72	98	73	99	71	98	103	
102	--	--	--	--	--	--	71	98	73	98	70	98	102	
101	--	--	--	--	--	--	71	98	72	98	70	97	101	
100	--	--	--	--	--	--	70	97	72	98	69	97	100	
99	--	--	--	--	--	--	70	97	71	98	69	97	99	
98	--	--	--	--	--	--	69	97	71	98	68	96	98	
97	--	--	--	--	--	--	69	96	70	97	68	96	97	
96	--	--	--	--	--	--	68	96	70	97	67	95	96	

(Continued on next page)

Table A.22 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
95	--	--	--	--	--	--	68	95	69	97	67	95	95	
94	--	--	--	--	--	--	67	95	69	96	66	94	94	
93	--	--	--	--	--	--	67	94	68	96	66	94	93	
92	--	--	--	--	--	--	66	94	68	96	65	93	92	
91	--	--	--	--	--	--	66	93	67	95	65	92	91	
90	--	--	--	--	--	--	65	92	67	95	64	92	90	
89	--	--	--	--	--	--	65	92	66	94	64	91	89	
88	--	--	--	--	--	--	64	91	65	93	63	90	88	
87	--	--	--	--	--	--	64	90	65	93	63	89	87	
86	--	--	--	--	--	--	63	89	64	92	62	88	86	
85	--	--	--	--	--	--	63	89	64	91	62	87	85	
84	--	--	--	--	--	--	62	88	63	91	62	86	84	
83	--	--	--	--	--	--	62	87	63	90	61	85	83	
82	--	--	--	--	--	--	61	86	62	89	61	84	82	
81	--	--	--	--	--	--	61	85	62	88	60	83	81	
80	--	--	--	--	--	--	60	83	61	87	60	82	80	
79	--	--	--	--	--	--	60	82	61	86	59	81	79	
78	--	--	--	--	--	--	59	81	60	85	59	79	78	
77	--	--	--	--	--	--	59	80	60	84	58	78	77	
76	--	--	--	--	--	--	58	78	59	82	58	77	76	
75	--	--	--	--	--	--	58	77	59	81	57	75	75	
74	--	--	--	--	--	--	57	76	58	80	57	74	74	
73	--	--	--	--	--	--	57	74	58	78	56	72	73	
72	--	--	--	--	--	--	56	73	57	77	56	71	72	
71	--	--	--	--	--	--	55	71	57	75	55	69	71	
70	--	--	--	--	--	--	55	69	56	74	55	68	70	
69	--	--	--	--	--	--	54	68	56	72	54	66	69	
68	--	--	--	--	--	--	54	66	55	70	54	64	68	
67	--	--	--	--	--	--	53	64	55	68	53	63	67	
66	--	--	--	--	--	--	53	63	54	67	53	61	66	
65	--	--	--	--	--	--	52	61	54	65	52	59	65	
64	--	--	--	--	--	--	52	59	53	63	52	57	64	
63	85	99	87	99	84	99	51	57	52	61	51	56	63	
62	84	99	86	99	83	99	51	55	52	59	51	54	62	
61	83	99	85	99	83	99	50	53	51	57	50	52	61	
60	82	99	84	99	82	99	50	51	51	55	50	50	60	
59	81	99	83	99	81	99	49	50	50	53	49	48	59	
58	80	99	82	99	80	99	49	48	50	51	49	47	58	
57	79	99	81	99	79	99	48	46	49	49	48	45	57	
56	78	99	80	99	78	99	48	44	49	47	48	43	56	
55	77	99	79	99	77	99	47	42	48	44	47	41	55	
54	76	99	78	99	76	99	47	40	48	42	47	39	54	
53	75	99	77	99	75	99	46	38	47	40	46	37	53	
52	74	99	76	99	74	99	46	36	47	38	46	36	52	
51	73	99	75	99	73	99	45	34	46	36	45	34	51	
50	72	99	74	99	72	98	45	33	46	34	45	32	50	
49	72	98	73	99	71	98	44	31	45	32	44	30	49	
48	71	98	72	99	70	97	44	29	45	30	44	29	48	
47	70	97	71	99	69	96	43	27	44	29	43	27	47	
46	69	96	71	98	68	96	43	26	44	27	43	25	46	

(Continued on next page)

Table A.22 Index T Scores and Percentiles

Raw Score	Clinical Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
45	68	96	70	98	67	95	42	24	43	25	42	24	45	
44	67	95	69	97	66	94	42	22	43	23	42	22	44	
43	66	94	68	96	65	92	41	21	42	22	41	20	43	
42	65	92	67	95	64	91	41	19	42	20	41	19	42	
41	64	91	66	94	63	89	40	18	41	19	40	18	41	
40	63	89	65	93	62	88	40	16	40	17	40	16	40	
39	62	87	64	91	61	86	39	15	40	16	39	15	39	
38	61	86	63	89	60	84	39	14	39	14	39	14	38	
37	60	83	62	88	59	82	38	13	39	13	38	12	37	
36	59	81	61	85	58	79	38	11	38	12	38	11	36	
35	58	79	60	83	57	77	37	10	38	11	37	10	35	
34	57	76	59	81	56	74	37	9	37	10	37	9	34	
33	56	73	58	78	56	71	36	8	37	9	36	8	33	
32	55	70	57	75	55	68	36	8	36	8	36	7	32	
31	54	67	56	72	54	65	35	7	36	7	35	6	31	
30	53	64	55	69	53	61	35	6	35	6	35	6	30	
29	52	60	54	66	52	58	34	5	35	6	34	5	29	
28	51	57	53	62	51	55	34	5	34	5	34	4	28	
27	51	53	52	59	50	51	33	4	34	5	33	4	27	
26	50	50	52	56	49	47	33	3	33	4	33	3	26	
25	49	46	51	52	48	44	32	3	33	4	32	3	25	
24	48	42	50	49	47	40	32	2	32	3	32	2	24	
23	47	39	49	45	46	37	31	2	32	3	31	2	23	
22	46	35	48	42	45	33	31	2	31	2	31	2	22	
21	45	32	47	38	44	30	30	1	31	2	30	1	21	
20	44	29	46	35	43	26	30	1	30	2	30	1	20	
19	43	25	45	32	42	23	29	1	30	2	29	1	19	
18	42	22	44	28	41	20	29	1	29	1	29	1	18	
17	41	19	43	25	40	17	28	1	29	1	28	1	17	
16	40	17	42	23	39	15	28	1	28	1	28	1	16	
15	39	14	41	20	38	12	27	1	27	1	27	1	15	
14	38	12	40	17	37	10	27	1	27	1	27	1	14	
13	37	10	39	15	36	8	26	1	26	1	26	1	13	
12	36	8	38	13	35	6	26	1	26	1	26	1	12	
11	35	7	37	11	34	5	25	1	25	1	25	1	11	
10	34	5	36	9	33	4	25	1	25	1	25	1	10	
9	33	4	35	7	32	3	24	1	24	1	24	1	9	
8	32	3	34	6	31	2	24	1	24	1	24	1	8	
7	31	2	33	5	30	1	23	1	23	1	23	1	7	
6	30	2	32	4	29	1	23	1	23	1	23	1	6	
5	30	1	32	3	29	1	22	1	22	1	22	1	5	
4	29	1	31	2	28	1	22	1	22	1	22	1	4	
3	28	1	30	2	27	1	21	1	21	1	21	1	3	
2	27	1	29	1	26	1	21	1	21	1	21	1	2	
1	26	1	28	1	25	1	20	1	20	1	20	1	1	
0	25	1	27	1	24	1	20	1	20	1	20	1	0	
Mean	26.46		24.42		27.28		60.05		58.27		60.77		Mean	
SD	10.48		10.51		10.37		19.91		19.20		20.18		SD	

Table A.23 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
165	--	--	--	--	--	--	--	--	--	--	--	--	100	99	104	99	98	99	165	
164	--	--	--	--	--	--	--	--	--	--	--	--	99	99	104	99	98	99	164	
163	--	--	--	--	--	--	--	--	--	--	--	--	99	99	103	99	97	99	163	
162	--	--	--	--	--	--	--	--	--	--	--	--	99	99	103	99	97	99	162	
161	--	--	--	--	--	--	--	--	--	--	--	--	98	99	102	99	96	99	161	
160	--	--	--	--	--	--	--	--	--	--	--	--	98	99	102	99	96	99	160	
159	--	--	--	--	--	--	--	--	--	--	--	--	97	99	102	99	95	99	159	
158	--	--	--	--	--	--	--	--	--	--	--	--	97	99	101	99	95	99	158	
157	--	--	--	--	--	--	--	--	--	--	--	--	96	99	101	99	94	99	157	
156	--	--	--	--	--	--	--	--	--	--	--	--	96	99	100	99	94	99	156	
155	--	--	--	--	--	--	--	--	--	--	--	--	95	99	100	99	93	99	155	
154	--	--	--	--	--	--	--	--	--	--	--	--	95	99	99	99	93	99	154	
153	--	--	--	--	--	--	--	--	--	--	--	--	94	99	99	99	93	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	94	99	98	99	92	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	94	99	98	99	92	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	93	99	97	99	91	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	93	99	97	99	91	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	92	99	96	99	90	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	92	99	96	99	90	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	91	99	95	99	89	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	91	99	95	99	89	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	90	99	94	99	88	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	90	99	94	99	88	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	89	99	93	99	88	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	89	99	93	99	87	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	88	99	92	99	87	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	88	99	92	99	86	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	88	99	91	99	86	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	87	99	91	99	85	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	87	99	90	99	85	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	86	99	90	99	84	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	86	99	89	99	84	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	85	99	89	99	84	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	85	99	88	99	83	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	84	99	88	99	83	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	84	99	87	99	82	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	83	99	87	99	82	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	83	99	86	99	81	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	82	99	86	99	81	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	82	99	85	99	80	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	82	99	85	99	80	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	81	99	84	99	79	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	81	99	84	99	79	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	80	99	84	99	79	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	80	99	83	99	78	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	79	99	83	99	78	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	79	99	82	99	77	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	78	99	82	99	77	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	78	99	81	99	76	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	77	99	81	99	76	99	116	

(Continued on next page)

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
115	--	--	--	--	--	--	--	--	--	--	--	--	77	99	80	99	75	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	76	99	80	99	75	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	76	99	79	99	75	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	76	99	79	99	74	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	75	99	78	99	74	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	75	99	78	99	73	98	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	74	99	77	99	73	98	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	74	99	77	99	72	98	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	73	98	76	99	72	98	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	73	98	76	99	71	98	106	
105	--	--	--	--	--	--	--	--	--	--	--	--	72	98	75	99	71	97	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	72	98	75	99	70	97	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	71	98	74	99	70	97	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	71	97	74	99	70	97	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	70	97	73	99	69	96	101	
100	--	--	--	--	--	--	--	--	--	--	--	--	70	97	73	98	69	96	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	70	97	72	98	68	95	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	69	96	72	98	68	95	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	69	96	71	98	67	95	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	68	95	71	97	67	94	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	68	95	70	97	66	94	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	67	95	70	97	66	93	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	67	94	69	97	65	93	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	66	94	69	96	65	92	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	66	93	68	96	65	91	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	65	93	68	95	64	91	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	65	92	67	95	64	90	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	64	91	67	94	63	89	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	64	91	66	94	63	89	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	64	90	66	93	62	88	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	63	89	66	93	62	87	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	63	88	65	92	61	86	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	62	88	65	91	61	85	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	62	87	64	91	61	84	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	61	86	64	90	60	83	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	61	85	63	89	60	82	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	60	84	63	88	59	81	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	60	83	62	88	59	80	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	59	82	62	87	58	79	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	59	81	61	86	58	78	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	59	80	61	85	57	77	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	58	79	60	84	57	76	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	58	77	60	83	56	74	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	57	76	59	81	56	73	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	57	75	59	80	56	72	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	56	74	58	79	55	70	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	56	72	58	78	55	69	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	55	71	57	76	54	68	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	55	70	57	75	54	66	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	54	68	56	74	53	65	66	

(Continued on next page)

Table A.23 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
65	--	--	--	--	--	--	--	--	--	--	--	--	54	67	56	72	53	63	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	53	65	55	71	52	62	64	
63	92	99	96	99	90	99	--	--	--	--	--	--	53	63	55	69	52	60	63	
62	91	99	95	99	89	99	--	--	--	--	--	--	53	62	54	68	52	58	62	
61	90	99	94	99	88	99	--	--	--	--	--	--	52	60	54	66	51	57	61	
60	89	99	93	99	87	99	--	--	--	--	--	--	52	59	53	64	51	55	60	
59	88	99	92	99	86	99	--	--	--	--	--	--	51	57	53	63	50	53	59	
58	87	99	91	99	85	99	--	--	--	--	--	--	51	55	52	61	50	52	58	
57	86	99	90	99	84	99	--	--	--	--	--	--	50	54	52	59	49	50	57	
56	85	99	89	99	83	99	--	--	--	--	--	--	50	52	51	58	49	48	56	
55	84	99	88	99	82	99	--	--	--	--	--	--	49	50	51	56	48	47	55	
54	83	99	87	99	81	99	--	--	--	--	--	--	49	48	50	54	48	45	54	
53	82	99	86	99	80	99	--	--	--	--	--	--	48	47	50	52	47	43	53	
52	81	99	85	99	79	99	--	--	--	--	--	--	48	45	49	50	47	42	52	
51	80	99	84	99	78	99	--	--	--	--	--	--	47	43	49	48	47	40	51	
50	79	99	82	99	77	99	--	--	--	--	--	--	47	41	48	47	46	38	50	
49	78	99	81	99	76	99	--	--	--	--	--	--	47	40	48	45	46	36	49	
48	77	99	80	99	75	99	--	--	--	--	--	--	46	38	47	43	45	35	48	
47	76	99	79	99	74	99	--	--	--	--	--	--	46	36	47	41	45	33	47	
46	75	99	78	99	73	99	--	--	--	--	--	--	45	34	47	39	44	31	46	
45	74	99	77	99	72	98	--	--	--	--	--	--	45	33	46	37	44	30	45	
44	73	98	76	99	71	98	--	--	--	--	--	--	44	31	46	35	43	28	44	
43	72	98	75	99	70	97	--	--	--	--	--	--	44	29	45	34	43	26	43	
42	71	97	74	99	69	96	--	--	--	--	--	--	43	28	45	32	42	25	42	
41	70	97	73	98	68	96	--	--	--	--	--	--	43	26	44	30	42	23	41	
40	69	96	72	98	67	95	--	--	--	--	--	--	42	24	44	28	42	22	40	
39	68	95	71	97	66	94	--	--	--	--	--	--	42	23	43	27	41	20	39	
38	67	94	70	96	65	92	--	--	--	--	--	--	41	21	43	25	41	19	38	
37	66	93	69	96	64	91	--	--	--	--	--	--	41	20	42	23	40	18	37	
36	65	91	68	95	63	89	85	99	90	99	83	99	41	18	42	22	40	16	36	
35	64	90	66	93	62	87	84	99	88	99	82	99	40	17	41	20	39	15	35	
34	63	88	65	92	61	85	82	99	87	99	80	99	40	16	41	19	39	14	34	
33	62	86	64	91	60	83	80	99	85	99	79	99	39	14	40	17	38	12	33	
32	61	84	63	89	59	81	79	99	83	99	77	99	39	13	40	16	38	11	32	
31	60	82	62	87	58	78	77	99	81	99	75	99	38	12	39	15	38	10	31	
30	58	79	61	85	57	76	76	99	80	99	74	99	38	11	39	13	37	9	30	
29	57	77	60	83	56	73	74	99	78	99	72	98	37	10	38	12	37	8	29	
28	56	74	59	80	55	70	72	98	76	99	71	97	37	9	38	11	36	7	28	
27	55	71	58	78	54	67	71	97	75	98	69	96	36	8	37	10	36	6	27	
26	54	68	57	75	53	63	69	96	73	98	68	95	36	7	37	9	35	6	26	
25	53	65	56	72	52	60	68	95	71	97	66	93	35	6	36	8	35	5	25	
24	52	61	55	69	51	56	66	93	70	96	65	91	35	5	36	7	34	4	24	
23	51	58	54	66	50	53	65	91	68	95	63	89	35	5	35	6	34	4	23	
22	50	54	53	62	49	49	63	89	66	93	61	86	34	4	35	5	33	3	22	
21	49	50	51	59	48	45	61	86	65	91	60	83	34	3	34	5	33	3	21	
20	48	47	50	55	47	42	60	83	63	89	58	79	33	3	34	4	33	2	20	
19	47	43	49	51	46	38	58	79	61	86	57	75	33	2	33	3	32	2	19	
18	46	39	48	47	45	34	57	75	60	83	55	70	32	2	33	3	32	1	18	
17	45	35	47	43	44	31	55	71	58	79	54	65	32	2	32	2	31	1	17	
16	44	32	46	39	43	27	53	66	56	75	52	60	31	1	32	2	31	1	16	

(Continued on next page)

Table A.23 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score			
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male				
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile			
15	43	28	45	35	42	24	52	60	55	70	50	54	31	1	31	2	30	1	15
14	42	24	44	31	41	21	50	55	53	64	49	48	30	1	31	1	30	1	14
13	41	21	43	27	40	17	49	49	51	59	47	42	30	1	30	1	29	1	13
12	40	18	42	23	39	15	47	42	49	52	46	36	29	1	30	1	29	1	12
11	39	15	41	20	38	12	46	36	48	46	44	31	29	1	29	1	29	1	11
10	38	12	40	16	37	10	44	30	46	39	43	25	29	1	29	1	28	1	10
9	37	10	39	13	36	8	42	25	44	32	41	20	28	1	29	1	28	1	9
8	36	7	38	10	35	6	41	19	43	26	40	15	28	1	28	1	27	1	8
7	35	6	37	8	34	4	39	14	41	20	38	11	27	1	28	1	27	1	7
6	34	4	35	6	33	3	38	10	39	14	36	8	27	1	27	1	26	1	6
5	33	3	34	4	32	2	36	7	38	9	35	5	26	1	27	1	26	1	5
4	32	2	33	2	31	1	35	4	36	6	33	3	26	1	26	1	25	1	4
3	31	1	32	1	30	1	33	2	34	3	32	2	25	1	26	1	25	1	3
2	30	1	31	1	29	1	31	1	33	1	30	1	25	1	25	1	24	1	2
1	29	1	30	1	28	1	30	1	31	1	29	1	24	1	25	1	24	1	1
0	28	1	29	1	27	1	28	1	29	1	27	1	24	1	24	1	24	1	0
Mean	21.61		19.61		22.85		13.79		12.33		14.71		56.53		53.14		58.65		Mean
SD	9.89		9.36		10.01		6.33		5.93		6.40		21.72		20.55		22.17		SD

Table A.24 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
165	--	--	--	--	--	--	--	--	--	--	--	--	98	99	96	99	99	99	165	
164	--	--	--	--	--	--	--	--	--	--	--	--	97	99	95	99	99	99	164	
163	--	--	--	--	--	--	--	--	--	--	--	--	97	99	95	99	98	99	163	
162	--	--	--	--	--	--	--	--	--	--	--	--	97	99	94	99	98	99	162	
161	--	--	--	--	--	--	--	--	--	--	--	--	96	99	94	99	97	99	161	
160	--	--	--	--	--	--	--	--	--	--	--	--	96	99	93	99	97	99	160	
159	--	--	--	--	--	--	--	--	--	--	--	--	95	99	93	99	96	99	159	
158	--	--	--	--	--	--	--	--	--	--	--	--	95	99	92	99	96	99	158	
157	--	--	--	--	--	--	--	--	--	--	--	--	94	99	92	99	95	99	157	
156	--	--	--	--	--	--	--	--	--	--	--	--	94	99	91	99	95	99	156	
155	--	--	--	--	--	--	--	--	--	--	--	--	93	99	91	99	94	99	155	
154	--	--	--	--	--	--	--	--	--	--	--	--	93	99	91	99	94	99	154	
153	--	--	--	--	--	--	--	--	--	--	--	--	92	99	90	99	93	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	92	99	90	99	93	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	91	99	89	99	92	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	91	99	89	99	92	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	90	99	88	99	91	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	90	99	88	99	91	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	89	99	87	99	90	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	89	99	87	99	90	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	88	99	87	99	89	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	88	99	86	99	89	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	87	99	86	99	88	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	87	99	85	99	88	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	86	99	85	99	87	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	86	99	84	99	87	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	85	99	84	99	86	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	85	99	83	99	86	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	84	99	83	99	85	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	84	99	82	99	85	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	83	99	82	99	84	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	83	99	82	99	84	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	82	99	81	99	83	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	82	99	81	99	83	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	81	99	80	99	82	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	81	99	80	99	82	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	80	99	79	99	81	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	80	99	79	99	81	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	79	99	78	99	80	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	79	99	78	99	79	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	78	99	78	99	79	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	78	99	77	99	78	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	77	99	77	99	78	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	77	99	76	99	77	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	76	99	76	99	77	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	76	99	75	99	76	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	76	99	75	99	76	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	75	99	74	99	75	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	75	99	74	99	75	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	74	99	74	99	74	99	116	

(Continued on next page)

Table A.24 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
115	--	--	--	--	--	--	--	--	--	--	--	--	74	99	73	99	74	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	73	98	73	98	73	98	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	73	98	72	98	73	98	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	72	98	72	98	72	98	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	72	98	71	98	72	98	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	71	98	71	98	71	98	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	71	97	70	98	71	97	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	70	97	70	97	70	97	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	70	97	69	97	70	97	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	69	97	69	97	69	96	106	
105	--	--	--	--	--	--	--	--	--	--	--	--	69	96	69	96	69	96	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	68	96	68	96	68	95	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	68	95	68	96	68	95	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	67	95	67	95	67	95	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	67	94	67	95	67	94	101	
100	--	--	--	--	--	--	--	--	--	--	--	--	66	94	66	94	66	94	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	66	93	66	94	66	93	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	65	93	65	93	65	92	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	65	92	65	93	65	92	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	64	92	65	92	64	91	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	64	91	64	92	64	90	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	63	90	64	91	63	89	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	63	89	63	90	63	89	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	62	89	63	90	62	88	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	62	88	62	89	62	87	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	61	87	62	88	61	86	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	61	86	61	87	61	85	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	60	85	61	86	60	84	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	60	84	60	85	60	83	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	59	83	60	84	59	82	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	59	81	60	83	59	80	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	58	80	59	82	58	79	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	58	79	59	81	58	78	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	57	77	58	80	57	76	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	57	76	58	79	57	75	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	56	75	57	77	56	74	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	56	73	57	76	56	72	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	55	72	56	75	55	71	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	55	70	56	73	55	69	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	54	68	56	72	54	67	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	54	67	55	70	54	66	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	54	65	55	69	53	64	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	53	63	54	67	53	62	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	53	62	54	66	52	60	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	52	60	53	64	52	59	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	52	58	53	62	51	57	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	51	56	52	60	51	55	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	51	54	52	59	50	53	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	50	52	52	57	49	51	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	50	50	51	55	49	49	66	

(Continued on next page)

Table A.24 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
65	--	--	--	--	--	--	--	--	--	--	--	--	49	48	51	53	48	47	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	49	46	50	52	48	45	64	
63	88	99	87	99	90	99	--	--	--	--	--	--	48	45	50	50	47	43	63	
62	87	99	86	99	88	99	--	--	--	--	--	--	48	43	49	48	47	41	62	
61	86	99	85	99	87	99	--	--	--	--	--	--	47	41	49	46	46	39	61	
60	85	99	84	99	86	99	--	--	--	--	--	--	47	39	48	44	46	37	60	
59	84	99	83	99	85	99	--	--	--	--	--	--	46	37	48	43	45	35	59	
58	83	99	82	99	84	99	--	--	--	--	--	--	46	35	47	41	45	33	58	
57	82	99	81	99	83	99	--	--	--	--	--	--	45	33	47	39	44	32	57	
56	81	99	80	99	82	99	--	--	--	--	--	--	45	31	47	37	44	30	56	
55	80	99	79	99	81	99	--	--	--	--	--	--	44	30	46	36	43	28	55	
54	79	99	78	99	79	99	--	--	--	--	--	--	44	28	46	34	43	26	54	
53	78	99	77	99	78	99	--	--	--	--	--	--	43	26	45	32	42	24	53	
52	77	99	76	99	77	99	--	--	--	--	--	--	43	24	45	31	42	22	52	
51	75	99	76	99	76	99	--	--	--	--	--	--	42	23	44	29	41	21	51	
50	74	99	75	99	75	99	--	--	--	--	--	--	42	21	44	27	41	19	50	
49	73	99	74	99	74	99	--	--	--	--	--	--	41	20	43	26	40	18	49	
48	72	99	73	99	73	98	--	--	--	--	--	--	41	18	43	24	40	16	48	
47	71	98	72	99	72	98	--	--	--	--	--	--	40	17	43	23	39	15	47	
46	70	98	71	99	71	97	--	--	--	--	--	--	40	16	42	22	39	13	46	
45	69	97	70	98	69	97	--	--	--	--	--	--	39	14	42	20	38	12	45	
44	68	96	69	97	68	96	--	--	--	--	--	--	39	13	41	19	38	11	44	
43	67	95	68	96	67	95	--	--	--	--	--	--	38	12	41	18	37	9	43	
42	66	94	67	95	66	94	--	--	--	--	--	--	38	11	40	16	37	8	42	
41	65	93	66	94	65	93	--	--	--	--	--	--	37	10	40	15	36	7	41	
40	64	91	65	92	64	91	--	--	--	--	--	--	37	9	39	14	36	6	40	
39	63	90	64	91	63	89	--	--	--	--	--	--	36	8	39	13	35	6	39	
38	62	88	63	89	62	87	--	--	--	--	--	--	36	7	38	12	35	5	38	
37	61	86	62	87	60	85	--	--	--	--	--	--	35	6	38	11	34	4	37	
36	60	83	62	85	59	83	80	99	80	99	81	99	35	6	38	10	34	3	36	
35	59	81	61	83	58	80	79	99	79	99	79	99	34	5	37	10	33	3	35	
34	58	78	60	81	57	77	77	99	77	99	77	99	34	5	37	9	33	2	34	
33	57	75	59	78	56	74	75	99	75	99	76	99	33	4	36	8	32	2	33	
32	56	72	58	76	55	70	74	99	74	99	74	99	33	3	36	7	32	2	32	
31	55	68	57	73	54	66	72	99	72	99	72	99	33	3	35	7	31	1	31	
30	54	65	56	71	53	62	70	98	71	98	70	98	32	3	35	6	31	1	30	
29	53	61	55	68	52	58	69	97	69	97	69	97	32	2	34	6	30	1	29	
28	52	57	54	65	50	54	67	96	68	96	67	95	31	2	34	5	30	1	28	
27	50	53	53	62	49	49	65	94	66	94	65	93	31	2	34	5	29	1	27	
26	49	49	52	59	48	45	64	91	65	93	63	91	30	1	33	4	29	1	26	
25	48	45	51	56	47	40	62	88	63	90	62	88	30	1	33	4	28	1	25	
24	47	41	50	53	46	36	60	85	61	87	60	84	29	1	32	3	28	1	24	
23	46	37	49	50	45	31	59	81	60	84	58	79	29	1	32	3	27	1	23	
22	45	33	49	47	44	27	57	76	58	80	56	74	28	1	31	3	27	1	22	
21	44	29	48	43	43	24	55	70	57	75	55	68	28	1	31	2	26	1	21	
20	43	26	47	40	41	20	54	64	55	70	53	62	27	1	30	2	26	1	20	
19	42	22	46	37	40	17	52	58	54	65	51	55	27	1	30	2	25	1	19	
18	41	19	45	34	39	14	50	51	52	59	49	48	26	1	30	2	25	1	18	
17	40	17	44	31	38	11	49	44	51	53	48	41	26	1	29	1	24	1	17	
16	39	14	43	28	37	9	47	38	49	47	46	34	25	1	29	1	24	1	16	

(Continued on next page)

Table A.24 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
15	38	12	42	25	36	7	45	32	48	41	44	28	25	1	28	1	23	1	15	
14	37	10	41	22	35	5	43	26	46	35	42	22	24	1	28	1	23	1	14	
13	36	8	40	19	34	4	42	21	44	29	41	17	24	1	27	1	22	1	13	
12	35	6	39	16	33	3	40	16	43	24	39	13	23	1	27	1	22	1	12	
11	34	5	38	13	31	2	38	12	41	19	37	10	23	1	26	1	21	1	11	
10	33	4	37	11	30	2	37	9	40	15	35	7	22	1	26	1	21	1	10	
9	32	3	36	9	29	1	35	7	38	12	34	5	22	1	25	1	20	1	9	
8	31	2	35	7	28	1	33	5	37	9	32	3	21	1	25	1	20	1	8	
7	30	2	35	5	27	1	32	3	35	7	30	2	21	1	25	1	20	1	7	
6	29	1	34	3	26	1	30	2	34	5	28	1	20	1	24	1	20	1	6	
5	28	1	33	2	25	1	28	1	32	3	27	1	20	1	24	1	20	1	5	
4	27	1	32	1	24	1	27	1	30	2	25	1	20	1	23	1	20	1	4	
3	26	1	31	1	22	1	25	1	29	1	23	1	20	1	23	1	20	1	3	
2	24	1	30	1	21	1	23	1	27	1	21	1	20	1	22	1	20	1	2	
1	23	1	29	1	20	1	22	1	26	1	20	1	20	1	22	1	20	1	1	
0	22	1	28	1	20	1	20	1	24	1	20	1	20	1	21	1	20	1	0	
Mean	26.52		23.61		27.62		17.88		16.61		18.35		66.80		63.64		67.99		Mean	
SD	9.61		10.72		8.95		5.96		6.44		5.71		20.47		22.28		19.67		SD	

Table A.25 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
153	--	--	--	--	--	--	--	--	--	--	--	--	96	99	102	99	94	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	96	99	102	99	94	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	96	99	101	99	93	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	95	99	101	99	93	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	95	99	101	99	92	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	94	99	100	99	92	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	94	99	100	99	91	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	93	99	99	99	91	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	93	99	99	99	90	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	92	99	98	99	90	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	92	99	98	99	90	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	91	99	97	99	89	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	91	99	97	99	89	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	91	99	96	99	88	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	90	99	96	99	88	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	90	99	95	99	87	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	89	99	95	99	87	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	89	99	94	99	86	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	88	99	94	99	86	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	88	99	93	99	85	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	87	99	93	99	85	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	87	99	92	99	85	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	86	99	92	99	84	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	86	99	91	99	84	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	86	99	91	99	83	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	85	99	90	99	83	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	85	99	90	99	82	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	84	99	89	99	82	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	84	99	89	99	81	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	83	99	88	99	81	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	83	99	88	99	81	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	82	99	87	99	80	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	82	99	87	99	80	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	81	99	86	99	79	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	81	99	86	99	79	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	80	99	85	99	78	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	80	99	85	99	78	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	80	99	84	99	77	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	79	99	84	99	77	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	79	99	83	99	76	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	78	99	83	99	76	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	78	99	82	99	76	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	77	99	82	99	75	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	77	99	81	99	75	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	76	99	81	99	74	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	76	99	80	99	74	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	75	99	80	99	73	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	75	99	79	99	73	99	106	

(Continued on next page)

Table A.25 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
105	--	--	--	--	--	--	--	--	--	--	--	--	75	99	79	99	72	99	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	74	99	78	99	72	99	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	74	99	78	99	71	98	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	73	99	77	99	71	98	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	73	99	77	99	71	98	101	
100	--	--	--	--	--	--	--	--	--	--	--	--	72	98	77	99	70	98	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	72	98	76	99	70	97	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	71	98	76	99	69	97	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	71	98	75	99	69	97	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	70	97	75	99	68	96	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	70	97	74	99	68	96	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	70	97	74	99	67	95	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	69	96	73	98	67	95	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	69	96	73	98	67	94	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	68	96	72	98	66	94	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	68	95	72	98	66	93	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	67	95	71	97	65	93	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	67	94	71	97	65	92	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	66	94	70	97	64	91	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	66	93	70	97	64	91	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	65	93	69	96	63	90	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	65	92	69	96	63	89	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	65	91	68	95	62	88	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	64	91	68	95	62	87	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	64	90	67	94	62	86	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	63	89	67	94	61	85	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	63	88	66	93	61	84	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	62	87	66	93	60	83	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	62	87	65	92	60	82	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	61	86	65	91	59	81	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	61	85	64	91	59	80	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	60	84	64	90	58	79	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	60	83	63	89	58	78	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	60	82	63	88	58	76	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	59	81	62	87	57	75	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	59	79	62	86	57	74	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	58	78	61	85	56	72	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	58	77	61	85	56	71	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	57	76	60	84	55	70	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	57	75	60	82	55	68	66	
65	--	--	--	--	--	--	--	--	--	--	--	--	56	73	59	81	54	67	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	56	72	59	80	54	65	64	
63	--	--	--	--	--	--	--	--	--	--	--	--	55	71	58	79	53	64	63	
62	--	--	--	--	--	--	--	--	--	--	--	--	55	69	58	78	53	62	62	
61	--	--	--	--	--	--	--	--	--	--	--	--	54	68	57	77	53	61	61	
60	--	--	--	--	--	--	--	--	--	--	--	--	54	66	57	75	52	59	60	
59	--	--	--	--	--	--	--	--	--	--	--	--	54	65	56	74	52	57	59	
58	--	--	--	--	--	--	--	--	--	--	--	--	53	63	56	73	51	56	58	
57	--	--	--	--	--	--	--	--	--	--	--	--	53	62	55	71	51	54	57	
56	--	--	--	--	--	--	--	--	--	--	--	--	52	60	55	70	50	53	56	

(Continued on next page)

Table A.25 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
55	--	--	--	--	--	--	--	--	--	--	--	--	52	59	54	68	50	51	55	
54	--	--	--	--	--	--	--	--	--	--	--	--	51	57	54	67	49	49	54	
53	--	--	--	--	--	--	--	--	--	--	--	--	51	55	54	65	49	48	53	
52	--	--	--	--	--	--	--	--	--	--	--	--	50	54	53	64	48	46	52	
51	--	--	--	--	--	--	--	--	--	--	--	--	50	52	53	62	48	44	51	
50	--	--	--	--	--	--	--	--	--	--	--	--	49	50	52	60	48	43	50	
49	--	--	--	--	--	--	--	--	--	--	--	--	49	49	52	59	47	41	49	
48	--	--	--	--	--	--	--	--	--	--	--	--	49	47	51	57	47	39	48	
47	--	--	--	--	--	--	--	--	--	--	--	--	48	45	51	55	46	38	47	
46	--	--	--	--	--	--	--	--	--	--	--	--	48	44	50	54	46	36	46	
45	--	--	--	--	--	--	--	--	--	--	--	--	47	42	50	52	45	34	45	
44	--	--	--	--	--	--	--	--	--	--	--	--	47	40	49	50	45	33	44	
43	--	--	--	--	--	--	--	--	--	--	--	--	46	39	49	48	44	31	43	
42	77	99	81	99	75	99	--	--	--	--	--	--	46	37	48	46	44	30	42	
41	76	99	80	99	74	99	--	--	--	--	--	--	45	35	48	45	44	28	41	
40	75	99	79	99	73	99	--	--	--	--	--	--	45	34	47	43	43	27	40	
39	73	99	78	99	71	99	--	--	--	--	--	--	44	32	47	41	43	25	39	
38	72	99	76	99	70	99	--	--	--	--	--	--	44	30	46	39	42	24	38	
37	71	99	75	99	69	99	--	--	--	--	--	--	44	29	46	37	42	22	37	
36	70	99	74	99	68	98	81	99	87	99	78	99	43	27	45	35	41	21	36	
35	68	98	72	99	66	96	79	99	85	99	77	99	43	26	45	34	41	19	35	
34	67	96	71	99	65	95	78	99	83	99	75	99	42	24	44	32	40	18	34	
33	66	95	70	98	64	92	76	99	82	99	74	99	42	23	44	30	40	17	33	
32	65	93	68	97	63	90	75	99	80	99	72	98	41	21	43	28	39	16	32	
31	64	91	67	96	62	87	73	99	78	99	71	98	41	20	43	26	39	15	31	
30	62	88	66	94	60	83	71	98	76	99	69	97	40	18	42	25	39	13	30	
29	61	85	65	92	59	80	70	97	75	99	67	95	40	17	42	23	38	12	29	
28	60	82	63	90	58	76	68	96	73	98	66	94	39	16	41	21	38	11	28	
27	59	79	62	87	57	72	67	94	71	98	64	92	39	14	41	20	37	10	27	
26	57	75	61	84	55	67	65	93	70	97	63	89	39	13	40	18	37	9	26	
25	56	71	59	81	54	63	64	90	68	95	61	86	38	12	40	16	36	8	25	
24	55	67	58	77	53	59	62	88	66	94	60	83	38	11	39	15	36	8	24	
23	54	63	57	73	52	54	61	85	65	92	58	79	37	10	39	14	35	7	23	
22	53	58	56	69	50	50	59	81	63	89	57	75	37	9	38	12	35	6	22	
21	51	54	54	65	49	45	57	77	61	86	55	70	36	8	38	11	35	5	21	
20	50	49	53	60	48	41	56	72	59	82	54	65	36	7	37	10	34	5	20	
19	49	45	52	56	47	37	54	68	58	78	52	59	35	6	37	8	34	4	19	
18	48	41	50	51	45	33	53	62	56	73	51	53	35	5	36	7	33	4	18	
17	46	37	49	47	44	29	51	57	54	68	49	48	34	5	36	6	33	3	17	
16	45	33	48	42	43	25	50	51	53	62	48	42	34	4	35	5	32	3	16	
15	44	29	46	37	42	22	48	45	51	56	46	36	34	3	35	5	32	2	15	
14	43	25	45	33	41	19	47	39	49	49	44	30	33	3	34	4	31	2	14	
13	42	22	44	29	39	16	45	33	47	43	43	25	33	2	34	3	31	2	13	
12	40	18	43	25	38	13	43	27	46	36	41	20	32	2	33	2	30	1	12	
11	39	15	41	21	37	11	42	22	44	30	40	16	32	1	33	2	30	1	11	
10	38	13	40	17	36	9	40	17	42	24	38	12	31	1	32	1	30	1	10	
9	37	10	39	14	34	7	39	13	41	18	37	9	31	1	32	1	29	1	9	
8	35	8	37	11	33	5	37	10	39	13	35	7	30	1	31	1	29	1	8	
7	34	6	36	9	32	4	36	7	37	10	34	5	30	1	31	1	28	1	7	
6	33	5	35	7	31	3	34	5	36	6	32	3	29	1	30	1	28	1	6	

(Continued on next page)

Table A.25 Index T Scores and Percentiles

Raw Score	EBD Probability Index					ADHD Probability Index					Functional Impairment Index					Raw Score		
	Combined		Female		Male	Combined		Female		Male	Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
5	32	3	34	5	29	2	33	3	34	4	31	2	29	1	30	1	27	1
4	30	2	32	3	28	2	31	2	32	2	29	1	28	1	30	1	27	1
3	29	2	31	2	27	1	29	1	30	1	28	1	28	1	29	1	26	1
2	28	1	30	1	26	1	28	1	29	1	26	1	28	1	29	1	26	1
1	27	1	28	1	24	1	26	1	27	1	25	1	27	1	28	1	25	1
0	26	1	27	1	23	1	25	1	25	1	23	1	27	1	28	1	25	1
Mean	19.93		17.74		21.66		16.23		14.47		17.62		51.16		45.85		55.33	
SD	8.17		7.72		8.10		6.43		5.87		6.53		21.92		20.42		22.17	

Table A.26 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
153	--	--	--	--	--	--	--	--	--	--	--	--	96	99	100	99	95	99	153	
152	--	--	--	--	--	--	--	--	--	--	--	--	95	99	99	99	95	99	152	
151	--	--	--	--	--	--	--	--	--	--	--	--	95	99	99	99	94	99	151	
150	--	--	--	--	--	--	--	--	--	--	--	--	94	99	98	99	94	99	150	
149	--	--	--	--	--	--	--	--	--	--	--	--	94	99	98	99	93	99	149	
148	--	--	--	--	--	--	--	--	--	--	--	--	93	99	97	99	93	99	148	
147	--	--	--	--	--	--	--	--	--	--	--	--	93	99	97	99	92	99	147	
146	--	--	--	--	--	--	--	--	--	--	--	--	92	99	96	99	92	99	146	
145	--	--	--	--	--	--	--	--	--	--	--	--	92	99	96	99	91	99	145	
144	--	--	--	--	--	--	--	--	--	--	--	--	91	99	95	99	91	99	144	
143	--	--	--	--	--	--	--	--	--	--	--	--	91	99	95	99	90	99	143	
142	--	--	--	--	--	--	--	--	--	--	--	--	90	99	94	99	90	99	142	
141	--	--	--	--	--	--	--	--	--	--	--	--	90	99	94	99	89	99	141	
140	--	--	--	--	--	--	--	--	--	--	--	--	89	99	93	99	89	99	140	
139	--	--	--	--	--	--	--	--	--	--	--	--	89	99	93	99	88	99	139	
138	--	--	--	--	--	--	--	--	--	--	--	--	88	99	92	99	88	99	138	
137	--	--	--	--	--	--	--	--	--	--	--	--	88	99	92	99	87	99	137	
136	--	--	--	--	--	--	--	--	--	--	--	--	87	99	91	99	87	99	136	
135	--	--	--	--	--	--	--	--	--	--	--	--	87	99	91	99	86	99	135	
134	--	--	--	--	--	--	--	--	--	--	--	--	86	99	90	99	86	99	134	
133	--	--	--	--	--	--	--	--	--	--	--	--	86	99	90	99	85	99	133	
132	--	--	--	--	--	--	--	--	--	--	--	--	85	99	89	99	85	99	132	
131	--	--	--	--	--	--	--	--	--	--	--	--	85	99	89	99	84	99	131	
130	--	--	--	--	--	--	--	--	--	--	--	--	84	99	88	99	84	99	130	
129	--	--	--	--	--	--	--	--	--	--	--	--	84	99	88	99	83	99	129	
128	--	--	--	--	--	--	--	--	--	--	--	--	83	99	87	99	83	99	128	
127	--	--	--	--	--	--	--	--	--	--	--	--	83	99	87	99	82	99	127	
126	--	--	--	--	--	--	--	--	--	--	--	--	82	99	86	99	82	99	126	
125	--	--	--	--	--	--	--	--	--	--	--	--	82	99	86	99	81	99	125	
124	--	--	--	--	--	--	--	--	--	--	--	--	81	99	85	99	81	99	124	
123	--	--	--	--	--	--	--	--	--	--	--	--	81	99	85	99	80	99	123	
122	--	--	--	--	--	--	--	--	--	--	--	--	80	99	84	99	80	99	122	
121	--	--	--	--	--	--	--	--	--	--	--	--	80	99	84	99	79	99	121	
120	--	--	--	--	--	--	--	--	--	--	--	--	79	99	83	99	79	99	120	
119	--	--	--	--	--	--	--	--	--	--	--	--	79	99	83	99	78	99	119	
118	--	--	--	--	--	--	--	--	--	--	--	--	78	99	82	99	78	99	118	
117	--	--	--	--	--	--	--	--	--	--	--	--	78	99	82	99	77	99	117	
116	--	--	--	--	--	--	--	--	--	--	--	--	77	99	81	99	77	99	116	
115	--	--	--	--	--	--	--	--	--	--	--	--	77	99	81	99	76	99	115	
114	--	--	--	--	--	--	--	--	--	--	--	--	76	99	80	99	76	99	114	
113	--	--	--	--	--	--	--	--	--	--	--	--	76	99	79	99	75	99	113	
112	--	--	--	--	--	--	--	--	--	--	--	--	75	99	79	99	75	99	112	
111	--	--	--	--	--	--	--	--	--	--	--	--	75	99	78	99	74	99	111	
110	--	--	--	--	--	--	--	--	--	--	--	--	74	99	78	99	74	99	110	
109	--	--	--	--	--	--	--	--	--	--	--	--	74	99	77	99	73	99	109	
108	--	--	--	--	--	--	--	--	--	--	--	--	73	99	77	99	73	99	108	
107	--	--	--	--	--	--	--	--	--	--	--	--	73	99	76	99	72	99	107	
106	--	--	--	--	--	--	--	--	--	--	--	--	72	99	76	99	72	98	106	

(Continued on next page)

Table A.26 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
105	--	--	--	--	--	--	--	--	--	--	--	--	72	99	75	99	71	98	105	
104	--	--	--	--	--	--	--	--	--	--	--	--	71	98	75	99	71	98	104	
103	--	--	--	--	--	--	--	--	--	--	--	--	71	98	74	99	70	98	103	
102	--	--	--	--	--	--	--	--	--	--	--	--	70	98	74	99	69	97	102	
101	--	--	--	--	--	--	--	--	--	--	--	--	70	98	73	99	69	97	101	
100	--	--	--	--	--	--	--	--	--	--	--	--	69	97	73	99	68	97	100	
99	--	--	--	--	--	--	--	--	--	--	--	--	69	97	72	99	68	96	99	
98	--	--	--	--	--	--	--	--	--	--	--	--	68	96	72	99	67	96	98	
97	--	--	--	--	--	--	--	--	--	--	--	--	68	96	71	98	67	95	97	
96	--	--	--	--	--	--	--	--	--	--	--	--	67	96	71	98	66	95	96	
95	--	--	--	--	--	--	--	--	--	--	--	--	67	95	70	98	66	94	95	
94	--	--	--	--	--	--	--	--	--	--	--	--	66	95	70	97	65	94	94	
93	--	--	--	--	--	--	--	--	--	--	--	--	66	94	69	97	65	93	93	
92	--	--	--	--	--	--	--	--	--	--	--	--	65	93	69	97	64	92	92	
91	--	--	--	--	--	--	--	--	--	--	--	--	65	93	68	96	64	91	91	
90	--	--	--	--	--	--	--	--	--	--	--	--	64	92	68	96	63	91	90	
89	--	--	--	--	--	--	--	--	--	--	--	--	64	91	67	95	63	90	89	
88	--	--	--	--	--	--	--	--	--	--	--	--	63	90	67	94	62	89	88	
87	--	--	--	--	--	--	--	--	--	--	--	--	63	89	66	94	62	88	87	
86	--	--	--	--	--	--	--	--	--	--	--	--	62	89	66	93	61	87	86	
85	--	--	--	--	--	--	--	--	--	--	--	--	62	88	65	92	61	86	85	
84	--	--	--	--	--	--	--	--	--	--	--	--	61	87	65	92	60	85	84	
83	--	--	--	--	--	--	--	--	--	--	--	--	61	86	64	91	60	84	83	
82	--	--	--	--	--	--	--	--	--	--	--	--	60	84	64	90	59	82	82	
81	--	--	--	--	--	--	--	--	--	--	--	--	60	83	63	89	59	81	81	
80	--	--	--	--	--	--	--	--	--	--	--	--	59	82	63	88	58	80	80	
79	--	--	--	--	--	--	--	--	--	--	--	--	59	81	62	87	58	78	79	
78	--	--	--	--	--	--	--	--	--	--	--	--	58	79	62	86	57	77	78	
77	--	--	--	--	--	--	--	--	--	--	--	--	58	78	61	85	57	75	77	
76	--	--	--	--	--	--	--	--	--	--	--	--	57	77	61	84	56	74	76	
75	--	--	--	--	--	--	--	--	--	--	--	--	57	75	60	83	56	72	75	
74	--	--	--	--	--	--	--	--	--	--	--	--	56	74	60	81	55	71	74	
73	--	--	--	--	--	--	--	--	--	--	--	--	56	72	59	80	55	69	73	
72	--	--	--	--	--	--	--	--	--	--	--	--	56	71	59	79	54	67	72	
71	--	--	--	--	--	--	--	--	--	--	--	--	55	69	58	78	54	65	71	
70	--	--	--	--	--	--	--	--	--	--	--	--	55	67	58	76	53	64	70	
69	--	--	--	--	--	--	--	--	--	--	--	--	54	66	57	75	53	62	69	
68	--	--	--	--	--	--	--	--	--	--	--	--	54	64	57	73	52	60	68	
67	--	--	--	--	--	--	--	--	--	--	--	--	53	62	56	72	52	58	67	
66	--	--	--	--	--	--	--	--	--	--	--	--	53	60	56	70	51	56	66	
65	--	--	--	--	--	--	--	--	--	--	--	--	52	58	55	69	51	54	65	
64	--	--	--	--	--	--	--	--	--	--	--	--	52	57	55	67	50	52	64	
63	--	--	--	--	--	--	--	--	--	--	--	--	51	55	54	66	50	50	63	
62	--	--	--	--	--	--	--	--	--	--	--	--	51	53	54	64	49	48	62	
61	--	--	--	--	--	--	--	--	--	--	--	--	50	51	53	62	49	47	61	
60	--	--	--	--	--	--	--	--	--	--	--	--	50	49	53	61	48	45	60	
59	--	--	--	--	--	--	--	--	--	--	--	--	49	47	52	59	48	43	59	
58	--	--	--	--	--	--	--	--	--	--	--	--	49	45	52	57	47	41	58	
57	--	--	--	--	--	--	--	--	--	--	--	--	48	44	51	55	47	39	57	
56	--	--	--	--	--	--	--	--	--	--	--	--	48	42	51	54	46	37	56	

(Continued on next page)

Table A.26 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
55	--	--	--	--	--	--	--	--	--	--	--	--	47	40	50	52	46	35	55	
54	--	--	--	--	--	--	--	--	--	--	--	--	47	38	49	50	45	33	54	
53	--	--	--	--	--	--	--	--	--	--	--	--	46	36	49	48	45	31	53	
52	--	--	--	--	--	--	--	--	--	--	--	--	46	34	48	46	44	30	52	
51	--	--	--	--	--	--	--	--	--	--	--	--	45	33	48	44	44	28	51	
50	--	--	--	--	--	--	--	--	--	--	--	--	45	31	47	43	43	26	50	
49	--	--	--	--	--	--	--	--	--	--	--	--	44	29	47	41	43	25	49	
48	--	--	--	--	--	--	--	--	--	--	--	--	44	27	46	39	42	23	48	
47	--	--	--	--	--	--	--	--	--	--	--	--	43	26	46	37	42	22	47	
46	--	--	--	--	--	--	--	--	--	--	--	--	43	24	45	35	41	20	46	
45	--	--	--	--	--	--	--	--	--	--	--	--	42	23	45	34	41	19	45	
44	--	--	--	--	--	--	--	--	--	--	--	--	42	21	44	32	40	17	44	
43	--	--	--	--	--	--	--	--	--	--	--	--	41	20	44	30	40	16	43	
42	75	99	81	99	74	99	--	--	--	--	--	--	41	18	43	28	39	15	42	
41	74	99	79	99	73	99	--	--	--	--	--	--	40	17	43	27	39	14	41	
40	73	99	78	99	72	99	--	--	--	--	--	--	40	16	42	25	38	13	40	
39	71	99	76	99	70	99	--	--	--	--	--	--	39	15	42	23	38	12	39	
38	70	99	75	99	69	99	--	--	--	--	--	--	39	13	41	22	37	11	38	
37	69	99	73	99	68	98	--	--	--	--	--	--	38	12	41	20	37	10	37	
36	67	98	72	99	66	97	77	99	81	99	77	99	38	11	40	19	36	9	36	
35	66	96	71	99	65	95	76	99	79	99	75	99	37	10	40	17	36	8	35	
34	65	94	69	99	63	93	74	99	77	99	73	99	37	9	39	16	35	7	34	
33	63	92	68	98	62	89	72	99	76	99	71	98	36	8	39	14	35	6	33	
32	62	89	66	96	61	86	70	98	74	99	70	97	36	7	38	13	34	6	32	
31	61	85	65	94	59	82	69	97	72	99	68	96	35	7	38	12	34	5	31	
30	59	81	63	92	58	77	67	95	70	99	66	94	35	6	37	11	33	5	30	
29	58	77	62	88	57	72	65	94	69	97	64	92	34	5	37	9	33	4	29	
28	57	72	60	85	55	67	64	91	67	96	63	89	34	5	36	8	32	4	28	
27	55	67	59	80	54	62	62	88	65	94	61	86	33	4	36	7	32	3	27	
26	54	62	58	76	53	57	60	84	64	91	59	82	33	4	35	6	31	3	26	
25	53	57	56	71	51	52	59	80	62	87	58	77	32	3	35	6	31	2	25	
24	51	52	55	65	50	46	57	75	60	83	56	72	32	3	34	5	30	2	24	
23	50	47	53	60	49	41	55	69	58	78	54	66	31	2	34	4	30	2	23	
22	48	42	52	55	47	37	53	63	57	73	52	59	31	2	33	3	29	2	22	
21	47	37	50	49	46	32	52	57	55	67	51	53	30	2	33	3	29	1	21	
20	46	32	49	44	45	28	50	50	53	61	49	46	30	1	32	2	28	1	20	
19	44	28	47	39	43	24	48	44	51	55	47	39	29	1	32	2	28	1	19	
18	43	24	46	34	42	21	47	37	50	49	45	33	29	1	31	1	27	1	18	
17	42	21	45	29	41	18	45	31	48	42	44	27	28	1	31	1	27	1	17	
16	40	18	43	25	39	15	43	26	46	36	42	22	28	1	30	1	26	1	16	
15	39	15	42	21	38	12	41	20	45	30	40	17	27	1	30	1	26	1	15	
14	38	12	40	17	36	10	40	16	43	25	38	13	27	1	29	1	25	1	14	
13	36	10	39	14	35	8	38	12	41	20	37	9	26	1	29	1	25	1	13	
12	35	8	37	11	34	7	36	9	39	15	35	6	26	1	28	1	24	1	12	
11	34	6	36	9	32	5	35	6	38	12	33	4	25	1	28	1	24	1	11	
10	32	5	34	7	31	4	33	4	36	9	31	3	25	1	27	1	23	1	10	
9	31	4	33	6	30	3	31	3	34	6	30	2	24	1	27	1	23	1	9	
8	30	3	32	4	28	2	30	2	32	4	28	1	24	1	26	1	22	1	8	
7	28	2	30	3	27	2	28	1	31	3	26	1	23	1	26	1	22	1	7	
6	27	2	29	2	26	1	26	1	29	1	25	1	23	1	25	1	21	1	6	

(Continued on next page)

Table A.26 Index T Scores and Percentiles

Raw Score	EBD Probability Index						ADHD Probability Index						Functional Impairment Index						Raw Score	
	Combined		Female		Male		Combined		Female		Male		Combined		Female		Male			
	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile	T	%ile		
5	26	1	27	2	24	1	24	1	27	1	23	1	22	1	25	1	21	1	5	
4	24	1	26	1	23	1	23	1	26	1	21	1	22	1	24	1	20	1	4	
3	23	1	24	1	22	1	21	1	24	1	20	1	21	1	24	1	20	1	3	
2	21	1	23	1	20	1	20	1	22	1	20	1	21	1	23	1	20	1	2	
1	20	1	21	1	20	1	20	1	20	1	20	1	20	1	23	1	20	1	1	
0	20	1	20	1	20	1	20	1	20	1	20	1	20	1	22	1	20	1	0	
Mean	23.13		20.75		24.02		19.99		18.18		20.68		60.90		55.00		63.11		Mean	
SD	7.41		6.92		7.41		5.86		5.79		5.76		20.16		19.66		19.94		SD	

Table A.27 Index T Scores and Percentiles

Raw Score	EBD Probability Index		ADHD Probability Index		Functional Impairment Index	
	Combined		Combined		Combined	
	T	%ile	T	%ile	T	%ile
153	--	--	--	--	96	99
152	--	--	--	--	96	99
151	--	--	--	--	95	99
150	--	--	--	--	95	99
149	--	--	--	--	94	99
148	--	--	--	--	94	99
147	--	--	--	--	93	99
146	--	--	--	--	93	99
145	--	--	--	--	92	99
144	--	--	--	--	92	99
143	--	--	--	--	91	99
142	--	--	--	--	91	99
141	--	--	--	--	90	99
140	--	--	--	--	90	99
139	--	--	--	--	90	99
138	--	--	--	--	89	99
137	--	--	--	--	89	99
136	--	--	--	--	88	99
135	--	--	--	--	88	99
134	--	--	--	--	87	99
133	--	--	--	--	87	99
132	--	--	--	--	86	99
131	--	--	--	--	86	99
130	--	--	--	--	85	99
129	--	--	--	--	85	99
128	--	--	--	--	84	99
127	--	--	--	--	84	99
126	--	--	--	--	83	99
125	--	--	--	--	83	99
124	--	--	--	--	82	99
123	--	--	--	--	82	99
122	--	--	--	--	81	99
121	--	--	--	--	81	99
120	--	--	--	--	80	99
119	--	--	--	--	80	99
118	--	--	--	--	79	99
117	--	--	--	--	79	99
116	--	--	--	--	78	99
115	--	--	--	--	78	99
114	--	--	--	--	77	99
113	--	--	--	--	77	99
112	--	--	--	--	77	99
111	--	--	--	--	76	99
110	--	--	--	--	76	99
109	--	--	--	--	75	99
108	--	--	--	--	75	99
107	--	--	--	--	74	99
106	--	--	--	--	74	99

Raw Score	EBD Probability Index		ADHD Probability Index		Functional Impairment Index	
	Combined		Combined		Combined	
	T	%ile	T	%ile	T	%ile
105	--	--	--	--	73	99
104	--	--	--	--	73	99
103	--	--	--	--	72	99
102	--	--	--	--	72	98
101	--	--	--	--	71	98
100	--	--	--	--	71	98
99	--	--	--	--	70	98
98	--	--	--	--	70	97
97	--	--	--	--	69	97
96	--	--	--	--	69	97
95	--	--	--	--	68	96
94	--	--	--	--	68	96
93	--	--	--	--	67	95
92	--	--	--	--	67	95
91	--	--	--	--	66	94
90	--	--	--	--	66	94
89	--	--	--	--	65	93
88	--	--	--	--	65	92
87	--	--	--	--	65	92
86	--	--	--	--	64	91
85	--	--	--	--	64	90
84	--	--	--	--	63	89
83	--	--	--	--	63	89
82	--	--	--	--	62	88
81	--	--	--	--	62	87
80	--	--	--	--	61	86
79	--	--	--	--	61	85
78	--	--	--	--	60	83
77	--	--	--	--	60	82
76	--	--	--	--	59	81
75	--	--	--	--	59	80
74	--	--	--	--	58	79
73	--	--	--	--	58	77
72	--	--	--	--	57	76
71	--	--	--	--	57	75
70	--	--	--	--	56	73
69	--	--	--	--	56	72
68	--	--	--	--	55	70
67	--	--	--	--	55	69
66	--	--	--	--	54	67
65	--	--	--	--	54	65
64	--	--	--	--	53	64
63	--	--	--	--	53	62
62	--	--	--	--	52	60
61	--	--	--	--	52	59
60	--	--	--	--	52	57
59	--	--	--	--	51	55
58	--	--	--	--	51	53
57	--	--	--	--	50	52
56	--	--	--	--	50	50

(Continued on next page)

Table A.27 Index T Scores and Percentiles

Raw Score	EBD Probability Index		ADHD Probability Index		Functional Impairment Index	
	Combined		Combined		Combined	
	T	%ile	T	%ile	T	%ile
55	--	--	--	--	49	48
54	--	--	--	--	49	46
53	--	--	--	--	48	44
52	--	--	--	--	48	43
51	--	--	--	--	47	41
50	--	--	--	--	47	39
49	--	--	--	--	46	37
48	--	--	--	--	46	36
47	--	--	--	--	45	34
46	--	--	--	--	45	32
45	--	--	--	--	44	30
44	--	--	--	--	44	29
43	--	--	--	--	43	27
42	76	99	--	--	43	26
41	75	99	--	--	42	24
40	74	99	--	--	42	23
39	72	99	--	--	41	21
38	71	99	--	--	41	20
37	69	99	--	--	40	18
36	68	98	83	99	40	17
35	67	96	81	99	39	16
34	65	95	80	99	39	14
33	64	93	78	99	39	13
32	63	90	76	99	38	12
31	61	87	75	99	38	11
30	60	83	73	99	37	10
29	59	79	71	98	37	9
28	57	74	70	97	36	8
27	56	70	68	96	36	7
26	54	65	67	94	35	7
25	53	60	65	92	35	6
24	52	54	63	90	34	5
23	50	49	62	87	34	4
22	49	44	60	83	33	4
21	48	39	58	79	33	3
20	46	34	57	75	32	3
19	45	30	55	70	32	2
18	44	26	53	64	31	2
17	42	22	52	58	31	2
16	41	19	50	52	30	1
15	39	15	48	46	30	1
14	38	13	47	40	29	1
13	37	10	45	34	29	1
12	35	8	44	28	28	1
11	34	6	42	23	28	1
10	33	5	40	18	27	1
9	31	4	39	13	27	1
8	30	3	37	9	27	1
7	29	2	35	6	26	1
6	27	1	34	4	26	1

Raw Score	EBD Probability Index		ADHD Probability Index		Functional Impairment Index	
	Combined		Combined		Combined	
	T	%ile	T	%ile	T	%ile
5	26	1	32	2	25	1
4	24	1	30	1	25	1
3	23	1	29	1	24	1
2	22	1	27	1	24	1
1	20	1	25	1	23	1
0	20	1	24	1	23	1
Mean	22.76		15.92		56.84	
SD	7.33		6.08		20.80	

Table A.28 Index T Scores and Percentiles

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
73	90	99	90	99	90	99
72	89	99	89	99	89	99
71	88	99	88	99	88	99
70	87	99	87	99	87	99
69	87	99	87	99	87	99
68	86	99	86	99	86	99
67	85	99	85	99	85	99
66	84	99	84	99	84	99
65	83	99	84	99	83	99
64	83	99	83	99	83	99
63	82	99	82	99	82	99
62	81	99	81	99	81	99
61	80	99	80	99	80	99
60	79	99	80	99	79	99
59	79	99	79	99	78	99
58	78	99	78	99	78	99
57	77	99	77	99	77	99
56	76	99	76	99	76	99
55	75	99	76	98	75	99
54	75	98	75	98	74	99
53	74	98	74	98	74	98
52	73	98	73	98	73	98
51	72	97	72	97	72	98
50	71	97	72	97	71	97
49	70	97	71	96	70	97
48	70	96	70	96	69	96
47	69	95	69	95	69	96
46	68	95	68	95	68	95
45	67	94	68	94	67	94
44	66	93	67	93	66	93
43	66	92	66	93	65	92
42	65	91	65	92	65	91
41	64	90	64	91	64	90
40	63	89	64	90	63	89
39	62	88	63	89	62	88
38	62	87	62	88	61	86
37	61	85	61	86	60	85
36	60	84	61	85	60	83
35	59	82	60	83	59	81
34	58	80	59	82	58	79
33	58	78	58	80	57	77
32	57	76	57	78	56	75
31	56	74	57	76	56	72
30	55	72	56	74	55	70
29	54	69	55	72	54	67
28	53	67	54	70	53	65
27	53	64	53	67	52	62
26	52	61	53	65	51	59

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
25	51	58	52	62	51	56
24	50	55	51	59	50	53
23	49	52	50	56	49	50
22	49	49	49	53	48	46
21	48	46	49	50	47	43
20	47	43	48	47	46	40
19	46	39	47	44	46	37
18	45	36	46	40	45	33
17	45	33	45	37	44	30
16	44	30	45	34	43	27
15	43	27	44	31	42	24
14	42	24	43	27	42	21
13	41	21	42	24	41	19
12	41	18	41	21	40	16
11	40	15	41	18	39	14
10	39	13	40	15	38	11
9	38	11	39	13	37	9
8	37	9	38	10	37	8
7	37	7	38	8	36	6
6	36	5	37	6	35	5
5	35	4	36	5	34	3
4	34	3	35	3	33	3
3	33	2	34	2	33	2
2	32	1	34	1	32	1
1	32	1	33	1	31	1
0	31	1	32	1	30	1
Mean	23.68		22.74		24.28	
SD	12.37		12.61		12.20	

Table A.29 Index T Scores and Percentiles

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
73	82	99	79	99	83	99
72	81	99	79	99	82	99
71	81	99	78	99	81	99
70	80	99	77	99	81	99
69	79	99	77	99	80	99
68	78	99	76	99	79	99
67	78	99	76	99	78	99
66	77	99	75	99	78	99
65	76	99	74	99	77	99
64	76	99	74	99	76	99
63	75	99	73	99	76	99
62	74	99	72	99	75	99
61	73	99	72	98	74	99
60	73	99	71	98	73	99
59	72	98	70	97	73	99
58	71	98	70	97	72	98
57	71	98	69	96	71	98
56	70	97	69	95	70	97
55	69	97	68	95	70	97
54	69	96	67	94	69	97
53	68	95	67	93	68	96
52	67	95	66	92	67	95
51	66	94	65	91	67	95
50	66	93	65	90	66	94
49	65	92	64	89	65	93
48	64	91	64	88	64	92
47	64	90	63	87	64	91
46	63	89	62	86	63	90
45	62	87	62	85	62	88
44	61	86	61	83	62	87
43	61	85	60	82	61	85
42	60	83	60	81	60	84
41	59	81	59	80	59	82
40	59	80	59	78	59	80
39	58	78	58	77	58	78
38	57	76	57	75	57	76
37	56	74	57	74	56	74
36	56	72	56	72	56	72
35	55	69	55	71	55	69
34	54	67	55	69	54	67
33	54	65	54	67	53	64
32	53	62	54	65	53	61
31	52	60	53	64	52	59
30	51	57	52	62	51	56
29	51	55	52	60	50	53
28	50	52	51	58	50	50
27	49	50	50	56	49	48
26	49	47	50	54	48	45

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
25	48	44	49	52	48	42
24	47	42	49	50	47	39
23	46	39	48	48	46	36
22	46	36	47	46	45	34
21	45	34	47	44	45	31
20	44	31	46	41	44	28
19	44	29	45	39	43	26
18	43	26	45	37	42	23
17	42	24	44	35	42	21
16	42	22	44	32	41	19
15	41	19	43	30	40	17
14	40	17	42	27	39	15
13	39	15	42	25	39	13
12	39	13	41	23	38	11
11	38	12	40	20	37	10
10	37	10	40	18	36	8
9	37	9	39	15	36	7
8	36	7	39	13	35	6
7	35	6	38	11	34	5
6	34	5	37	8	33	4
5	34	4	37	6	33	3
4	33	3	36	4	32	3
3	32	2	35	3	31	2
2	32	2	35	1	31	2
1	31	1	34	1	30	1
0	30	1	34	1	29	1
Mean	27.93		26.27		28.38	
SD	14.08		15.97		13.55	

Table A.30 Index T Scores and Percentiles

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
91	99	99	95	99	103	99
90	98	99	94	99	102	99
89	97	99	93	99	102	99
88	96	99	93	99	101	99
87	96	99	92	99	100	99
86	95	99	91	99	99	99
85	94	99	90	99	98	99
84	93	99	90	99	97	99
83	93	99	89	99	97	99
82	92	99	88	99	96	99
81	91	99	88	99	95	99
80	90	99	87	99	94	99
79	90	99	86	99	93	99
78	89	99	85	99	92	99
77	88	99	85	99	92	99
76	87	99	84	99	91	99
75	86	99	83	99	90	99
74	86	99	83	99	89	99
73	85	99	82	99	88	99
72	84	99	81	99	87	99
71	83	99	80	99	87	99
70	83	99	80	99	86	99
69	82	99	79	99	85	99
68	81	99	78	99	84	99
67	80	99	78	99	83	99
66	80	99	77	99	82	99
65	79	99	76	99	82	99
64	78	99	75	98	81	99
63	77	99	75	98	80	99
62	76	99	74	98	79	99
61	76	98	73	98	78	99
60	75	98	73	97	77	99
59	74	98	72	97	77	99
58	73	98	71	97	76	98
57	73	97	70	96	75	98
56	72	97	70	96	74	98
55	71	97	69	95	73	98
54	70	96	68	95	72	97
53	70	96	68	94	72	97
52	69	95	67	94	71	96
51	68	95	66	93	70	96
50	67	94	65	92	69	95
49	66	93	65	91	68	95
48	66	92	64	90	67	94
47	65	92	63	89	67	93
46	64	91	63	88	66	93

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
45	63	90	62	87	65	92
44	63	89	61	86	64	91
43	62	87	60	85	63	90
42	61	86	60	83	62	88
41	60	85	59	82	62	87
40	60	83	58	80	61	86
39	59	82	58	79	60	84
38	58	80	57	77	59	83
37	57	78	56	75	58	81
36	56	76	55	73	57	79
35	56	74	55	71	57	77
34	55	72	54	69	56	75
33	54	70	53	67	55	72
32	53	67	53	64	54	70
31	53	65	52	62	53	67
30	52	62	51	59	52	64
29	51	59	50	57	52	62
28	50	56	50	54	51	59
27	50	53	49	51	50	55
26	49	50	48	49	49	52
25	48	47	48	46	48	49
24	47	44	47	43	48	45
23	46	41	46	40	47	42
22	46	38	45	37	46	38
21	45	34	45	34	45	35
20	44	31	44	31	44	31
19	43	28	43	28	43	28
18	43	25	43	25	43	25
17	42	22	42	23	42	21
16	41	19	41	20	41	18
15	40	16	40	17	40	15
14	40	14	40	15	39	13
13	39	11	39	13	38	10
12	38	9	38	11	38	8
11	37	7	38	9	37	6
10	36	6	37	7	36	4
9	36	4	36	6	35	3
8	35	3	36	4	34	2
7	34	2	35	3	33	1
6	33	1	34	2	33	1
5	33	1	33	2	32	1
4	32	1	33	1	31	1
3	31	1	32	1	30	1
2	30	1	31	1	29	1
1	30	1	31	1	28	1
0	29	1	30	1	28	1
Mean	27.62		28.32		27.00	
SD	12.99		14.01		12.00	

Table A.31 Index T Scores and Percentiles

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
91	96	99	94	99	97	99
90	95	99	93	99	97	99
89	95	99	92	99	96	99
88	94	99	91	99	95	99
87	93	99	91	99	94	99
86	92	99	90	99	93	99
85	92	99	89	99	93	99
84	91	99	88	99	92	99
83	90	99	88	99	91	99
82	89	99	87	99	90	99
81	89	99	86	99	89	99
80	88	99	85	99	89	99
79	87	99	85	99	88	99
78	86	99	84	99	87	99
77	85	99	83	99	86	99
76	85	99	83	99	86	99
75	84	99	82	99	85	99
74	83	99	81	99	84	99
73	82	99	80	99	83	99
72	82	99	80	99	82	99
71	81	99	79	99	82	99
70	80	99	78	99	81	99
69	79	99	77	99	80	99
68	79	99	77	99	79	99
67	78	99	76	99	79	99
66	77	99	75	98	78	99
65	76	99	74	98	77	99
64	76	99	74	98	76	99
63	75	98	73	98	75	99
62	74	98	72	97	75	98
61	73	98	71	97	74	98
60	72	97	71	96	73	98
59	72	97	70	96	72	97
58	71	97	69	95	72	97
57	70	96	69	95	71	97
56	69	96	68	94	70	96
55	69	95	67	93	69	96
54	68	94	66	93	68	95
53	67	94	66	92	68	94
52	66	93	65	91	67	93
51	66	92	64	90	66	93
50	65	91	63	89	65	92
49	64	90	63	88	65	91
48	63	89	62	87	64	90
47	62	88	61	86	63	89
46	62	87	60	84	62	87

Raw Score	Functional Impairment Index					
	Combined		Female		Male	
	T	%ile	T	%ile	T	%ile
45	61	85	60	83	61	86
44	60	84	59	81	61	85
43	59	82	58	80	60	83
42	59	81	58	78	59	82
41	58	79	57	76	58	80
40	57	77	56	75	58	78
39	56	75	55	73	57	76
38	56	73	55	70	56	74
37	55	71	54	68	55	72
36	54	69	53	66	54	70
35	53	66	52	64	54	67
34	53	64	52	61	53	65
33	52	61	51	59	52	62
32	51	59	50	56	51	60
31	50	56	49	53	51	57
30	49	53	49	51	50	54
29	49	50	48	48	49	51
28	48	47	47	45	48	48
27	47	44	46	42	47	45
26	46	41	46	39	47	42
25	46	38	45	36	46	39
24	45	35	44	33	45	36
23	44	32	44	30	44	33
22	43	29	43	27	44	29
21	43	26	42	24	43	26
20	42	23	41	21	42	23
19	41	20	41	18	41	20
18	40	17	40	15	40	18
17	39	14	39	13	40	15
16	39	12	38	10	39	12
15	38	10	38	8	38	10
14	37	7	37	6	37	8
13	36	6	36	5	36	6
12	36	4	35	3	36	4
11	35	3	35	2	35	3
10	34	2	34	1	34	2
9	33	1	33	1	33	1
8	33	1	32	1	33	1
7	32	1	32	1	32	1
6	31	1	31	1	31	1
5	30	1	30	1	30	1
4	29	1	30	1	29	1
3	29	1	29	1	29	1
2	28	1	28	1	28	1
1	27	1	27	1	27	1
0	26	1	27	1	26	1
Mean	30.74		31.81		30.33	
SD	13.03		13.58		12.83	

Table A.32 Index T Scores and Percentiles

Raw Score	Functional Impairment Index	
	Combined	
	T	%ile
91	105	99
90	104	99
89	104	99
88	103	99
87	102	99
86	101	99
85	100	99
84	99	99
83	98	99
82	98	99
81	97	99
80	96	99
79	95	99
78	94	99
77	93	99
76	93	99
75	92	99
74	91	99
73	90	99
72	89	99
71	88	99
70	87	99
69	87	99
68	86	99
67	85	99
66	84	99
65	83	99
64	82	99
63	81	99
62	81	99
61	80	99
60	79	99
59	78	99
58	77	99
57	76	99
56	76	99
55	75	99
54	74	99
53	73	99
52	72	99
51	71	99
50	70	99
49	70	99
48	69	98
47	68	97
46	67	96

Raw Score	Functional Impairment Index	
	Combined	
	T	%ile
45	66	94
44	65	93
43	64	91
42	64	89
41	63	87
40	62	85
39	61	83
38	60	81
37	59	79
36	59	76
35	58	74
34	57	71
33	56	69
32	55	67
31	54	64
30	53	61
29	53	59
28	52	56
27	51	54
26	50	51
25	49	48
24	48	46
23	47	43
22	47	40
21	46	38
20	45	35
19	44	32
18	43	30
17	42	27
16	42	24
15	41	22
14	40	19
13	39	17
12	38	14
11	37	12
10	36	10
9	36	7
8	35	6
7	34	4
6	33	2
5	32	1
4	31	1
3	30	1
2	30	1
1	29	1
0	28	1
Mean	25.98	
SD	11.77	