COVID-19 situation report for WHO Africa Region

04/02/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 04/02/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 04/02/2021


Overview



Total Reported Cases
2597270

Total Reported Deaths
64364





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 04/02/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 04/02/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 108116 reported case(s) (4th in the region) and 2900 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 26 (14th) and 0.69 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (21st). The weekly ratio of reported deaths over the last 2 weeks is 1 (12th).

Angola




Angola has 19937 reported case(s) (18th in the region) and 470 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 6.5 (34th) and 0.15 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.73 (27th). The weekly ratio of reported deaths over the last 2 weeks is 0.44 (31st).

Benin




Benin has 4119 reported case(s) (35th in the region) and 54 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 3.6 (42nd) and 0.047 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (7th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Botswana




Botswana has 22738 reported case(s) (17th in the region) and 148 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 100 (6th) and 0.66 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (20th). The weekly ratio of reported deaths over the last 2 weeks is 0.67 (24th).

Burkina Faso




Burkina Faso has 10958 reported case(s) (26th in the region) and 127 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 5.5 (35th) and 0.064 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (16th). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (30th).

Burundi




Burundi has 1686 reported case(s) (43rd in the region) and 2 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 1.5 (46th) and 0.0018 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.45 (42nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 14152 reported case(s) (24th in the region) and 134 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 260 (1st) and 2.5 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.86 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 0.62 (27th).

Cameroon




Cameroon has 30313 reported case(s) (12th in the region) and 474 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (26th) and 0.19 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.43 (43rd). The weekly ratio of reported deaths over the last 2 weeks is 1.7 (2nd).

Central African Republic




Central African Republic has 4989 reported case(s) (32nd in the region) and 63 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (29th) and 0.14 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (15th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 3419 reported case(s) (38th in the region) and 121 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 2.2 (44th) and 0.078 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.58 (36th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (6th).

Comoros




Comoros has 2892 reported case(s) (39th in the region) and 104 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 35 (12th) and 1.2 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.72 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 0.85 (19th).

Congo




Congo has 8060 reported case(s) (29th in the region) and 122 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (20th) and 0.23 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.9 (6th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cote d'Ivoire




Cote d'Ivoire has 28739 reported case(s) (13th in the region) and 158 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (28th) and 0.063 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.69 (34th). The weekly ratio of reported deaths over the last 2 weeks is 0.78 (21st).

Democratic Republic of the Congo




Democratic Republic of the Congo has 23181 reported case(s) (16th in the region) and 674 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 2.8 (43rd) and 0.08 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (14th). The weekly ratio of reported deaths over the last 2 weeks is 0.62 (28th).

Equatorial Guinea




Equatorial Guinea has 5534 reported case(s) (30th in the region) and 86 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 42 (10th) and 0.66 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.33 (45th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eritrea




Eritrea has 2309 reported case(s) (41st in the region) and 7 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 3.8 (40th) and 0.012 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (12th). The weekly ratio of reported deaths over the last 2 weeks is 0 (34th).

Eswatini




Eswatini has 15974 reported case(s) (21st in the region) and 585 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 120 (5th) and 4.3 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.73 (28th). The weekly ratio of reported deaths over the last 2 weeks is 0.66 (26th).

Ethiopia




Ethiopia has 139408 reported case(s) (2nd in the region) and 2122 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 13 (25th) and 0.19 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (8th). The weekly ratio of reported deaths over the last 2 weeks is 1 (13th).

Gabon




Gabon has 11129 reported case(s) (25th in the region) and 70 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 53 (8th) and 0.33 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (9th). The weekly ratio of reported deaths over the last 2 weeks is 1 (14th).

Gambia




Gambia has 4184 reported case(s) (34th in the region) and 132 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 18 (18th) and 0.58 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.4 (4th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Ghana




Ghana has 67782 reported case(s) (6th in the region) and 424 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 23 (16th) and 0.14 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (11th). The weekly ratio of reported deaths over the last 2 weeks is 2.5 (1st).

Guinea




Guinea has 14568 reported case(s) (23rd in the region) and 83 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (27th) and 0.067 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.72 (31st). The weekly ratio of reported deaths over the last 2 weeks is 1 (15th).

Guinea-Bissau




Guinea-Bissau has 2662 reported case(s) (40th in the region) and 45 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 14 (21st) and 0.24 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.5 (1st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Kenya




Kenya has 101159 reported case(s) (5th in the region) and 1769 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 20 (17th) and 0.34 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.95 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (8th).

Lesotho




Lesotho has 8969 reported case(s) (27th in the region) and 178 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 43 (9th) and 0.84 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.75 (25th). The weekly ratio of reported deaths over the last 2 weeks is 0.31 (33rd).

Liberia




Liberia has 1945 reported case(s) (42nd in the region) and 84 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 4 (39th) and 0.17 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.26 (46th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Madagascar




Madagascar has 19065 reported case(s) (19th in the region) and 281 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 7.3 (31st) and 0.11 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.73 (29th). The weekly ratio of reported deaths over the last 2 weeks is 0.33 (32nd).

Malawi




Malawi has 25449 reported case(s) (15th in the region) and 761 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (23rd) and 0.42 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.56 (39th). The weekly ratio of reported deaths over the last 2 weeks is 1 (11th).

Mali




Mali has 8119 reported case(s) (28th in the region) and 333 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 4.3 (38th) and 0.17 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.59 (35th). The weekly ratio of reported deaths over the last 2 weeks is 0.67 (25th).

Mauritania




Mauritania has 16662 reported case(s) (20th in the region) and 422 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 38 (11th) and 0.96 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.4 (3rd). The weekly ratio of reported deaths over the last 2 weeks is 1.5 (4th).

Mauritius




Mauritius has 584 reported case(s) (46th in the region) and 10 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 4.6 (37th) and 0.079 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (10th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mozambique




Mozambique has 41433 reported case(s) (8th in the region) and 415 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (22nd) and 0.14 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (13th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (7th).

Namibia




Namibia has 34372 reported case(s) (10th in the region) and 359 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 140 (3rd) and 1.5 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.56 (38th). The weekly ratio of reported deaths over the last 2 weeks is 0.87 (17th).

Niger




Niger has 4565 reported case(s) (33rd in the region) and 163 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 2 (45th) and 0.073 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.72 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 1.7 (3rd).

Nigeria




Nigeria has 134690 reported case(s) (3rd in the region) and 1618 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 6.9 (32nd) and 0.083 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.74 (26th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (9th).

Rwanda




Rwanda has 15834 reported case(s) (22nd in the region) and 208 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 13 (24th) and 0.17 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.72 (30th). The weekly ratio of reported deaths over the last 2 weeks is 0.83 (20th).

Sao Tome and Principe




Sao Tome and Principe has 1275 reported case(s) (44th in the region) and 17 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 60 (7th) and 0.81 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (19th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Senegal




Senegal has 27365 reported case(s) (14th in the region) and 648 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (19th) and 0.41 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (17th). The weekly ratio of reported deaths over the last 2 weeks is 0.85 (18th).

Seychelles




Seychelles has 1243 reported case(s) (45th in the region) and 5 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 130 (4th) and 0.52 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.4 (44th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Sierra Leone




Sierra Leone has 3699 reported case(s) (37th in the region) and 79 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 4.8 (36th) and 0.1 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.5 (2nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

South Africa




South Africa has 1463016 reported case(s) (1st in the region) and 45344 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 250 (2nd) and 7.8 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.53 (41st). The weekly ratio of reported deaths over the last 2 weeks is 0.76 (22nd).

South Sudan




South Sudan has 4106 reported case(s) (36th in the region) and 65 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 3.7 (41st) and 0.059 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.9 (5th). The weekly ratio of reported deaths over the last 2 weeks is 1 (16th).

Togo




Togo has 5224 reported case(s) (31st in the region) and 79 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 6.6 (33rd) and 0.1 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.86 (24th). The weekly ratio of reported deaths over the last 2 weeks is 1.5 (5th).

Uganda




Uganda has 39685 reported case(s) (9th in the region) and 327 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 9.3 (30th) and 0.077 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.54 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0.69 (23rd).

United Republic of Tanzania




United Republic of Tanzania has 509 reported case(s) (47th in the region) and 21 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 0.09 (47th) and 0.0037 (46th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zambia



Zambia has 57489 reported case(s) (7th in the region) and 804 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 33 (13th) and 0.46 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (18th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (10th).

Zimbabwe



Zimbabwe has 33964 reported case(s) (11th in the region) and 1269 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 24 (15th) and 0.88 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.57 (37th). The weekly ratio of reported deaths over the last 2 weeks is 0.6 (29th).

Appendix

Data

Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 04/02/2021).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 04/02/2021).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

Extended Data tables

Cumulative reported cases

Country	Cum. reported cases	95%CI lower	95%CI upper
South Africa	1463016	1461090	1464968
Ethiopia	139408	NA	NA
Nigeria	134690	134125	135288
Algeria	108116	107599	108630
Kenya	101159	100640	101663
Ghana	67782	67338	68225
Zambia	57489	NA	NA
Mozambique	41433	41103	41760
Uganda	39685	NA	NA
Namibia	34372	NA	NA
Zimbabwe	33964	33672	34269
Cameroon	30313	30015	30580
Cote d'Ivoire	28739	28454	29029
Senegal	27365	27077	27631
Malawi	25449	25177	25727
Democratic Republic of the Congo	23181	22921	23424
Botswana	22738	22490	22981
Angola	19937	19716	20168
Madagascar	19065	NA	NA
Mauritania	16662	NA	NA
Eswatini	15974	NA	NA
Rwanda	15834	15631	16035
Guinea	14568	NA	NA
Cabo Verde	14152	13960	14366
Gabon	11129	10958	11307
Burkina Faso	10958	10787	11141
Lesotho	8969	8817	9123
Mali	8119	7969	8269
Congo	8060	7918	8209
Equatorial Guinea	5534	NA	NA
Togo	5224	5104	5340
Central African Republic	4989	NA	NA
Niger	4565	NA	NA
Gambia	4184	NA	NA
Benin	4119	NA	NA
South Sudan	4106	3998	4217
Sierra Leone	3699	3602	3802
Chad	3419	NA	NA
Comoros	2892	NA	NA
Guinea-Bissau	2662	2581	2739
Eritrea	2309	2230	2389
Liberia	1945	NA	NA
Burundi	1686	NA	NA
Sao Tome and Principe	1275	NA	NA
Seychelles	1243	NA	NA
Mauritius	584	547	623
United Republic of Tanzania	509	474	546

Cumulative reported cases per 10,000 population

Country	Cum. reported cases per 10k pop	95%CI lower	95%CI upper
Cabo Verde	260.259	257	264
South Africa	253.206	253	254
Namibia	140.394	NA	NA
Seychelles	128.460	NA	NA
Eswatini	116.854	NA	NA
Botswana	100.873	100	102
Sao Tome and Principe	60.419	NA	NA
Gabon	52.513	52	53
Lesotho	42.545	42	43
Equatorial Guinea	42.277	NA	NA
Mauritania	37.840	NA	NA
Comoros	34.746	NA	NA
Zambia	33.131	NA	NA
Algeria	25.603	25	26
Zimbabwe	23.522	23	24
Ghana	22.771	23	23
Kenya	19.683	20	20
Gambia	18.350	NA	NA
Senegal	17.260	17	17
Congo	15.369	15	16
Guinea-Bissau	14.203	14	15
Mozambique	14.047	14	14
Malawi	14.027	14	14
Rwanda	12.871	13	13
Ethiopia	12.763	NA	NA
Cameroon	12.021	12	12
Guinea	11.735	NA	NA
Cote d'Ivoire	11.464	11	12
Central African Republic	10.691	NA	NA
Uganda	9.289	NA	NA
Madagascar	7.259	NA	NA
Nigeria	6.876	7	7
Togo	6.622	6	7
Angola	6.471	6	7
Burkina Faso	5.548	5	6
Sierra Leone	4.835	5	5
Mauritius	4.615	4	5
Mali	4.256	4	4
Liberia	4.036	NA	NA
Eritrea	3.817	4	4
South Sudan	3.741	4	4
Benin	3.586	NA	NA
Democratic Republic of the Congo	2.757	3	3
Chad	2.209	NA	NA
Niger	2.034	NA	NA
Burundi	1.509	NA	NA
United Republic of Tanzania	0.090	0	0

Cumulative deaths

Country	Cum. reported deaths	95%CI lower	95%CI upper
South Africa	45344	45011	45697
Algeria	2900	NA	NA
Ethiopia	2122	2045	2192
Kenya	1769	1699	1838
Nigeria	1618	1554	1682
Zimbabwe	1269	NA	NA
Zambia	804	757	851
Malawi	761	714	806
Democratic Republic of the Congo	674	633	718
Senegal	648	609	690
Eswatini	585	NA	NA
Cameroon	474	441	512
Angola	470	NA	NA
Ghana	424	392	458
Mauritania	422	388	455
Mozambique	415	382	448
Namibia	359	NA	NA
Mali	333	304	364
Uganda	327	298	359
Madagascar	281	253	309
Rwanda	208	185	232
Lesotho	178	NA	NA
Niger	163	143	185
Cote d'Ivoire	158	138	179
Botswana	148	130	168
Cabo Verde	134	116	153
Gambia	132	114	152
Burkina Faso	127	NA	NA
Congo	122	NA	NA
Chad	121	103	141
Comoros	104	87	122
Equatorial Guinea	86	71	100
Liberia	84	69	100
Guinea	83	NA	NA
Sierra Leone	79	64	93
Togo	79	64	94
Gabon	70	57	84
South Sudan	65	NA	NA
Central African Republic	63	50	76
Benin	54	43	66
Guinea-Bissau	45	34	55
United Republic of Tanzania	21	14	29
Sao Tome and Principe	17	NA	NA
Mauritius	10	5	15
Eritrea	7	NA	NA
Seychelles	5	2	9
Burundi	2	0	5

Cumulative deaths per 10,000 populations

Country	Cum. reported deaths per 10k pop	95%CI lower	95%CI upper
South Africa	7.848	8	8
Eswatini	4.279	NA	NA
Cabo Verde	2.464	2	3
Namibia	1.466	NA	NA
Comoros	1.250	1	1
Mauritania	0.958	1	1
Zimbabwe	0.879	NA	NA
Lesotho	0.844	NA	NA
Sao Tome and Principe	0.806	NA	NA
Algeria	0.687	NA	NA
Equatorial Guinea	0.657	1	1
Botswana	0.657	1	1
Gambia	0.579	0	1
Seychelles	0.517	0	1
Zambia	0.463	0	0
Malawi	0.419	0	0
Senegal	0.409	0	0
Kenya	0.344	0	0
Gabon	0.330	0	0
Guinea-Bissau	0.240	0	0
Congo	0.233	NA	NA
Ethiopia	0.194	0	0
Cameroon	0.188	0	0
Mali	0.175	0	0
Liberia	0.174	0	0
Rwanda	0.169	0	0
Angola	0.153	NA	NA
Ghana	0.142	0	0
Mozambique	0.141	0	0
Central African Republic	0.135	0	0
Madagascar	0.107	0	0
Sierra Leone	0.103	0	0
Togo	0.100	0	0
Nigeria	0.083	0	0
Democratic Republic of the Congo	0.080	0	0
Mauritius	0.079	0	0
Chad	0.078	0	0
Uganda	0.077	0	0
Niger	0.073	0	0
Guinea	0.067	NA	NA
Burkina Faso	0.064	NA	NA
Cote d'Ivoire	0.063	0	0
South Sudan	0.059	NA	NA
Benin	0.047	0	0
Eritrea	0.012	NA	NA
United Republic of Tanzania	0.004	0	0
Burundi	0.002	0	0

Weekly Ratio (cases)

Country	Weekly Ratio	95%CI lower	95%CI upper
Guinea-Bissau	3.471	2.370	5.083
Sierra Leone	2.503	2.110	2.968
Mauritania	2.404	2.024	2.857
Gambia	2.391	1.806	3.167
South Sudan	1.867	1.495	2.330
Congo	1.860	1.446	2.393
Benin	1.632	1.371	1.943
Ethiopia	1.449	1.383	1.518
Gabon	1.425	1.258	1.616
Mauritius	1.333	0.631	2.818
Ghana	1.280	1.228	1.335
Eritrea	1.280	1.050	1.560
Mozambique	1.177	1.135	1.220
Democratic Republic of the Congo	1.146	1.047	1.255
Central African Republic	1.143	0.414	3.152
Burkina Faso	1.116	1.005	1.239
Senegal	1.109	1.040	1.183
Zambia	1.077	1.045	1.111
Sao Tome and Principe	1.059	0.722	1.553
Botswana	1.026	0.965	1.090
Algeria	1.002	0.938	1.071
Kenya	0.951	0.865	1.046
Cabo Verde	0.863	0.759	0.982
Togo	0.861	0.747	0.993
Lesotho	0.747	0.683	0.817
Nigeria	0.744	0.723	0.765
Angola	0.733	0.639	0.840
Eswatini	0.731	0.672	0.796
Madagascar	0.729	0.631	0.841
Rwanda	0.723	0.679	0.770
Guinea	0.719	0.583	0.886
Niger	0.717	0.574	0.897
Comoros	0.716	0.629	0.814
Cote d'Ivoire	0.690	0.643	0.741
Mali	0.586	0.446	0.769
Chad	0.584	0.477	0.714
Zimbabwe	0.573	0.540	0.609
Namibia	0.558	0.519	0.600
Malawi	0.556	0.535	0.579
Uganda	0.541	0.477	0.614
South Africa	0.529	0.522	0.536
Burundi	0.451	0.357	0.570
Cameroon	0.433	0.396	0.473
Seychelles	0.395	0.318	0.491
Equatorial Guinea	0.331	0.233	0.469
Liberia	0.257	0.124	0.535
United Republic of Tanzania	NA	NA	NA

Weekly Ratio (deaths)

Country	Weekly Ratio	95%CI lower	95%CI upper
Ghana	2.474	1.452	4.215
Cameroon	1.714	0.675	4.354
Niger	1.667	0.606	4.586
Mauritania	1.500	0.613	3.670
Togo	1.500	0.251	8.977
Chad	1.333	0.298	5.958
Mozambique	1.215	0.875	1.688
Kenya	1.200	0.605	2.381
Nigeria	1.154	0.828	1.608
Zambia	1.126	0.864	1.468
Malawi	1.025	0.844	1.245
Algeria	1.000	0.561	1.782
Ethiopia	1.000	0.642	1.559
Gabon	1.000	0.141	7.099
Guinea	1.000	0.063	15.988
South Sudan	1.000	0.063	15.988
Namibia	0.871	0.520	1.459
Senegal	0.855	0.579	1.261
Comoros	0.852	0.488	1.486
Rwanda	0.833	0.490	1.417
Cote d'Ivoire	0.778	0.290	2.088
South Africa	0.756	0.720	0.794
Uganda	0.692	0.296	1.620
Botswana	0.667	0.398	1.117
Mali	0.667	0.237	1.873
Eswatini	0.663	0.482	0.912
Cabo Verde	0.625	0.204	1.911
Democratic Republic of the Congo	0.619	0.310	1.236
Zimbabwe	0.605	0.493	0.742
Burkina Faso	0.500	0.202	1.239
Angola	0.444	0.193	1.022
Madagascar	0.333	0.067	1.652
Lesotho	0.305	0.180	0.517
Eritrea	0.000	0.000	NA
Benin	NA	NA	NA
Burundi	NA	NA	NA
Central African Republic	NA	NA	NA
Congo	NA	NA	NA
Equatorial Guinea	NA	NA	NA
Gambia	NA	NA	NA
Guinea-Bissau	NA	NA	NA
Liberia	NA	NA	NA
Mauritius	NA	NA	NA
Sao Tome and Principe	NA	NA	NA
Seychelles	NA	NA	NA
Sierra Leone	NA	NA	NA
United Republic of Tanzania	NA	NA	NA