COVID-19 situation report for WHO Africa Region

04/03/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 04/03/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 04/03/2021


Overview



Total Reported Cases
2841247

Total Reported Deaths
72679





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 04/03/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 04/03/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 113593 reported case(s) (4th in the region) and 2996 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 27 (15th) and 0.71 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.93 (17th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (13th).

Angola




Angola has 20923 reported case(s) (18th in the region) and 510 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 6.8 (35th) and 0.17 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (10th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (7th).

Benin




Benin has 6071 reported case(s) (33rd in the region) and 75 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 5.3 (37th) and 0.065 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.89 (24th). The weekly ratio of reported deaths over the last 2 weeks is 1 (15th).

Botswana




Botswana has 30727 reported case(s) (16th in the region) and 332 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 140 (5th) and 1.5 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (4th). The weekly ratio of reported deaths over the last 2 weeks is 0.43 (30th).

Burkina Faso




Burkina Faso has 12071 reported case(s) (26th in the region) and 143 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 6.1 (36th) and 0.072 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.86 (27th). The weekly ratio of reported deaths over the last 2 weeks is 0.25 (33rd).

Burundi




Burundi has 2268 reported case(s) (43rd in the region) and 3 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 2 (46th) and 0.0027 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.91 (20th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 15558 reported case(s) (24th in the region) and 150 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 290 (2nd) and 2.8 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (8th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (9th).

Cameroon




Cameroon has 35714 reported case(s) (12th in the region) and 551 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (26th) and 0.22 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (3rd). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (10th).

Central African Republic




Central African Republic has 4997 reported case(s) (34th in the region) and 63 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (29th) and 0.14 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (43rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 4056 reported case(s) (37th in the region) and 140 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 2.6 (44th) and 0.09 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.84 (28th). The weekly ratio of reported deaths over the last 2 weeks is 1 (16th).

Comoros




Comoros has 3580 reported case(s) (39th in the region) and 144 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 43 (12th) and 1.7 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.33 (42nd). The weekly ratio of reported deaths over the last 2 weeks is 0 (35th).

Congo




Congo has 9179 reported case(s) (28th in the region) and 131 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 18 (23rd) and 0.25 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.9 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 0.6 (25th).

Cote d'Ivoire




Cote d'Ivoire has 33285 reported case(s) (14th in the region) and 194 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 13 (27th) and 0.077 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (9th). The weekly ratio of reported deaths over the last 2 weeks is 0.75 (22nd).

Democratic Republic of the Congo




Democratic Republic of the Congo has 26246 reported case(s) (17th in the region) and 711 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 3.1 (43rd) and 0.085 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2 (2nd). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (3rd).

Equatorial Guinea




Equatorial Guinea has 6210 reported case(s) (32nd in the region) and 93 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 47 (10th) and 0.71 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.9 (1st). The weekly ratio of reported deaths over the last 2 weeks is 0.67 (24th).

Eritrea




Eritrea has 2892 reported case(s) (41st in the region) and 7 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 4.8 (40th) and 0.012 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.46 (39th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eswatini




Eswatini has 17103 reported case(s) (22nd in the region) and 652 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 130 (6th) and 4.8 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.92 (19th). The weekly ratio of reported deaths over the last 2 weeks is 0.25 (34th).

Ethiopia




Ethiopia has 161974 reported case(s) (2nd in the region) and 2391 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 15 (25th) and 0.22 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (13th). The weekly ratio of reported deaths over the last 2 weeks is 0.92 (18th).

Gabon




Gabon has 15254 reported case(s) (25th in the region) and 88 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 72 (8th) and 0.42 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.91 (21st). The weekly ratio of reported deaths over the last 2 weeks is 1.6 (5th).

Gambia




Gambia has 4735 reported case(s) (36th in the region) and 151 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 21 (19th) and 0.66 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.56 (38th). The weekly ratio of reported deaths over the last 2 weeks is 0.44 (29th).

Ghana




Ghana has 84349 reported case(s) (6th in the region) and 611 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 28 (14th) and 0.21 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.89 (25th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (11th).

Guinea




Guinea has 16154 reported case(s) (23rd in the region) and 91 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 13 (28th) and 0.073 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (11th). The weekly ratio of reported deaths over the last 2 weeks is 2 (2nd).

Guinea-Bissau




Guinea-Bissau has 3282 reported case(s) (40th in the region) and 48 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 18 (22nd) and 0.26 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.65 (35th). The weekly ratio of reported deaths over the last 2 weeks is 0 (36th).

Kenya




Kenya has 106801 reported case(s) (5th in the region) and 1866 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 21 (18th) and 0.36 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (7th). The weekly ratio of reported deaths over the last 2 weeks is 0.71 (23rd).

Lesotho




Lesotho has 10521 reported case(s) (27th in the region) and 305 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 50 (9th) and 1.4 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.59 (36th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (12th).

Liberia




Liberia has 2017 reported case(s) (44th in the region) and 85 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 4.2 (42nd) and 0.18 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.88 (26th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Madagascar




Madagascar has 19831 reported case(s) (19th in the region) and 297 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 7.6 (34th) and 0.11 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (44th). The weekly ratio of reported deaths over the last 2 weeks is 0 (37th).

Malawi




Malawi has 32229 reported case(s) (15th in the region) and 1056 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 18 (21st) and 0.58 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.56 (37th). The weekly ratio of reported deaths over the last 2 weeks is 0.51 (28th).

Mali




Mali has 8446 reported case(s) (29th in the region) and 357 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 4.4 (41st) and 0.19 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (6th). The weekly ratio of reported deaths over the last 2 weeks is 1.5 (6th).

Mauritania




Mauritania has 17252 reported case(s) (21st in the region) and 442 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 39 (13th) and 1 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.8 (31st). The weekly ratio of reported deaths over the last 2 weeks is 0.43 (31st).

Mauritius




Mauritius has 619 reported case(s) (46th in the region) and 10 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 4.9 (39th) and 0.079 (38th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Mozambique




Mozambique has 60395 reported case(s) (8th in the region) and 668 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 20 (20th) and 0.23 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.81 (30th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (8th).

Namibia




Namibia has 39297 reported case(s) (10th in the region) and 434 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 160 (4th) and 1.8 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.9 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (14th).

Niger




Niger has 4740 reported case(s) (35th in the region) and 172 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 2.1 (45th) and 0.077 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (45th). The weekly ratio of reported deaths over the last 2 weeks is 0 (38th).

Nigeria




Nigeria has 156963 reported case(s) (3rd in the region) and 1939 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 8 (32nd) and 0.099 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.7 (34th). The weekly ratio of reported deaths over the last 2 weeks is 0.55 (27th).

Rwanda




Rwanda has 19198 reported case(s) (20th in the region) and 265 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 16 (24th) and 0.22 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (14th). The weekly ratio of reported deaths over the last 2 weeks is 1 (17th).

Sao Tome and Principe




Sao Tome and Principe has 1881 reported case(s) (45th in the region) and 30 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 89 (7th) and 1.4 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (5th). The weekly ratio of reported deaths over the last 2 weeks is 0.43 (32nd).

Senegal




Senegal has 35037 reported case(s) (13th in the region) and 896 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 22 (17th) and 0.57 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.94 (16th). The weekly ratio of reported deaths over the last 2 weeks is 0.79 (21st).

Seychelles




Seychelles has 2849 reported case(s) (42nd in the region) and 11 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 290 (1st) and 1.1 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.82 (29th). The weekly ratio of reported deaths over the last 2 weeks is 0 (39th).

Sierra Leone




Sierra Leone has 3900 reported case(s) (38th in the region) and 79 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 5.1 (38th) and 0.1 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.36 (41st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

South Africa




South Africa has 1516262 reported case(s) (1st in the region) and 50366 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 260 (3rd) and 8.7 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.8 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 0.81 (20th).

South Sudan




South Sudan has 8414 reported case(s) (30th in the region) and 100 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 7.7 (33rd) and 0.091 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (12th). The weekly ratio of reported deaths over the last 2 weeks is 1.6 (4th).

Togo




Togo has 7188 reported case(s) (31st in the region) and 85 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 9.1 (31st) and 0.11 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.96 (15th). The weekly ratio of reported deaths over the last 2 weeks is 3 (1st).

Uganda




Uganda has 40408 reported case(s) (9th in the region) and 334 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 9.5 (30th) and 0.078 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.92 (18th). The weekly ratio of reported deaths over the last 2 weeks is 0 (40th).

United Republic of Tanzania




United Republic of Tanzania has 509 reported case(s) (47th in the region) and 21 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 0.09 (47th) and 0.0037 (46th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zambia



Zambia has 80090 reported case(s) (7th in the region) and 1108 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 46 (11th) and 0.64 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.75 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 0.84 (19th).

Zimbabwe



Zimbabwe has 36179 reported case(s) (11th in the region) and 1478 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 25 (16th) and 1 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.41 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0.58 (26th).

Appendix

Data

Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 04/03/2021).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 04/03/2021).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

Extended Data tables

Cumulative reported cases

Country	Cum. reported cases	95%CI lower	95%CI upper
South Africa	1516262	1514212	1518294
Ethiopia	161974	NA	NA
Nigeria	156963	156346	157597
Algeria	113593	113047	114163
Kenya	106801	106267	107343
Ghana	84349	83848	84878
Zambia	80090	NA	NA
Mozambique	60395	60016	60786
Uganda	40408	NA	NA
Namibia	39297	NA	NA
Zimbabwe	36179	35860	36482
Cameroon	35714	35401	36007
Senegal	35037	34729	35331
Cote d'Ivoire	33285	32996	33590
Malawi	32229	31953	32512
Botswana	30727	30448	31024
Democratic Republic of the Congo	26246	25993	26511
Angola	20923	20670	21175
Madagascar	19831	NA	NA
Rwanda	19198	18973	19414
Mauritania	17252	NA	NA
Eswatini	17103	NA	NA
Guinea	16154	NA	NA
Cabo Verde	15558	15350	15756
Gabon	15254	15039	15452
Burkina Faso	12071	11902	12256
Lesotho	10521	10342	10687
Congo	9179	9025	9342
Mali	8446	8302	8597
South Sudan	8414	8274	8559
Togo	7188	7049	7321
Equatorial Guinea	6210	NA	NA
Benin	6071	NA	NA
Central African Republic	4997	NA	NA
Niger	4740	NA	NA
Gambia	4735	NA	NA
Chad	4056	NA	NA
Sierra Leone	3900	3801	3994
Comoros	3580	NA	NA
Guinea-Bissau	3282	3190	3375
Eritrea	2892	2804	2977
Seychelles	2849	NA	NA
Burundi	2268	NA	NA
Liberia	2017	NA	NA
Sao Tome and Principe	1881	NA	NA
Mauritius	619	579	661
United Republic of Tanzania	509	470	544

Cumulative reported cases per 10,000 population

Country	Cum. reported cases per 10k pop	95%CI lower	95%CI upper
Seychelles	294.434	NA	NA
Cabo Verde	286.115	282	290
South Africa	262.422	262	263
Namibia	160.510	NA	NA
Botswana	136.314	135	138
Eswatini	125.113	NA	NA
Sao Tome and Principe	89.135	NA	NA
Gabon	71.977	71	73
Lesotho	49.907	49	51
Equatorial Guinea	47.442	NA	NA
Zambia	46.157	NA	NA
Comoros	43.012	NA	NA
Mauritania	39.180	NA	NA
Ghana	28.336	28	29
Algeria	26.900	27	27
Zimbabwe	25.056	25	25
Senegal	22.099	22	22
Kenya	20.781	21	21
Gambia	20.767	NA	NA
Mozambique	20.476	20	21
Malawi	17.764	18	18
Guinea-Bissau	17.510	17	18
Congo	17.503	17	18
Rwanda	15.606	15	16
Ethiopia	14.829	NA	NA
Cameroon	14.163	14	14
Cote d'Ivoire	13.277	13	13
Guinea	13.012	NA	NA
Central African Republic	10.709	NA	NA
Uganda	9.458	NA	NA
Togo	9.111	9	9
Nigeria	8.013	8	8
South Sudan	7.666	8	8
Madagascar	7.551	NA	NA
Angola	6.791	7	7
Burkina Faso	6.111	6	6
Benin	5.286	NA	NA
Sierra Leone	5.098	5	5
Mauritius	4.892	5	5
Eritrea	4.780	5	5
Mali	4.427	4	5
Liberia	4.186	NA	NA
Democratic Republic of the Congo	3.122	3	3
Chad	2.621	NA	NA
Niger	2.112	NA	NA
Burundi	2.029	NA	NA
United Republic of Tanzania	0.090	0	0

Cumulative deaths

Country	Cum. reported deaths	95%CI lower	95%CI upper
South Africa	50366	50028	50723
Algeria	2996	NA	NA
Ethiopia	2391	2308	2474
Nigeria	1939	1868	2009
Kenya	1866	1796	1939
Zimbabwe	1478	NA	NA
Zambia	1108	1053	1162
Malawi	1056	999	1112
Senegal	896	848	945
Democratic Republic of the Congo	711	669	755
Mozambique	668	624	711
Eswatini	652	NA	NA
Ghana	611	570	649
Cameroon	551	513	589
Angola	510	NA	NA
Mauritania	442	408	478
Namibia	434	NA	NA
Mali	357	324	386
Uganda	334	304	363
Botswana	332	303	362
Lesotho	305	NA	NA
Madagascar	297	268	325
Rwanda	265	238	291
Cote d'Ivoire	194	170	217
Niger	172	153	194
Gambia	151	131	172
Cabo Verde	150	130	171
Comoros	144	124	164
Burkina Faso	143	NA	NA
Chad	140	121	159
Congo	131	NA	NA
South Sudan	100	NA	NA
Equatorial Guinea	93	78	109
Guinea	91	NA	NA
Gabon	88	73	104
Liberia	85	69	101
Togo	85	71	101
Sierra Leone	79	65	94
Benin	75	61	89
Central African Republic	63	50	76
Guinea-Bissau	48	37	60
Sao Tome and Principe	30	NA	NA
United Republic of Tanzania	21	14	29
Seychelles	11	6	17
Mauritius	10	5	15
Eritrea	7	NA	NA
Burundi	3	0	6

Cumulative deaths per 10,000 populations

Country	Cum. reported deaths per 10k pop	95%CI lower	95%CI upper
South Africa	8.717	9	9
Eswatini	4.770	NA	NA
Cabo Verde	2.759	2	3
Namibia	1.773	NA	NA
Comoros	1.730	1	2
Botswana	1.473	1	2
Lesotho	1.447	NA	NA
Sao Tome and Principe	1.422	NA	NA
Seychelles	1.137	1	2
Zimbabwe	1.024	NA	NA
Mauritania	1.004	1	1
Equatorial Guinea	0.710	1	1
Algeria	0.709	NA	NA
Gambia	0.662	1	1
Zambia	0.639	1	1
Malawi	0.582	1	1
Senegal	0.565	1	1
Gabon	0.415	0	0
Kenya	0.363	0	0
Guinea-Bissau	0.256	0	0
Congo	0.250	NA	NA
Mozambique	0.226	0	0
Ethiopia	0.219	0	0
Cameroon	0.219	0	0
Rwanda	0.215	0	0
Ghana	0.205	0	0
Mali	0.187	0	0
Liberia	0.176	0	0
Angola	0.166	NA	NA
Central African Republic	0.135	0	0
Madagascar	0.113	0	0
Togo	0.108	0	0
Sierra Leone	0.103	0	0
Nigeria	0.099	0	0
South Sudan	0.091	NA	NA
Chad	0.090	0	0
Democratic Republic of the Congo	0.085	0	0
Mauritius	0.079	0	0
Uganda	0.078	0	0
Cote d'Ivoire	0.077	0	0
Niger	0.077	0	0
Guinea	0.073	NA	NA
Burkina Faso	0.072	NA	NA
Benin	0.065	0	0
Eritrea	0.012	NA	NA
United Republic of Tanzania	0.004	0	0
Burundi	0.003	0	0

Weekly Ratio (cases)

Country	Weekly Ratio	95%CI lower	95%CI upper
Equatorial Guinea	2.934	2.389	3.604
Democratic Republic of the Congo	2.029	1.831	2.249
Cameroon	1.840	1.708	1.982
Botswana	1.575	1.487	1.668
Sao Tome and Principe	1.526	1.230	1.892
Mali	1.500	1.122	2.005
Kenya	1.396	1.305	1.493
Cabo Verde	1.268	1.094	1.471
Cote d'Ivoire	1.241	1.130	1.362
Angola	1.179	0.993	1.400
Guinea	1.167	1.034	1.316
South Sudan	1.119	1.034	1.211
Ethiopia	1.057	1.022	1.094
Rwanda	1.039	0.938	1.150
Togo	0.961	0.862	1.071
Senegal	0.942	0.879	1.009
Algeria	0.932	0.860	1.011
Uganda	0.925	0.739	1.157
Eswatini	0.920	0.761	1.111
Burundi	0.910	0.736	1.126
Gabon	0.905	0.832	0.985
Namibia	0.896	0.832	0.965
Congo	0.895	0.776	1.032
Benin	0.890	0.782	1.012
Ghana	0.888	0.846	0.932
Liberia	0.882	0.441	1.767
Burkina Faso	0.856	0.703	1.042
Chad	0.844	0.680	1.048
Seychelles	0.818	0.700	0.956
Mozambique	0.810	0.774	0.847
Mauritania	0.803	0.612	1.054
South Africa	0.801	0.779	0.823
Zambia	0.750	0.718	0.783
Nigeria	0.698	0.667	0.730
Guinea-Bissau	0.645	0.508	0.819
Lesotho	0.587	0.419	0.821
Malawi	0.562	0.519	0.609
Gambia	0.556	0.432	0.714
Eritrea	0.462	0.366	0.583
Zimbabwe	0.408	0.349	0.477
Sierra Leone	0.364	0.218	0.607
Comoros	0.325	0.229	0.463
Central African Republic	0.000	0.000	NA
Madagascar	0.000	0.000	NA
Niger	0.000	0.000	NA
Mauritius	NA	NA	NA
United Republic of Tanzania	NA	NA	NA

Weekly Ratio (deaths)

Country	Weekly Ratio	95%CI lower	95%CI upper
Togo	3.000	0.312	28.842
Guinea	2.000	0.366	10.920
Democratic Republic of the Congo	1.833	0.678	4.957
South Sudan	1.625	0.674	3.921
Gabon	1.600	0.523	4.891
Mali	1.500	0.534	4.214
Angola	1.286	0.479	3.452
Mozambique	1.277	0.871	1.870
Cabo Verde	1.250	0.336	4.655
Cameroon	1.217	0.701	2.113
Ghana	1.174	0.673	2.047
Lesotho	1.167	0.540	2.522
Algeria	1.130	0.645	1.981
Namibia	1.105	0.594	2.056
Benin	1.000	0.289	3.454
Chad	1.000	0.250	3.999
Rwanda	1.000	0.434	2.307
Ethiopia	0.925	0.674	1.269
Zambia	0.838	0.590	1.192
South Africa	0.807	0.737	0.883
Senegal	0.789	0.556	1.120
Cote d'Ivoire	0.750	0.260	2.162
Kenya	0.711	0.434	1.164
Equatorial Guinea	0.667	0.111	3.990
Congo	0.600	0.143	2.511
Zimbabwe	0.579	0.342	0.979
Nigeria	0.551	0.395	0.768
Malawi	0.509	0.320	0.810
Gambia	0.444	0.137	1.443
Botswana	0.432	0.286	0.655
Mauritania	0.429	0.111	1.657
Sao Tome and Principe	0.429	0.111	1.657
Burkina Faso	0.250	0.028	2.237
Eswatini	0.250	0.071	0.886
Comoros	0.000	0.000	NA
Guinea-Bissau	0.000	0.000	NA
Madagascar	0.000	0.000	NA
Niger	0.000	0.000	NA
Seychelles	0.000	0.000	NA
Uganda	0.000	0.000	NA
Burundi	NA	NA	NA
Central African Republic	NA	NA	NA
Eritrea	NA	NA	NA
Liberia	NA	NA	NA
Mauritius	NA	NA	NA
Sierra Leone	NA	NA	NA
United Republic of Tanzania	NA	NA	NA