COVID-19 situation report for WHO Africa Region

07/01/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 07/01/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 07/01/2021


Overview



Total Reported Cases
2032205

Total Reported Deaths
46018





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 07/01/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 07/01/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 101120 reported case(s) (3rd in the region) and 2786 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 24 (11th) and 0.66 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.65 (35th). The weekly ratio of reported deaths over the last 2 weeks is 0.64 (23rd).

Angola




Angola has 17864 reported case(s) (15th in the region) and 413 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 5.8 (31st) and 0.13 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 2.8 (5th).

Benin




Benin has 3304 reported case(s) (35th in the region) and 44 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 2.9 (41st) and 0.038 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (22nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Botswana




Botswana has 14805 reported case(s) (19th in the region) and 42 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 66 (5th) and 0.19 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (20th). The weekly ratio of reported deaths over the last 2 weeks is 1 (16th).

Burkina Faso




Burkina Faso has 7563 reported case(s) (25th in the region) and 89 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 3.8 (37th) and 0.045 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (21st). The weekly ratio of reported deaths over the last 2 weeks is 1.4 (10th).

Burundi




Burundi has 885 reported case(s) (43rd in the region) and 2 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 0.79 (46th) and 0.0018 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (13th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 12052 reported case(s) (21st in the region) and 113 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 220 (1st) and 2.1 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (9th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cameroon




Cameroon has 26848 reported case(s) (8th in the region) and 448 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (24th) and 0.18 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (17th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Central African Republic




Central African Republic has 4969 reported case(s) (30th in the region) and 63 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (23rd) and 0.14 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.4 (41st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 2328 reported case(s) (39th in the region) and 105 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 1.5 (44th) and 0.068 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (12th). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (24th).

Comoros




Comoros has 864 reported case(s) (44th in the region) and 13 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 10 (25th) and 0.16 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (26th). The weekly ratio of reported deaths over the last 2 weeks is 2 (8th).

Congo




Congo has 7160 reported case(s) (28th in the region) and 100 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (15th) and 0.19 (17th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Cote d'Ivoire




Cote d'Ivoire has 22855 reported case(s) (11th in the region) and 138 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 9.1 (26th) and 0.055 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.3 (8th). The weekly ratio of reported deaths over the last 2 weeks is 0.25 (27th).

Democratic Republic of the Congo




Democratic Republic of the Congo has 18152 reported case(s) (14th in the region) and 601 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 2.2 (43rd) and 0.071 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.71 (31st). The weekly ratio of reported deaths over the last 2 weeks is 0.94 (20th).

Equatorial Guinea




Equatorial Guinea has 5286 reported case(s) (29th in the region) and 86 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 40 (8th) and 0.66 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.67 (34th). The weekly ratio of reported deaths over the last 2 weeks is 0 (28th).

Eritrea




Eritrea has 1445 reported case(s) (41st in the region) and 3 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 2.4 (42nd) and 0.005 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.51 (39th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eswatini




Eswatini has 10539 reported case(s) (22nd in the region) and 261 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 77 (4th) and 1.9 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (25th). The weekly ratio of reported deaths over the last 2 weeks is 2.4 (6th).

Ethiopia




Ethiopia has 126786 reported case(s) (2nd in the region) and 1965 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 12 (21st) and 0.18 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.91 (27th). The weekly ratio of reported deaths over the last 2 weeks is 0.87 (22nd).

Gabon




Gabon has 9641 reported case(s) (23rd in the region) and 66 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 45 (7th) and 0.31 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.69 (33rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Gambia




Gambia has 3833 reported case(s) (31st in the region) and 125 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 17 (14th) and 0.55 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 6 (2nd). The weekly ratio of reported deaths over the last 2 weeks is 1 (17th).

Ghana




Ghana has 55168 reported case(s) (6th in the region) and 335 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (13th) and 0.11 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.55 (38th). The weekly ratio of reported deaths over the last 2 weeks is 0 (29th).

Guinea




Guinea has 13845 reported case(s) (20th in the region) and 81 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 11 (22nd) and 0.065 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (11th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Guinea-Bissau




Guinea-Bissau has 2447 reported case(s) (38th in the region) and 45 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 13 (17th) and 0.24 (15th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Kenya




Kenya has 97398 reported case(s) (4th in the region) and 1694 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (12th) and 0.33 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.77 (30th). The weekly ratio of reported deaths over the last 2 weeks is 1.4 (11th).

Lesotho




Lesotho has 2577 reported case(s) (37th in the region) and 50 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (20th) and 0.24 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (43rd). The weekly ratio of reported deaths over the last 2 weeks is 0 (30th).

Liberia




Liberia has 1800 reported case(s) (40th in the region) and 83 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 3.7 (38th) and 0.17 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (44th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Madagascar




Madagascar has 17767 reported case(s) (17th in the region) and 262 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 6.8 (29th) and 0.1 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.65 (36th). The weekly ratio of reported deaths over the last 2 weeks is 1 (18th).

Malawi




Malawi has 7337 reported case(s) (27th in the region) and 199 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 4 (35th) and 0.11 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 4.1 (4th). The weekly ratio of reported deaths over the last 2 weeks is 5 (2nd).

Mali




Mali has 7395 reported case(s) (26th in the region) and 285 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 3.9 (36th) and 0.15 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.5 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0.36 (26th).

Mauritania




Mauritania has 15111 reported case(s) (18th in the region) and 373 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 34 (10th) and 0.85 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.55 (37th). The weekly ratio of reported deaths over the last 2 weeks is 0.49 (25th).

Mauritius




Mauritius has 531 reported case(s) (45th in the region) and 10 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 4.2 (34th) and 0.079 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (18th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mozambique




Mozambique has 19667 reported case(s) (13th in the region) and 172 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 6.7 (30th) and 0.058 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.1 (6th). The weekly ratio of reported deaths over the last 2 weeks is 0.9 (21st).

Namibia




Namibia has 26310 reported case(s) (9th in the region) and 235 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 110 (3rd) and 0.96 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.89 (29th). The weekly ratio of reported deaths over the last 2 weeks is 3 (4th).

Niger




Niger has 3322 reported case(s) (34th in the region) and 104 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 1.5 (45th) and 0.046 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.69 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (14th).

Nigeria




Nigeria has 94369 reported case(s) (5th in the region) and 1324 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 4.8 (33rd) and 0.068 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (15th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (15th).

Rwanda




Rwanda has 9058 reported case(s) (24th in the region) and 112 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 7.4 (28th) and 0.091 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (24th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (12th).

Sao Tome and Principe




Sao Tome and Principe has 1024 reported case(s) (42nd in the region) and 17 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 49 (6th) and 0.81 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 5 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Senegal




Senegal has 20156 reported case(s) (12th in the region) and 433 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 13 (18th) and 0.27 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (16th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (13th).

Seychelles




Seychelles has 373 reported case(s) (47th in the region) and 1 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 39 (9th) and 0.1 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 9.8 (1st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Sierra Leone




Sierra Leone has 2739 reported case(s) (36th in the region) and 76 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 3.6 (39th) and 0.099 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.8 (7th). The weekly ratio of reported deaths over the last 2 weeks is 0 (31st).

South Africa




South Africa has 1149591 reported case(s) (1st in the region) and 31368 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 200 (2nd) and 5.4 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (19th). The weekly ratio of reported deaths over the last 2 weeks is 1.4 (9th).

South Sudan




South Sudan has 3604 reported case(s) (33rd in the region) and 63 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 3.3 (40th) and 0.057 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.24 (42nd). The weekly ratio of reported deaths over the last 2 weeks is 0 (32nd).

Togo




Togo has 3807 reported case(s) (32nd in the region) and 70 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 4.8 (32nd) and 0.089 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (14th). The weekly ratio of reported deaths over the last 2 weeks is 1 (19th).

Uganda




Uganda has 36702 reported case(s) (7th in the region) and 294 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 8.6 (27th) and 0.069 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.89 (28th). The weekly ratio of reported deaths over the last 2 weeks is 11 (1st).

United Republic of Tanzania




United Republic of Tanzania has 509 reported case(s) (46th in the region) and 21 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 0.09 (47th) and 0.0037 (46th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zambia



Zambia has 23495 reported case(s) (10th in the region) and 417 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (16th) and 0.24 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.9 (10th). The weekly ratio of reported deaths over the last 2 weeks is 4.4 (3rd).

Zimbabwe



Zimbabwe has 17804 reported case(s) (16th in the region) and 431 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (19th) and 0.3 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.9 (5th). The weekly ratio of reported deaths over the last 2 weeks is 2.1 (7th).

Appendix

Data

Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 07/01/2021).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 07/01/2021).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

Extended Data tables

Cumulative reported cases

Country	Cum. reported cases	95%CI lower	95%CI upper
South Africa	1149591	1147809	1151457
Ethiopia	126786	NA	NA
Algeria	101120	100578	101648
Kenya	97398	96870	97921
Nigeria	94369	93900	94874
Ghana	55168	54778	55537
Uganda	36702	NA	NA
Cameroon	26848	26565	27123
Namibia	26310	NA	NA
Zambia	23495	NA	NA
Cote d'Ivoire	22855	22603	23102
Senegal	20156	19930	20375
Mozambique	19667	19426	19898
Democratic Republic of the Congo	18152	17936	18361
Angola	17864	17639	18061
Zimbabwe	17804	17587	18021
Madagascar	17767	NA	NA
Mauritania	15111	NA	NA
Botswana	14805	14604	14997
Guinea	13845	NA	NA
Cabo Verde	12052	11872	12236
Eswatini	10539	NA	NA
Gabon	9641	9489	9788
Rwanda	9058	8907	9210
Burkina Faso	7563	7413	7708
Mali	7395	7259	7530
Malawi	7337	7197	7481
Congo	7160	7021	7297
Equatorial Guinea	5286	NA	NA
Central African Republic	4969	NA	NA
Gambia	3833	NA	NA
Togo	3807	3709	3915
South Sudan	3604	3501	3700
Niger	3322	NA	NA
Benin	3304	NA	NA
Sierra Leone	2739	2649	2827
Lesotho	2577	2495	2662
Guinea-Bissau	2447	2367	2525
Chad	2328	NA	NA
Liberia	1800	NA	NA
Eritrea	1445	1379	1503
Sao Tome and Principe	1024	NA	NA
Burundi	885	NA	NA
Comoros	864	NA	NA
Mauritius	531	494	574
United Republic of Tanzania	509	473	547
Seychelles	373	NA	NA

Cumulative reported cases per 10,000 population

Country	Cum. reported cases per 10k pop	95%CI lower	95%CI upper
Cabo Verde	221.639	218	225
South Africa	198.961	199	199
Namibia	107.464	NA	NA
Eswatini	77.096	NA	NA
Botswana	65.680	65	67
Sao Tome and Principe	48.524	NA	NA
Gabon	45.492	45	46
Equatorial Guinea	40.383	NA	NA
Seychelles	38.548	NA	NA
Mauritania	34.317	NA	NA
Algeria	23.946	24	24
Kenya	18.952	19	19
Ghana	18.533	18	19
Gambia	16.811	NA	NA
Congo	13.653	13	14
Zambia	13.540	NA	NA
Guinea-Bissau	13.055	13	13
Senegal	12.713	13	13
Zimbabwe	12.330	12	12
Lesotho	12.224	12	13
Ethiopia	11.608	NA	NA
Guinea	11.152	NA	NA
Central African Republic	10.649	NA	NA
Cameroon	10.647	11	11
Comoros	10.381	NA	NA
Cote d'Ivoire	9.117	9	9
Uganda	8.591	NA	NA
Rwanda	7.363	7	7
Madagascar	6.765	NA	NA
Mozambique	6.668	7	7
Angola	5.798	6	6
Togo	4.826	5	5
Nigeria	4.818	5	5
Mauritius	4.197	4	5
Malawi	4.044	4	4
Mali	3.876	4	4
Burkina Faso	3.829	4	4
Liberia	3.735	NA	NA
Sierra Leone	3.580	3	4
South Sudan	3.284	3	3
Benin	2.877	NA	NA
Eritrea	2.388	2	2
Democratic Republic of the Congo	2.159	2	2
Chad	1.504	NA	NA
Niger	1.480	NA	NA
Burundi	0.792	NA	NA
United Republic of Tanzania	0.090	0	0

Cumulative deaths

Country	Cum. reported deaths	95%CI lower	95%CI upper
South Africa	31368	31073	31622
Algeria	2786	NA	NA
Ethiopia	1965	1893	2045
Kenya	1694	1627	1759
Nigeria	1324	1264	1384
Democratic Republic of the Congo	601	558	643
Cameroon	448	415	484
Senegal	433	400	467
Zimbabwe	431	NA	NA
Zambia	417	385	452
Angola	413	NA	NA
Mauritania	373	344	407
Ghana	335	304	365
Uganda	294	265	322
Mali	285	258	312
Madagascar	262	235	290
Eswatini	261	NA	NA
Namibia	235	NA	NA
Malawi	199	175	223
Mozambique	172	149	194
Cote d'Ivoire	138	119	157
Gambia	125	107	144
Cabo Verde	113	96	130
Rwanda	112	95	129
Chad	105	90	122
Niger	104	88	122
Congo	100	NA	NA
Burkina Faso	89	NA	NA
Equatorial Guinea	86	71	102
Liberia	83	68	98
Guinea	81	NA	NA
Sierra Leone	76	62	91
Togo	70	56	84
Gabon	66	52	80
Central African Republic	63	50	77
South Sudan	63	NA	NA
Lesotho	50	38	62
Guinea-Bissau	45	34	57
Benin	44	33	56
Botswana	42	32	53
United Republic of Tanzania	21	14	29
Sao Tome and Principe	17	NA	NA
Comoros	13	7	19
Mauritius	10	5	15
Eritrea	3	NA	NA
Burundi	2	0	5
Seychelles	1	0	3

Cumulative deaths per 10,000 populations

Country	Cum. reported deaths per 10k pop	95%CI lower	95%CI upper
South Africa	5.429	5	5
Cabo Verde	2.078	2	2
Eswatini	1.909	NA	NA
Namibia	0.960	NA	NA
Mauritania	0.847	1	1
Sao Tome and Principe	0.806	NA	NA
Algeria	0.660	NA	NA
Equatorial Guinea	0.657	1	1
Gambia	0.548	0	1
Kenya	0.330	0	0
Gabon	0.311	0	0
Zimbabwe	0.298	NA	NA
Senegal	0.273	0	0
Zambia	0.240	0	0
Guinea-Bissau	0.240	0	0
Lesotho	0.237	0	0
Congo	0.191	NA	NA
Botswana	0.186	0	0
Ethiopia	0.180	0	0
Cameroon	0.178	0	0
Liberia	0.172	0	0
Comoros	0.156	0	0
Mali	0.149	0	0
Central African Republic	0.135	0	0
Angola	0.134	NA	NA
Ghana	0.113	0	0
Malawi	0.110	0	0
Seychelles	0.103	0	0
Madagascar	0.100	0	0
Sierra Leone	0.099	0	0
Rwanda	0.091	0	0
Togo	0.089	0	0
Mauritius	0.079	0	0
Democratic Republic of the Congo	0.071	0	0
Uganda	0.069	0	0
Chad	0.068	0	0
Nigeria	0.068	0	0
Guinea	0.065	NA	NA
Mozambique	0.058	0	0
South Sudan	0.057	NA	NA
Cote d'Ivoire	0.055	0	0
Niger	0.046	0	0
Burkina Faso	0.045	NA	NA
Benin	0.038	0	0
Eritrea	0.005	NA	NA
United Republic of Tanzania	0.004	0	0
Burundi	0.002	0	0

Weekly Ratio (cases)

Country	Weekly Ratio	95%CI lower	95%CI upper
Seychelles	9.800	5.761	16.671
Gambia	6.000	2.528	14.240
Sao Tome and Principe	5.000	1.096	22.820
Malawi	4.124	3.547	4.795
Zimbabwe	3.866	3.616	4.133
Mozambique	3.103	2.779	3.465
Sierra Leone	2.841	2.132	3.786
Cote d'Ivoire	2.274	1.969	2.627
Cabo Verde	2.072	1.674	2.565
Zambia	1.918	1.805	2.039
Guinea	1.792	1.356	2.368
Chad	1.559	1.279	1.900
Burundi	1.489	1.020	2.172
Togo	1.482	1.193	1.840
Nigeria	1.378	1.332	1.426
Senegal	1.343	1.232	1.463
Cameroon	1.334	1.177	1.512
Mauritius	1.333	0.298	5.958
South Africa	1.301	1.289	1.312
Botswana	1.161	1.047	1.287
Burkina Faso	1.155	1.056	1.264
Benin	1.152	0.776	1.710
Angola	1.120	0.985	1.274
Rwanda	1.093	0.990	1.208
Eswatini	1.090	1.010	1.176
Comoros	1.000	0.757	1.321
Ethiopia	0.911	0.866	0.957
Uganda	0.889	0.837	0.944
Namibia	0.889	0.846	0.934
Kenya	0.773	0.716	0.835
Democratic Republic of the Congo	0.708	0.653	0.769
Niger	0.691	0.580	0.823
Gabon	0.686	0.506	0.930
Equatorial Guinea	0.667	0.389	1.143
Algeria	0.655	0.617	0.695
Madagascar	0.654	0.463	0.925
Mauritania	0.550	0.516	0.586
Ghana	0.545	0.483	0.616
Eritrea	0.515	0.433	0.612
Mali	0.496	0.438	0.562
Central African Republic	0.400	0.155	1.031
South Sudan	0.242	0.184	0.319
Lesotho	0.000	0.000	NA
Liberia	0.000	0.000	NA
Congo	NA	NA	NA
Guinea-Bissau	NA	NA	NA
United Republic of Tanzania	NA	NA	NA

Weekly Ratio (deaths)

Country	Weekly Ratio	95%CI lower	95%CI upper
Uganda	11.250	4.046	31.281
Malawi	5.000	1.096	22.820
Zambia	4.429	1.950	10.057
Namibia	3.000	1.601	5.620
Angola	2.800	1.009	7.774
Eswatini	2.375	1.571	3.590
Zimbabwe	2.088	1.388	3.143
Comoros	2.000	0.366	10.920
South Africa	1.404	1.332	1.479
Burkina Faso	1.400	0.444	4.411
Kenya	1.350	0.757	2.407
Rwanda	1.300	0.726	2.329
Senegal	1.292	0.758	2.201
Niger	1.143	0.414	3.152
Nigeria	1.095	0.721	1.664
Botswana	1.000	0.141	7.099
Gambia	1.000	0.063	15.988
Madagascar	1.000	0.063	15.988
Togo	1.000	0.141	7.099
Democratic Republic of the Congo	0.944	0.487	1.833
Mozambique	0.900	0.366	2.215
Ethiopia	0.870	0.589	1.287
Algeria	0.636	0.417	0.972
Chad	0.500	0.045	5.514
Mauritania	0.495	0.351	0.697
Mali	0.364	0.205	0.644
Cote d'Ivoire	0.250	0.028	2.237
Equatorial Guinea	0.000	0.000	NA
Ghana	0.000	0.000	NA
Lesotho	0.000	0.000	NA
Sierra Leone	0.000	0.000	NA
South Sudan	0.000	0.000	NA
Benin	NA	NA	NA
Burundi	NA	NA	NA
Cabo Verde	NA	NA	NA
Cameroon	NA	NA	NA
Central African Republic	NA	NA	NA
Congo	NA	NA	NA
Eritrea	NA	NA	NA
Gabon	NA	NA	NA
Guinea	NA	NA	NA
Guinea-Bissau	NA	NA	NA
Liberia	NA	NA	NA
Mauritius	NA	NA	NA
Sao Tome and Principe	NA	NA	NA
Seychelles	NA	NA	NA
United Republic of Tanzania	NA	NA	NA