CEMA
Center for Epidemiological Modelling and Analysis

University of Nairobi

tiba

# COVID-19 situation report for WHO Africa Region

09/06/2022

Produced by the Centre for Epidemiological Modelling and Analysis, University of Nairobi



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

# Contents

(Click to access)

**Section 1: Overview of WHO Africa Region 09/06/2022** **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

**Section 2: Individual country situations** **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

**Appendix** **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

**Extended Data tables** **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


# Section 1: Overview of WHO Africa Region 09/06/2022


## Overview



**Total Reported Cases**
**8,578,053**

**Total Reported Deaths**
**171,967**



## Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


# Summary maps




## Section 2: Individual country situations


As of 09/06/2022, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 09/06/2022. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

# Algeria





Algeria has 265909 reported case(s) (6th in the region) and 6875 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 63 (19th) and 1.6 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.88 (13th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Angola





Angola has 99761 reported case(s) (16th in the region) and 1900 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 32 (32nd) and 0.62 (28th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Benin





Benin has 26914 reported case(s) (33rd in the region) and 163 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 23 (36th) and 0.14 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (27th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Botswana





Botswana has 310419 reported case(s) (5th in the region) and 2701 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 1400 (3rd) and 12 (4th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Burkina Faso





Burkina Faso has 20899 reported case(s) (35th in the region) and 384 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (43rd) and 0.19 (37th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Burundi





Burundi has 42248 reported case(s) (27th in the region) and 15 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 38 (30th) and 0.013 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.84 (14th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Cabo Verde





Cabo Verde has 56590 reported case(s) (24th in the region) and 402 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 1000 (4th) and 7.4 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.89 (12th). The weekly ratio of reported deaths over the last 2 weeks is 0 (8th).

# Cameroon





Cameroon has 119947 reported case(s) (15th in the region) and 1930 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 48 (23rd) and 0.77 (24th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Central African Republic





Central African Republic has 14371 reported case(s) (38th in the region) and 113 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 31 (33rd) and 0.24 (36th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Chad





Chad has 7418 reported case(s) (46th in the region) and 193 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 4.8 (46th) and 0.12 (46th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Comoros





Comoros has 8126 reported case(s) (43rd in the region) and 160 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 98 (16th) and 1.9 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (28th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Congo





Congo has 24128 reported case(s) (34th in the region) and 385 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 46 (26th) and 0.73 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (29th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Cote d'Ivoire





Cote d'Ivoire has 82347 reported case(s) (20th in the region) and 799 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 33 (31st) and 0.32 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (9th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Democratic Republic of the Congo





Democratic Republic of the Congo has 89189 reported case(s) (17th in the region) and 1338 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (42nd) and 0.16 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (30th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Equatorial Guinea





Equatorial Guinea has 15924 reported case(s) (37th in the region) and 183 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 120 (14th) and 1.4 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.077 (26th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Eritrea





Eritrea has 9768 reported case(s) (40th in the region) and 103 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 16 (38th) and 0.17 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.33 (20th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Eswatini





Eswatini has 72781 reported case(s) (21st in the region) and 1410 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 530 (7th) and 10 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.77 (15th). The weekly ratio of reported deaths over the last 2 weeks is 0.33 (6th).

# Ethiopia





Ethiopia has 476398 reported case(s) (2nd in the region) and 7516 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 44 (28th) and 0.69 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (4th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Gabon





Gabon has 47677 reported case(s) (25th in the region) and 304 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 220 (9th) and 1.4 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (31st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Gambia





Gambia has 12002 reported case(s) (39th in the region) and 365 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 53 (22nd) and 1.6 (15th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Ghana





Ghana has 161841 reported case(s) (13th in the region) and 1445 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 54 (20th) and 0.49 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.2 (1st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Guinea





Guinea has 36817 reported case(s) (29th in the region) and 442 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 30 (34th) and 0.36 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (32nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Guinea-Bissau





Guinea-Bissau has 8290 reported case(s) (42nd in the region) and 171 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 44 (27th) and 0.91 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.3 (21st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Kenya





Kenya has 325554 reported case(s) (3rd in the region) and 5651 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 63 (18th) and 1.1 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.73 (16th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Lesotho





Lesotho has 33746 reported case(s) (31st in the region) and 699 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 160 (12th) and 3.3 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (8th). The weekly ratio of reported deaths over the last 2 weeks is 0 (9th).

# Liberia





Liberia has 7456 reported case(s) (45th in the region) and 294 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (40th) and 0.61 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (33rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Madagascar





Madagascar has 64478 reported case(s) (22nd in the region) and 1396 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 25 (35th) and 0.53 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (7th). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (4th).

# Malawi





Malawi has 86001 reported case(s) (19th in the region) and 2642 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 47 (24th) and 1.5 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.21 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (5th).

# Mali





Mali has 31118 reported case(s) (32nd in the region) and 735 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 16 (37th) and 0.39 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.48 (19th). The weekly ratio of reported deaths over the last 2 weeks is 0 (10th).

# Mauritania





Mauritania has 59220 reported case(s) (23rd in the region) and 982 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 130 (13th) and 2.2 (12th) respectively. The weekly ratio of reported cases cannot be calculated as some cases have been redacted in last 14 days. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Mauritius





Mauritius has 226851 reported case(s) (9th in the region) and 996 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 1800 (2nd) and 7.9 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (34th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Mozambique





Mozambique has 226148 reported case(s) (10th in the region) and 2206 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 77 (17th) and 0.75 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.4 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Namibia





Namibia has 164298 reported case(s) (12th in the region) and 4039 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 670 (6th) and 16 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.21 (24th). The weekly ratio of reported deaths over the last 2 weeks is 0.33 (7th).

# Niger





Niger has 9031 reported case(s) (41st in the region) and 310 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 4 (47th) and 0.14 (44th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Nigeria





Nigeria has 256227 reported case(s) (7th in the region) and 3148 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 13 (41st) and 0.16 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (10th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Rwanda





Rwanda has 130278 reported case(s) (14th in the region) and 1459 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 110 (15th) and 1.2 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.2 (2nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Sao Tome and Principe





Sao Tome and Principe has 5982 reported case(s) (47th in the region) and 73 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 280 (8th) and 3.5 (9th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Senegal





Senegal has 86142 reported case(s) (18th in the region) and 1967 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 54 (21st) and 1.2 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (11th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Seychelles





Seychelles has 44199 reported case(s) (26th in the region) and 167 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 4600 (1st) and 17 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.25 (22nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Sierra Leone





Sierra Leone has 7682 reported case(s) (44th in the region) and 125 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 10 (44th) and 0.16 (39th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# South Africa





South Africa has 3973086 reported case(s) (1st in the region) and 101424 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 690 (5th) and 18 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.65 (17th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (1st).

# South Sudan





South Sudan has 17630 reported case(s) (36th in the region) and 138 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 16 (39th) and 0.13 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.14 (25th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Togo





Togo has 37154 reported case(s) (28th in the region) and 273 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 47 (25th) and 0.35 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (6th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Uganda





Uganda has 164679 reported case(s) (11th in the region) and 3602 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 39 (29th) and 0.84 (23rd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# United Republic of Tanzania





United Republic of Tanzania has 34988 reported case(s) (30th in the region) and 840 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 6.2 (45th) and 0.15 (42nd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Zambia




Zambia has 322562 reported case(s) (4th in the region) and 3989 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 190 (10th) and 2.3 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (5th). The weekly ratio of reported deaths over the last 2 weeks is 1 (2nd).

# Zimbabwe




Zimbabwe has 253779 reported case(s) (8th in the region) and 5515 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 180 (11th) and 3.8 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.6 (18th). The weekly ratio of reported deaths over the last 2 weeks is 0.73 (3rd).

# Appendix

## Data

### Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 09/06/2022).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 09/06/2022).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

### Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

### Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

# Extended Data tables

**Cumulative reported cases**

| Country | Cum. reported cases | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 3973086 | 3970063 | 3976325 |
| Ethiopia | 476398 | 475272 | 477503 |
| Kenya | 325554 | 324581 | 326446 |
| Zambia | 322562 | 321638 | 323477 |
| Botswana | 310419 | 309529 | 311292 |
| Algeria | 265909 | 265042 | 266739 |
| Nigeria | 256227 | 255407 | 257027 |
| Zimbabwe | 253779 | 252960 | 254656 |
| Mauritius | 226851 | 226083 | 227603 |
| Mozambique | 226148 | 225428 | 226951 |
| Uganda | 164679 | NA | NA |
| Namibia | 164298 | 163651 | 164970 |
| Ghana | 161841 | 161202 | 162476 |
| Rwanda | 130278 | 129708 | 130855 |
| Cameroon | 119947 | 119381 | 120513 |
| Angola | 99761 | 99231 | 100251 |
| Democratic Republic of the Congo | 89189 | 88680 | 89665 |
| Senegal | 86142 | 85676 | 86626 |
| Malawi | 86001 | 85488 | 86474 |
| Cote d'Ivoire | 82347 | 81896 | 82841 |
| Eswatini | 72781 | 72331 | 73189 |
| Madagascar | 64478 | 64078 | 64907 |
| Mauritania | 59220 | NA | NA |
| Cabo Verde | 56590 | 56221 | 57013 |
| Gabon | 47677 | 47324 | 48039 |
| Seychelles | 44199 | 43864 | 44535 |
| Burundi | 42248 | 41919 | 42584 |
| Togo | 37154 | 36826 | 37480 |
| Guinea | 36817 | 36513 | 37148 |
| United Republic of Tanzania | 34988 | 34657 | 35295 |
| Lesotho | 33746 | 33469 | 34040 |
| Mali | 31118 | 30818 | 31399 |
| Benin | 26914 | 26651 | 27181 |
| Congo | 24128 | 23875 | 24370 |
| Burkina Faso | 20899 | 20660 | 21133 |
| South Sudan | 17630 | 17415 | 17845 |
| Equatorial Guinea | 15924 | 15708 | 16127 |
| Central African Republic | 14371 | 14180 | 14555 |
| Gambia | 12002 | 11828 | 12170 |
| Eritrea | 9768 | 9605 | 9933 |
| Niger | 9031 | 8873 | 9185 |
| Guinea-Bissau | 8290 | 8144 | 8451 |
| Comoros | 8126 | 7980 | 8271 |
| Sierra Leone | 7682 | 7531 | 7834 |
| Liberia | 7456 | 7315 | 7599 |
| Chad | 7418 | 7276 | 7562 |
| Sao Tome and Principe | 5982 | 5867 | 6101 |

**Cumulative reported cases per 10,000 population**

| Country | Cum. reported cases per 10k pop | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Seychelles | 4567.806 | 4533 | 4603 |
| Mauritius | 1792.859 | 1787 | 1799 |
| Botswana | 1377.115 | 1373 | 1381 |
| Cabo Verde | 1040.703 | 1034 | 1048 |
| South Africa | 687.628 | 687 | 688 |
| Namibia | 671.082 | 668 | 674 |
| Eswatini | 532.414 | 529 | 535 |
| Sao Tome and Principe | 283.469 | 278 | 289 |
| Gabon | 224.968 | 223 | 227 |
| Zambia | 185.895 | 185 | 186 |
| Zimbabwe | 175.759 | 175 | 176 |
| Lesotho | 160.075 | 159 | 161 |
| Mauritania | 134.489 | NA | NA |
| Equatorial Guinea | 121.653 | 120 | 123 |
| Rwanda | 105.900 | 105 | 106 |
| Comoros | 97.630 | 96 | 99 |
| Mozambique | 76.671 | 76 | 77 |
| Kenya | 63.346 | 63 | 64 |
| Algeria | 62.969 | 63 | 63 |
| Ghana | 54.369 | 54 | 55 |
| Senegal | 54.333 | 54 | 55 |
| Gambia | 52.638 | 52 | 53 |
| Cameroon | 47.567 | 47 | 48 |
| Malawi | 47.401 | 47 | 48 |
| Togo | 47.095 | 47 | 48 |
| Congo | 46.007 | 46 | 46 |
| Guinea-Bissau | 44.230 | 43 | 45 |
| Ethiopia | 43.616 | 44 | 44 |
| Uganda | 38.546 | NA | NA |
| Burundi | 37.805 | 38 | 38 |
| Cote d'Ivoire | 32.848 | 33 | 33 |
| Angola | 32.380 | 32 | 33 |
| Central African Republic | 30.797 | 30 | 31 |
| Guinea | 29.657 | 29 | 30 |
| Madagascar | 24.551 | 24 | 25 |
| Benin | 23.434 | 23 | 24 |
| Mali | 16.311 | 16 | 16 |
| Eritrea | 16.145 | 16 | 16 |
| South Sudan | 16.062 | 16 | 16 |
| Liberia | 15.472 | 15 | 16 |
| Nigeria | 13.081 | 13 | 13 |
| Democratic Republic of the Congo | 10.609 | 11 | 11 |
| Burkina Faso | 10.581 | 10 | 11 |
| Sierra Leone | 10.042 | 10 | 10 |
| United Republic of Tanzania | 6.213 | 6 | 6 |
| Chad | 4.793 | 5 | 5 |
| Niger | 4.024 | 4 | 4 |

**Cumulative deaths**

| Country | Cum. reported deaths | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 101424 | 100916 | 101924 |
| Ethiopia | 7516 | 7381 | 7664 |
| Algeria | 6875 | 6732 | 7018 |
| Kenya | 5651 | 5530 | 5775 |
| Zimbabwe | 5515 | 5386 | 5636 |
| Namibia | 4039 | 3938 | 4148 |
| Zambia | 3989 | 3892 | 4091 |
| Uganda | 3602 | 3502 | 3698 |
| Nigeria | 3148 | 3057 | 3244 |
| Botswana | 2701 | NA | NA |
| Malawi | 2642 | 2557 | 2731 |
| Mozambique | 2206 | 2131 | 2284 |
| Senegal | 1967 | 1890 | 2037 |
| Cameroon | 1930 | 1857 | 1996 |
| Angola | 1900 | 1832 | 1975 |
| Rwanda | 1459 | 1399 | 1522 |
| Ghana | 1445 | 1389 | 1513 |
| Eswatini | 1410 | 1350 | 1473 |
| Madagascar | 1396 | 1338 | 1457 |
| Democratic Republic of the Congo | 1338 | 1278 | 1399 |
| Mauritius | 996 | 945 | 1049 |
| Mauritania | 982 | 931 | 1034 |
| United Republic of Tanzania | 840 | 792 | 888 |
| Cote d'Ivoire | 799 | 751 | 843 |
| Mali | 735 | 694 | 778 |
| Lesotho | 699 | 656 | 742 |
| Guinea | 442 | 407 | 474 |
| Cabo Verde | 402 | 369 | 434 |
| Congo | 385 | 352 | 419 |
| Burkina Faso | 384 | 352 | 418 |
| Gambia | 365 | 335 | 396 |
| Niger | 310 | 283 | 339 |
| Gabon | 304 | 275 | 332 |
| Liberia | 294 | 265 | 322 |
| Togo | 273 | 246 | 299 |
| Chad | 193 | 171 | 216 |
| Equatorial Guinea | 183 | 162 | 205 |
| Guinea-Bissau | 171 | 150 | 192 |
| Seychelles | 167 | 148 | 189 |
| Benin | 163 | 143 | 184 |
| Comoros | 160 | 141 | 180 |
| South Sudan | 138 | 119 | 158 |
| Sierra Leone | 125 | 107 | 142 |
| Central African Republic | 113 | 97 | 131 |
| Eritrea | 103 | 87 | 120 |
| Sao Tome and Principe | 73 | 59 | 87 |
| Burundi | 15 | 9 | 22 |

**Cumulative deaths per 10,000 populations**

| Country | Cum. reported deaths per 10k pop | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 17.554 | 17 | 18 |
| Seychelles | 17.259 | 15 | 20 |
| Namibia | 16.497 | 16 | 17 |
| Botswana | 11.982 | NA | NA |
| Eswatini | 10.315 | 10 | 11 |
| Mauritius | 7.872 | 7 | 8 |
| Cabo Verde | 7.393 | 7 | 8 |
| Zimbabwe | 3.820 | 4 | 4 |
| Sao Tome and Principe | 3.459 | 3 | 4 |
| Lesotho | 3.316 | 3 | 4 |
| Zambia | 2.299 | 2 | 2 |
| Mauritania | 2.230 | 2 | 2 |
| Comoros | 1.922 | 2 | 2 |
| Algeria | 1.628 | 2 | 2 |
| Gambia | 1.601 | 1 | 2 |
| Malawi | 1.456 | 1 | 2 |
| Gabon | 1.434 | 1 | 2 |
| Equatorial Guinea | 1.398 | 1 | 2 |
| Senegal | 1.241 | 1 | 1 |
| Rwanda | 1.186 | 1 | 1 |
| Kenya | 1.100 | 1 | 1 |
| Guinea-Bissau | 0.912 | 1 | 1 |
| Uganda | 0.843 | 1 | 1 |
| Cameroon | 0.765 | 1 | 1 |
| Mozambique | 0.748 | 1 | 1 |
| Congo | 0.734 | 1 | 1 |
| Ethiopia | 0.688 | 1 | 1 |
| Angola | 0.617 | 1 | 1 |
| Liberia | 0.610 | 1 | 1 |
| Madagascar | 0.532 | 1 | 1 |
| Ghana | 0.485 | 0 | 1 |
| Mali | 0.385 | 0 | 0 |
| Guinea | 0.356 | 0 | 0 |
| Togo | 0.346 | 0 | 0 |
| Cote d'Ivoire | 0.319 | 0 | 0 |
| Central African Republic | 0.242 | 0 | 0 |
| Burkina Faso | 0.194 | 0 | 0 |
| Eritrea | 0.170 | 0 | 0 |
| Sierra Leone | 0.163 | 0 | 0 |
| Nigeria | 0.161 | 0 | 0 |
| Democratic Republic of the Congo | 0.159 | 0 | 0 |
| United Republic of Tanzania | 0.149 | 0 | 0 |
| Benin | 0.142 | 0 | 0 |
| Niger | 0.138 | 0 | 0 |
| South Sudan | 0.126 | 0 | 0 |
| Chad | 0.125 | 0 | 0 |
| Burundi | 0.013 | 0 | 0 |

**Weekly Ratio (cases)**

| Country | Weekly Ratio | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Ghana | 3.243 | 2.622 | 4.012 |
| Rwanda | 3.180 | 2.385 | 4.241 |
| Mozambique | 2.368 | 1.962 | 2.857 |
| Ethiopia | 2.126 | 2.000 | 2.260 |
| Zambia | 1.792 | 1.594 | 2.014 |
| Togo | 1.781 | 1.155 | 2.746 |
| Madagascar | 1.603 | 1.170 | 2.196 |
| Lesotho | 1.140 | 0.900 | 1.444 |
| Cote d'Ivoire | 1.100 | 0.850 | 1.424 |
| Nigeria | 1.046 | 0.804 | 1.360 |
| Senegal | 1.042 | 0.595 | 1.824 |
| Cabo Verde | 0.892 | 0.723 | 1.100 |
| Algeria | 0.880 | 0.496 | 1.561 |
| Burundi | 0.838 | 0.657 | 1.069 |
| Eswatini | 0.775 | 0.647 | 0.928 |
| Kenya | 0.729 | 0.648 | 0.820 |
| South Africa | 0.653 | 0.639 | 0.668 |
| Zimbabwe | 0.596 | 0.549 | 0.647 |
| Mali | 0.485 | 0.267 | 0.881 |
| Eritrea | 0.333 | 0.090 | 1.231 |
| Guinea-Bissau | 0.304 | 0.131 | 0.709 |
| Seychelles | 0.255 | 0.189 | 0.343 |
| Malawi | 0.208 | 0.105 | 0.412 |
| Namibia | 0.205 | 0.178 | 0.236 |
| South Sudan | 0.143 | 0.056 | 0.365 |
| Equatorial Guinea | 0.077 | 0.010 | 0.588 |
| Benin | 0.000 | 0.000 | NA |
| Comoros | 0.000 | 0.000 | NA |
| Congo | 0.000 | 0.000 | NA |
| Democratic Republic of the Congo | 0.000 | 0.000 | NA |
| Gabon | 0.000 | 0.000 | NA |
| Guinea | 0.000 | 0.000 | NA |
| Liberia | 0.000 | 0.000 | NA |
| Mauritius | 0.000 | 0.000 | NA |
| Mauritania | -1.000 | NA | NA |
| Angola | NA | NA | NA |
| Botswana | NA | NA | NA |
| Burkina Faso | NA | NA | NA |
| Cameroon | NA | NA | NA |
| Central African Republic | NA | NA | NA |
| Chad | NA | NA | NA |
| Gambia | NA | NA | NA |
| Niger | NA | NA | NA |
| Sao Tome and Principe | NA | NA | NA |
| Sierra Leone | NA | NA | NA |
| Uganda | NA | NA | NA |
| United Republic of Tanzania | NA | NA | NA |

**Weekly Ratio (deaths)**

| Country | Weekly Ratio | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 1.165 | 0.952 | 1.425 |
| Zambia | 1.000 | 0.141 | 7.099 |
| Zimbabwe | 0.727 | 0.293 | 1.808 |
| Madagascar | 0.500 | 0.045 | 5.514 |
| Malawi | 0.500 | 0.045 | 5.514 |
| Eswatini | 0.333 | 0.035 | 3.205 |
| Namibia | 0.333 | 0.035 | 3.205 |
| Cabo Verde | 0.000 | 0.000 | NA |
| Lesotho | 0.000 | 0.000 | NA |
| Mali | 0.000 | 0.000 | NA |
| Algeria | NA | NA | NA |
| Angola | NA | NA | NA |
| Benin | NA | NA | NA |
| Botswana | NA | NA | NA |
| Burkina Faso | NA | NA | NA |
| Burundi | NA | NA | NA |
| Cameroon | NA | NA | NA |
| Central African Republic | NA | NA | NA |
| Chad | NA | NA | NA |
| Comoros | NA | NA | NA |
| Congo | NA | NA | NA |
| Cote d'Ivoire | NA | NA | NA |
| Democratic Republic of the Congo | NA | NA | NA |
| Equatorial Guinea | NA | NA | NA |
| Eritrea | NA | NA | NA |
| Ethiopia | NA | NA | NA |
| Gabon | NA | NA | NA |
| Gambia | NA | NA | NA |
| Ghana | NA | NA | NA |
| Guinea | NA | NA | NA |
| Guinea-Bissau | NA | NA | NA |
| Kenya | NA | NA | NA |
| Liberia | NA | NA | NA |
| Mauritania | NA | NA | NA |
| Mauritius | NA | NA | NA |
| Mozambique | NA | NA | NA |
| Niger | NA | NA | NA |
| Nigeria | NA | NA | NA |
| Rwanda | NA | NA | NA |
| Sao Tome and Principe | NA | NA | NA |
| Senegal | NA | NA | NA |
| Seychelles | NA | NA | NA |
| Sierra Leone | NA | NA | NA |
| South Sudan | NA | NA | NA |
| Togo | NA | NA | NA |
| Uganda | NA | NA | NA |
| United Republic of Tanzania | NA | NA | NA |