# COVID-19 situation report for WHO Africa Region

09/10/2020

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

# Contents

(Click to access)

**Section 1: Overview of WHO Africa Region 08/10/2020** **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

**Section 2: Individual country situations** **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Democratic Republic of the Congo . . . 20
Equatorial Guinea . . . 21
Eritrea . . . 22
Eswatini . . . 23
Ethiopia . . . 24
Gabon . . . 25
Gambia . . . 26
Ghana . . . 27
Guinea . . . 28
Guinea-Bissau . . . 29
Kenya . . . 30
Lesotho . . . 31
Liberia . . . 32
Madagascar . . . 33
Malawi . . . 34
Mali . . . 35
Mauritania . . . 36
Mauritius . . . 37
Mozambique . . . 38
Namibia . . . 39
Niger . . . 40
Nigeria . . . 41
Rwanda . . . 42
Sao Tome and Principe . . . 43
Senegal . . . 44
Seychelles . . . 45
Sierra Leone . . . 46
South Africa . . . 47

South Sudan . . . 48
Togo . . . 49
Uganda . . . 50
United Republic of Tanzania . . . 51
Zambia . . . 52
Zimbabwe . . . 53

**Appendix** **54**
Data . . . 54
Sources and access . . . 54
Weekly Ratio calculations . . . 54
Caveats . . . 54

**Extended Data tables** **55**
Cumulative reported cases . . . 55
Cumulative reported cases per 10,000 population . . . 56
Cumulative deaths . . . 57
Cumulative deaths per 10,000 populations . . . 58
Weekly Ratio (cases) . . . 59
Weekly Ratio (deaths) . . . 60

## Section 1: Overview of WHO Africa Region 08/10/2020

### Overview



**Total Reported Cases**
**1184216**

**Total Reported Deaths**
**26413**

## Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


## Summary maps




## Section 2: Individual country situations


As of 08/10/2020, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 08/10/2020. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

# Algeria





Algeria has 52520 reported case(s) (4th in the region) and 1779 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 12 (14th) and 0.42 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.88 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (12th).

# Angola





Angola has 5863 reported case(s) (20th in the region) and 206 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 1.9 (38th) and 0.067 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (9th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Benin





Benin has 2411 reported case(s) (31st in the region) and 41 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 2.1 (37th) and 0.036 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (6th). The weekly ratio of reported deaths over the last 2 weeks is 0 (23rd).

# Botswana





Botswana has 3172 reported case(s) (29th in the region) and 16 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (12th) and 0.071 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (44th). The weekly ratio of reported deaths over the last 2 weeks is 0 (24th).

# Burkina Faso





Burkina Faso has 2197 reported case(s) (34th in the region) and 59 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 1.1 (41st) and 0.03 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (11th). The weekly ratio of reported deaths over the last 2 weeks is 2 (5th).

# Burundi





Burundi has 515 reported case(s) (41st in the region) and 1 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 0.46 (45th) and 0.00089 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.15 (43rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Cabo Verde





Cabo Verde has 6624 reported case(s) (19th in the region) and 71 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 120 (1st) and 1.3 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.98 (24th). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (7th).

# Cameroon





Cameroon has 21160 reported case(s) (7th in the region) and 420 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 8.4 (20th) and 0.17 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.2 (1st). The weekly ratio of reported deaths over the last 2 weeks is 1 (13th).

# Central African Republic





Central African Republic has 4853 reported case(s) (26th in the region) and 62 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 10 (15th) and 0.13 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.96 (29th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Chad





Chad has 1251 reported case(s) (38th in the region) and 89 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 0.81 (42nd) and 0.058 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (10th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (9th).

# Comoros





Comoros has 487 reported case(s) (43rd in the region) and 7 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 5.9 (25th) and 0.084 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.89 (32nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Congo





Congo has 5089 reported case(s) (23rd in the region) and 89 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 9.7 (16th) and 0.17 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (45th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Democratic Republic of the Congo





Democratic Republic of the Congo has 10803 reported case(s) (13th in the region) and 276 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 1.3 (40th) and 0.033 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (16th). The weekly ratio of reported deaths over the last 2 weeks is 4 (1st).

# Equatorial Guinea





Equatorial Guinea has 5052 reported case(s) (24th in the region) and 83 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 39 (7th) and 0.63 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Eritrea





Eritrea has 398 reported case(s) (44th in the region) and 0 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 0.66 (43rd) and 0 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (2nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Eswatini





Eswatini has 5617 reported case(s) (22nd in the region) and 113 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 41 (6th) and 0.83 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (27th). The weekly ratio of reported deaths over the last 2 weeks is 4 (2nd).

# Ethiopia





Ethiopia has 80895 reported case(s) (2nd in the region) and 1255 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 7.4 (23rd) and 0.11 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (13th). The weekly ratio of reported deaths over the last 2 weeks is 1 (14th).

# Gabon





Gabon has 8815 reported case(s) (16th in the region) and 54 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 42 (5th) and 0.25 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.98 (25th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Gambia





Gambia has 3613 reported case(s) (27th in the region) and 117 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 16 (9th) and 0.51 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (15th). The weekly ratio of reported deaths over the last 2 weeks is 2.5 (4th).

# Ghana





Ghana has 46829 reported case(s) (5th in the region) and 303 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 16 (10th) and 0.1 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.32 (41st). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (19th).

# Guinea





Guinea has 10863 reported case(s) (12th in the region) and 68 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 8.8 (19th) and 0.055 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (28th). The weekly ratio of reported deaths over the last 2 weeks is 2 (6th).

# Guinea-Bissau





Guinea-Bissau has 2362 reported case(s) (32nd in the region) and 39 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 13 (13th) and 0.21 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (5th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Kenya





Kenya has 39907 reported case(s) (6th in the region) and 748 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 7.8 (22nd) and 0.15 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (17th). The weekly ratio of reported deaths over the last 2 weeks is 0.79 (16th).

# Lesotho





Lesotho has 1683 reported case(s) (36th in the region) and 39 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 8 (21st) and 0.18 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (21st). The weekly ratio of reported deaths over the last 2 weeks is 3 (3rd).

# Liberia





Liberia has 1354 reported case(s) (37th in the region) and 82 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 2.8 (33rd) and 0.17 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (4th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Madagascar





Madagascar has 16633 reported case(s) (8th in the region) and 235 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 6.3 (24th) and 0.089 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.93 (30th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (10th).

# Malawi





Malawi has 5803 reported case(s) (21st in the region) and 180 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 3.2 (29th) and 0.099 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (19th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Mali





Mali has 3210 reported case(s) (28th in the region) and 131 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 1.7 (39th) and 0.069 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (20th). The weekly ratio of reported deaths over the last 2 weeks is 0 (25th).

# Mauritania





Mauritania has 7523 reported case(s) (18th in the region) and 161 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (8th) and 0.37 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.27 (42nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Mauritius





Mauritius has 395 reported case(s) (45th in the region) and 10 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 3.1 (30th) and 0.079 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (22nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Mozambique





Mozambique has 9494 reported case(s) (14th in the region) and 68 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 3.2 (28th) and 0.023 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.52 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0.58 (18th).

# Namibia





Namibia has 11714 reported case(s) (11th in the region) and 126 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 48 (3rd) and 0.51 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.75 (37th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (11th).

# Niger





Niger has 1200 reported case(s) (39th in the region) and 69 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 0.53 (44th) and 0.031 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.75 (36th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Nigeria





Nigeria has 59738 reported case(s) (3rd in the region) and 1113 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 3 (31st) and 0.057 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.79 (35th). The weekly ratio of reported deaths over the last 2 weeks is 0.1 (22nd).

# Rwanda





Rwanda has 4883 reported case(s) (25th in the region) and 29 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 4 (27th) and 0.024 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.7 (39th). The weekly ratio of reported deaths over the last 2 weeks is 0 (26th).

# Sao Tome and Principe





Sao Tome and Principe has 914 reported case(s) (40th in the region) and 15 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 43 (4th) and 0.71 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (23rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Senegal





Senegal has 15141 reported case(s) (10th in the region) and 312 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 9.6 (17th) and 0.2 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.85 (34th). The weekly ratio of reported deaths over the last 2 weeks is 0.12 (21st).

# Seychelles





Seychelles has 147 reported case(s) (46th in the region) and 0 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (11th) and 0 (46th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (7th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Sierra Leone





Sierra Leone has 2287 reported case(s) (33rd in the region) and 72 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 3 (32nd) and 0.094 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (18th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# South Africa





South Africa has 683242 reported case(s) (1st in the region) and 17103 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 120 (2nd) and 3 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (26th). The weekly ratio of reported deaths over the last 2 weeks is 0.7 (17th).

# South Sudan





South Sudan has 2749 reported case(s) (30th in the region) and 53 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 2.5 (34th) and 0.048 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (14th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Togo





Togo has 1898 reported case(s) (35th in the region) and 49 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 2.4 (35th) and 0.062 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (12th). The weekly ratio of reported deaths over the last 2 weeks is 0.14 (20th).

# Uganda





Uganda has 9260 reported case(s) (15th in the region) and 85 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 2.2 (36th) and 0.02 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.9 (31st). The weekly ratio of reported deaths over the last 2 weeks is 1.7 (8th).

# United Republic of Tanzania





United Republic of Tanzania has 509 reported case(s) (42nd in the region) and 21 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 0.09 (46th) and 0.0037 (43rd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Zambia




Zambia has 15224 reported case(s) (9th in the region) and 335 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 8.8 (18th) and 0.19 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (8th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Zimbabwe




Zimbabwe has 7919 reported case(s) (17th in the region) and 229 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 5.5 (26th) and 0.16 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.72 (38th). The weekly ratio of reported deaths over the last 2 weeks is 1 (15th).

# Appendix

## Data

### Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 08/10/2020).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 08/10/2020).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

### Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

### Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

# Extended Data tables

### Cumulative reported cases

| Country | Cum. reported cases | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 683242 | 681904 | 684594 |
| Ethiopia | 80895 | NA | NA |
| Nigeria | 59738 | 59347 | 60142 |
| Algeria | 52520 | 52157 | 52885 |
| Ghana | 46829 | 46447 | 47195 |
| Kenya | 39907 | 39575 | 40228 |
| Cameroon | 21160 | 20928 | 21406 |
| Madagascar | 16633 | NA | NA |
| Zambia | 15224 | NA | NA |
| Senegal | 15141 | 14922 | 15337 |
| Namibia | 11714 | NA | NA |
| Guinea | 10863 | NA | NA |
| Democratic Republic of the Congo | 10803 | 10640 | 10962 |
| Mozambique | 9494 | 9325 | 9656 |
| Uganda | 9260 | NA | NA |
| Gabon | 8815 | 8676 | 8967 |
| Zimbabwe | 7919 | 7775 | 8071 |
| Mauritania | 7523 | NA | NA |
| Cabo Verde | 6624 | 6492 | 6756 |
| Angola | 5863 | 5741 | 5996 |
| Malawi | 5803 | 5677 | 5937 |
| Eswatini | 5617 | NA | NA |
| Congo | 5089 | 4980 | 5201 |
| Equatorial Guinea | 5052 | NA | NA |
| Rwanda | 4883 | 4773 | 4996 |
| Central African Republic | 4853 | NA | NA |
| Gambia | 3613 | NA | NA |
| Mali | 3210 | 3120 | 3302 |
| Botswana | 3172 | 3076 | 3262 |
| South Sudan | 2749 | 2663 | 2838 |
| Benin | 2411 | NA | NA |
| Guinea-Bissau | 2362 | 2284 | 2440 |
| Sierra Leone | 2287 | 2210 | 2360 |
| Burkina Faso | 2197 | 2120 | 2275 |
| Togo | 1898 | 1826 | 1966 |
| Lesotho | 1683 | 1616 | 1751 |
| Liberia | 1354 | NA | NA |
| Chad | 1251 | NA | NA |
| Niger | 1200 | NA | NA |
| Sao Tome and Principe | 914 | NA | NA |
| Burundi | 515 | 478 | 550 |
| United Republic of Tanzania | 509 | 474 | 548 |
| Comoros | 487 | 452 | 523 |
| Eritrea | 398 | 368 | 430 |
| Mauritius | 395 | 363 | 427 |
| Seychelles | 147 | NA | NA |

**Cumulative reported cases per 10,000 population**

| Country | Cum. reported cases per 10k pop | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Cabo Verde | 121.817 | 119 | 124 |
| South Africa | 118.250 | 118 | 118 |
| Namibia | 47.846 | NA | NA |
| Sao Tome and Principe | 43.312 | NA | NA |
| Gabon | 41.594 | 41 | 42 |
| Eswatini | 41.090 | NA | NA |
| Equatorial Guinea | 38.595 | NA | NA |
| Mauritania | 17.085 | NA | NA |
| Gambia | 15.846 | NA | NA |
| Ghana | 15.732 | 16 | 16 |
| Seychelles | 15.192 | NA | NA |
| Botswana | 14.072 | 14 | 14 |
| Guinea-Bissau | 12.602 | 12 | 13 |
| Algeria | 12.437 | 12 | 13 |
| Central African Republic | 10.400 | NA | NA |
| Congo | 9.704 | 9 | 10 |
| Senegal | 9.550 | 9 | 10 |
| Zambia | 8.774 | NA | NA |
| Guinea | 8.750 | NA | NA |
| Cameroon | 8.391 | 8 | 8 |
| Lesotho | 7.983 | 8 | 8 |
| Kenya | 7.765 | 8 | 8 |
| Ethiopia | 7.406 | NA | NA |
| Madagascar | 6.333 | NA | NA |
| Comoros | 5.851 | 5 | 6 |
| Zimbabwe | 5.484 | 5 | 6 |
| Rwanda | 3.969 | 4 | 4 |
| Mozambique | 3.219 | 3 | 3 |
| Malawi | 3.198 | 3 | 3 |
| Mauritius | 3.122 | 3 | 3 |
| Nigeria | 3.050 | 3 | 3 |
| Sierra Leone | 2.989 | 3 | 3 |
| Liberia | 2.810 | NA | NA |
| South Sudan | 2.505 | 2 | 3 |
| Togo | 2.406 | 2 | 2 |
| Uganda | 2.167 | NA | NA |
| Benin | 2.099 | NA | NA |
| Angola | 1.903 | 2 | 2 |
| Mali | 1.683 | 2 | 2 |
| Democratic Republic of the Congo | 1.285 | 1 | 1 |
| Burkina Faso | 1.112 | 1 | 1 |
| Chad | 0.808 | NA | NA |
| Eritrea | 0.658 | 1 | 1 |
| Niger | 0.535 | NA | NA |
| Burundi | 0.461 | 0 | 0 |
| United Republic of Tanzania | 0.090 | 0 | 0 |

**Cumulative deaths**

| Country | Cum. reported deaths | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 17103 | 16899 | 17328 |
| Algeria | 1779 | NA | NA |
| Ethiopia | 1255 | 1189 | 1309 |
| Nigeria | 1113 | 1059 | 1168 |
| Kenya | 748 | 706 | 793 |
| Cameroon | 420 | 386 | 454 |
| Zambia | 335 | 307 | 364 |
| Senegal | 312 | 283 | 340 |
| Ghana | 303 | 273 | 331 |
| Democratic Republic of the Congo | 276 | 249 | 304 |
| Madagascar | 235 | 211 | 261 |
| Zimbabwe | 229 | NA | NA |
| Angola | 206 | NA | NA |
| Malawi | 180 | 158 | 201 |
| Mauritania | 161 | 140 | 181 |
| Mali | 131 | 113 | 148 |
| Namibia | 126 | NA | NA |
| Gambia | 117 | 100 | 136 |
| Eswatini | 113 | NA | NA |
| Chad | 89 | 73 | 106 |
| Congo | 89 | NA | NA |
| Uganda | 85 | 70 | 100 |
| Equatorial Guinea | 83 | 68 | 99 |
| Liberia | 82 | 67 | 97 |
| Sierra Leone | 72 | 58 | 87 |
| Cabo Verde | 71 | 58 | 87 |
| Niger | 69 | 55 | 84 |
| Guinea | 68 | NA | NA |
| Mozambique | 68 | 54 | 81 |
| Central African Republic | 62 | 50 | 75 |
| Burkina Faso | 59 | NA | NA |
| Gabon | 54 | 43 | 66 |
| South Sudan | 53 | NA | NA |
| Togo | 49 | 37 | 62 |
| Benin | 41 | 31 | 51 |
| Guinea-Bissau | 39 | 29 | 49 |
| Lesotho | 39 | 28 | 50 |
| Rwanda | 29 | 21 | 39 |
| United Republic of Tanzania | 21 | 14 | 29 |
| Botswana | 16 | 10 | 23 |
| Sao Tome and Principe | 15 | NA | NA |
| Mauritius | 10 | 5 | 16 |
| Comoros | 7 | 3 | 11 |
| Burundi | 1 | 0 | 3 |
| Eritrea | 0 | 0 | 0 |
| Seychelles | 0 | 0 | 0 |

**Cumulative deaths per 10,000 populations**

| Country | Cum. reported deaths per 10k pop | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 2.960 | 3 | 3 |
| Cabo Verde | 1.306 | 1 | 2 |
| Eswatini | 0.827 | NA | NA |
| Sao Tome and Principe | 0.711 | NA | NA |
| Equatorial Guinea | 0.634 | 1 | 1 |
| Namibia | 0.515 | NA | NA |
| Gambia | 0.513 | 0 | 1 |
| Algeria | 0.421 | NA | NA |
| Mauritania | 0.366 | 0 | 0 |
| Gabon | 0.255 | 0 | 0 |
| Guinea-Bissau | 0.208 | 0 | 0 |
| Senegal | 0.197 | 0 | 0 |
| Zambia | 0.193 | 0 | 0 |
| Lesotho | 0.185 | 0 | 0 |
| Liberia | 0.170 | 0 | 0 |
| Congo | 0.170 | NA | NA |
| Cameroon | 0.167 | 0 | 0 |
| Zimbabwe | 0.159 | NA | NA |
| Kenya | 0.146 | 0 | 0 |
| Central African Republic | 0.133 | 0 | 0 |
| Ethiopia | 0.115 | 0 | 0 |
| Ghana | 0.102 | 0 | 0 |
| Malawi | 0.099 | 0 | 0 |
| Sierra Leone | 0.094 | 0 | 0 |
| Madagascar | 0.089 | 0 | 0 |
| Comoros | 0.084 | 0 | 0 |
| Mauritius | 0.079 | 0 | 0 |
| Botswana | 0.071 | 0 | 0 |
| Mali | 0.069 | 0 | 0 |
| Angola | 0.067 | NA | NA |
| Togo | 0.062 | 0 | 0 |
| Chad | 0.058 | 0 | 0 |
| Nigeria | 0.057 | 0 | 0 |
| Guinea | 0.055 | NA | NA |
| South Sudan | 0.048 | NA | NA |
| Benin | 0.036 | 0 | 0 |
| Democratic Republic of the Congo | 0.033 | 0 | 0 |
| Niger | 0.031 | 0 | 0 |
| Burkina Faso | 0.030 | NA | NA |
| Rwanda | 0.024 | 0 | 0 |
| Mozambique | 0.023 | 0 | 0 |
| Uganda | 0.020 | 0 | 0 |
| United Republic of Tanzania | 0.004 | 0 | 0 |
| Burundi | 0.001 | 0 | 0 |
| Eritrea | 0.000 | 0 | 0 |
| Seychelles | 0.000 | 0 | 0 |

**Weekly Ratio (cases)**

| Country | Weekly Ratio | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Cameroon | 2.176 | 1.791 | 2.643 |
| Eritrea | 2.091 | 1.019 | 4.289 |
| Equatorial Guinea | 1.833 | 0.907 | 3.704 |
| Liberia | 1.833 | 0.678 | 4.957 |
| Guinea-Bissau | 1.810 | 1.062 | 3.083 |
| Benin | 1.688 | 1.090 | 2.613 |
| Seychelles | 1.667 | 0.398 | 6.974 |
| Zambia | 1.472 | 1.276 | 1.698 |
| Angola | 1.463 | 1.320 | 1.622 |
| Chad | 1.417 | 0.925 | 2.171 |
| Burkina Faso | 1.397 | 1.106 | 1.764 |
| Togo | 1.373 | 1.035 | 1.822 |
| Ethiopia | 1.290 | 1.239 | 1.342 |
| South Sudan | 1.286 | 0.827 | 2.000 |
| Gambia | 1.259 | 0.760 | 2.087 |
| Democratic Republic of the Congo | 1.189 | 0.934 | 1.512 |
| Kenya | 1.167 | 1.080 | 1.261 |
| Sierra Leone | 1.167 | 0.793 | 1.715 |
| Malawi | 1.111 | 0.661 | 1.869 |
| Mali | 1.095 | 0.815 | 1.472 |
| Lesotho | 1.000 | 0.744 | 1.344 |
| Mauritius | 1.000 | 0.477 | 2.098 |
| Sao Tome and Principe | 1.000 | 0.202 | 4.955 |
| Cabo Verde | 0.980 | 0.876 | 1.097 |
| Gabon | 0.980 | 0.661 | 1.453 |
| South Africa | 0.973 | 0.945 | 1.002 |
| Eswatini | 0.971 | 0.766 | 1.231 |
| Guinea | 0.968 | 0.801 | 1.170 |
| Central African Republic | 0.960 | 0.548 | 1.681 |
| Madagascar | 0.934 | 0.778 | 1.120 |
| Uganda | 0.905 | 0.835 | 0.981 |
| Comoros | 0.889 | 0.343 | 2.304 |
| Algeria | 0.876 | 0.804 | 0.954 |
| Senegal | 0.850 | 0.688 | 1.050 |
| Nigeria | 0.792 | 0.725 | 0.865 |
| Niger | 0.750 | 0.168 | 3.351 |
| Namibia | 0.746 | 0.660 | 0.843 |
| Zimbabwe | 0.717 | 0.539 | 0.954 |
| Rwanda | 0.705 | 0.477 | 1.041 |
| Mozambique | 0.523 | 0.479 | 0.570 |
| Ghana | 0.320 | 0.270 | 0.380 |
| Mauritania | 0.273 | 0.168 | 0.442 |
| Burundi | 0.152 | 0.059 | 0.388 |
| Botswana | 0.000 | 0.000 | NA |
| Congo | 0.000 | 0.000 | NA |
| United Republic of Tanzania | NA | NA | NA |

**Weekly Ratio (deaths)**

| Country | Weekly Ratio | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Democratic Republic of the Congo | 4.000 | 0.447 | 35.789 |
| Eswatini | 4.000 | 0.447 | 35.789 |
| Lesotho | 3.000 | 0.312 | 28.842 |
| Gambia | 2.500 | 0.485 | 12.886 |
| Burkina Faso | 2.000 | 0.181 | 22.057 |
| Guinea | 2.000 | 0.181 | 22.057 |
| Cabo Verde | 1.833 | 0.678 | 4.957 |
| Uganda | 1.667 | 0.606 | 4.586 |
| Chad | 1.333 | 0.298 | 5.958 |
| Madagascar | 1.250 | 0.336 | 4.655 |
| Namibia | 1.250 | 0.336 | 4.655 |
| Algeria | 1.132 | 0.731 | 1.751 |
| Cameroon | 1.000 | 0.141 | 7.099 |
| Ethiopia | 1.000 | 0.693 | 1.444 |
| Zimbabwe | 1.000 | 0.063 | 15.988 |
| Kenya | 0.787 | 0.512 | 1.211 |
| South Africa | 0.699 | 0.612 | 0.798 |
| Mozambique | 0.583 | 0.230 | 1.482 |
| Ghana | 0.500 | 0.092 | 2.730 |
| Togo | 0.143 | 0.018 | 1.161 |
| Senegal | 0.125 | 0.016 | 0.999 |
| Nigeria | 0.100 | 0.013 | 0.781 |
| Benin | 0.000 | 0.000 | NA |
| Botswana | 0.000 | 0.000 | NA |
| Mali | 0.000 | 0.000 | NA |
| Rwanda | 0.000 | 0.000 | NA |
| Angola | NA | NA | NA |
| Burundi | NA | NA | NA |
| Central African Republic | NA | NA | NA |
| Comoros | NA | NA | NA |
| Congo | NA | NA | NA |
| Equatorial Guinea | NA | NA | NA |
| Eritrea | NA | NA | NA |
| Gabon | NA | NA | NA |
| Guinea-Bissau | NA | NA | NA |
| Liberia | NA | NA | NA |
| Malawi | NA | NA | NA |
| Mauritania | NA | NA | NA |
| Mauritius | NA | NA | NA |
| Niger | NA | NA | NA |
| Sao Tome and Principe | NA | NA | NA |
| Seychelles | NA | NA | NA |
| Sierra Leone | NA | NA | NA |
| South Sudan | NA | NA | NA |
| United Republic of Tanzania | NA | NA | NA |
| Zambia | NA | NA | NA |