COVID-19 situation report for WHO Africa Region

11/02/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 11/02/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 11/02/2021


Overview



Total Reported Cases
2671481

Total Reported Deaths
67109





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 11/02/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 11/02/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 109782 reported case(s) (4th in the region) and 2926 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 26 (14th) and 0.69 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.95 (21st). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (12th).

Angola




Angola has 20210 reported case(s) (18th in the region) and 487 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 6.6 (34th) and 0.16 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.76 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 2.1 (2nd).

Benin




Benin has 4560 reported case(s) (35th in the region) and 56 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 4 (42nd) and 0.049 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (10th). The weekly ratio of reported deaths over the last 2 weeks is 0.33 (32nd).

Botswana




Botswana has 24435 reported case(s) (16th in the region) and 179 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 110 (6th) and 0.79 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.82 (28th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (7th).

Burkina Faso




Burkina Faso has 11426 reported case(s) (26th in the region) and 134 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 5.8 (35th) and 0.068 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.63 (37th). The weekly ratio of reported deaths over the last 2 weeks is 1 (14th).

Burundi




Burundi has 1771 reported case(s) (43rd in the region) and 3 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 1.6 (46th) and 0.0027 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.83 (27th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 14543 reported case(s) (24th in the region) and 138 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 270 (1st) and 2.5 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.91 (25th). The weekly ratio of reported deaths over the last 2 weeks is 0.8 (22nd).

Cameroon




Cameroon has 31394 reported case(s) (12th in the region) and 474 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (26th) and 0.19 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (7th). The weekly ratio of reported deaths over the last 2 weeks is 0 (36th).

Central African Republic




Central African Republic has 4996 reported case(s) (32nd in the region) and 63 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (29th) and 0.14 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.88 (26th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 3568 reported case(s) (38th in the region) and 126 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 2.3 (44th) and 0.081 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.99 (20th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (8th).

Comoros




Comoros has 3209 reported case(s) (39th in the region) and 120 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 39 (11th) and 1.4 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.79 (30th). The weekly ratio of reported deaths over the last 2 weeks is 0.7 (25th).

Congo




Congo has 8354 reported case(s) (28th in the region) and 122 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 16 (20th) and 0.23 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (6th). The weekly ratio of reported deaths over the last 2 weeks is 0 (37th).

Cote d'Ivoire




Cote d'Ivoire has 30240 reported case(s) (13th in the region) and 169 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (27th) and 0.067 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (13th). The weekly ratio of reported deaths over the last 2 weeks is 1.6 (5th).

Democratic Republic of the Congo




Democratic Republic of the Congo has 23889 reported case(s) (17th in the region) and 685 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 2.8 (43rd) and 0.081 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.71 (34th). The weekly ratio of reported deaths over the last 2 weeks is 0.85 (19th).

Equatorial Guinea




Equatorial Guinea has 5614 reported case(s) (30th in the region) and 87 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 43 (10th) and 0.66 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.9 (4th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eritrea




Eritrea has 2418 reported case(s) (41st in the region) and 7 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 4 (41st) and 0.012 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.49 (43rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eswatini




Eswatini has 16341 reported case(s) (22nd in the region) and 616 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 120 (5th) and 4.5 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.4 (44th). The weekly ratio of reported deaths over the last 2 weeks is 0.49 (30th).

Ethiopia




Ethiopia has 144249 reported case(s) (2nd in the region) and 2167 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 13 (25th) and 0.2 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (14th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (11th).

Gabon




Gabon has 12171 reported case(s) (25th in the region) and 71 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 57 (8th) and 0.34 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (5th). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (29th).

Gambia




Gambia has 4302 reported case(s) (36th in the region) and 135 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (18th) and 0.59 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.72 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 0.75 (23rd).

Ghana




Ghana has 73003 reported case(s) (6th in the region) and 482 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 25 (15th) and 0.16 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (17th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (9th).

Guinea




Guinea has 14791 reported case(s) (23rd in the region) and 84 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 12 (28th) and 0.068 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (8th). The weekly ratio of reported deaths over the last 2 weeks is 1 (15th).

Guinea-Bissau




Guinea-Bissau has 2826 reported case(s) (40th in the region) and 46 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 15 (23rd) and 0.25 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (9th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Kenya




Kenya has 102221 reported case(s) (5th in the region) and 1791 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 20 (17th) and 0.35 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (11th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (10th).

Lesotho




Lesotho has 9804 reported case(s) (27th in the region) and 210 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 47 (9th) and 1 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (19th). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (4th).

Liberia




Liberia has 1956 reported case(s) (42nd in the region) and 84 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 4.1 (40th) and 0.17 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (12th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Madagascar




Madagascar has 19360 reported case(s) (19th in the region) and 285 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 7.4 (31st) and 0.11 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.92 (24th). The weekly ratio of reported deaths over the last 2 weeks is 2 (3rd).

Malawi




Malawi has 28050 reported case(s) (15th in the region) and 900 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (22nd) and 0.5 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.69 (35th). The weekly ratio of reported deaths over the last 2 weeks is 0.67 (26th).

Mali




Mali has 8203 reported case(s) (29th in the region) and 339 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 4.3 (39th) and 0.18 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (18th). The weekly ratio of reported deaths over the last 2 weeks is 1 (16th).

Mauritania




Mauritania has 16777 reported case(s) (21st in the region) and 425 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 38 (12th) and 0.97 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.26 (45th). The weekly ratio of reported deaths over the last 2 weeks is 0.25 (34th).

Mauritius




Mauritius has 594 reported case(s) (46th in the region) and 10 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 4.7 (37th) and 0.079 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.62 (38th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mozambique




Mozambique has 46736 reported case(s) (8th in the region) and 486 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 16 (21st) and 0.16 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.81 (29th). The weekly ratio of reported deaths over the last 2 weeks is 0.9 (18th).

Namibia




Namibia has 35242 reported case(s) (10th in the region) and 378 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 140 (4th) and 1.5 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.78 (31st). The weekly ratio of reported deaths over the last 2 weeks is 0.7 (24th).

Niger




Niger has 4643 reported case(s) (34th in the region) and 167 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 2.1 (45th) and 0.074 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.59 (41st). The weekly ratio of reported deaths over the last 2 weeks is 0.4 (31st).

Nigeria




Nigeria has 142578 reported case(s) (3rd in the region) and 1702 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 7.3 (32nd) and 0.087 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.92 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (13th).

Rwanda




Rwanda has 16941 reported case(s) (20th in the region) and 229 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 14 (24th) and 0.19 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.66 (36th). The weekly ratio of reported deaths over the last 2 weeks is 0.84 (20th).

Sao Tome and Principe




Sao Tome and Principe has 1430 reported case(s) (45th in the region) and 18 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 68 (7th) and 0.85 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.9 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Senegal




Senegal has 29521 reported case(s) (14th in the region) and 712 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (19th) and 0.45 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (15th). The weekly ratio of reported deaths over the last 2 weeks is 1.4 (6th).

Seychelles




Seychelles has 1695 reported case(s) (44th in the region) and 7 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 180 (3rd) and 0.72 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 4 (1st). The weekly ratio of reported deaths over the last 2 weeks is 1 (17th).

Sierra Leone




Sierra Leone has 3803 reported case(s) (37th in the region) and 79 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 5 (36th) and 0.1 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.22 (46th). The weekly ratio of reported deaths over the last 2 weeks is 0 (38th).

South Africa




South Africa has 1482412 reported case(s) (1st in the region) and 47145 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 260 (2nd) and 8.2 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.6 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0.64 (28th).

South Sudan




South Sudan has 4960 reported case(s) (33rd in the region) and 71 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 4.5 (38th) and 0.065 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.8 (2nd). The weekly ratio of reported deaths over the last 2 weeks is 6 (1st).

Togo




Togo has 5606 reported case(s) (31st in the region) and 80 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 7.1 (33rd) and 0.1 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (16th). The weekly ratio of reported deaths over the last 2 weeks is 0.33 (33rd).

Uganda




Uganda has 39911 reported case(s) (9th in the region) and 328 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 9.3 (30th) and 0.077 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.61 (39th). The weekly ratio of reported deaths over the last 2 weeks is 0.11 (35th).

United Republic of Tanzania




United Republic of Tanzania has 509 reported case(s) (47th in the region) and 21 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 0.09 (47th) and 0.0037 (46th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zambia



Zambia has 65573 reported case(s) (7th in the region) and 901 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 38 (13th) and 0.52 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.94 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 0.84 (21st).

Zimbabwe



Zimbabwe has 34864 reported case(s) (11th in the region) and 1364 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 24 (16th) and 0.94 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.54 (42nd). The weekly ratio of reported deaths over the last 2 weeks is 0.65 (27th).

Appendix

Data

Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 11/02/2021).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 11/02/2021).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

Extended Data tables

Cumulative reported cases

Country	Cum. reported cases	95%CI lower	95%CI upper
South Africa	1482412	1480436	1484492
Ethiopia	144249	NA	NA
Nigeria	142578	141986	143158
Algeria	109782	109211	110325
Kenya	102221	101679	102758
Ghana	73003	72561	73439
Zambia	65573	NA	NA
Mozambique	46736	46391	47084
Uganda	39911	NA	NA
Namibia	35242	NA	NA
Zimbabwe	34864	34564	35167
Cameroon	31394	31104	31685
Cote d'Ivoire	30240	29941	30504
Senegal	29521	29230	29807
Malawi	28050	27787	28322
Botswana	24435	24170	24679
Democratic Republic of the Congo	23889	23633	24151
Angola	20210	19988	20452
Madagascar	19360	NA	NA
Rwanda	16941	16736	17141
Mauritania	16777	NA	NA
Eswatini	16341	NA	NA
Guinea	14791	NA	NA
Cabo Verde	14543	14354	14750
Gabon	12171	11997	12357
Burkina Faso	11426	11258	11596
Lesotho	9804	9629	9963
Congo	8354	8207	8496
Mali	8203	8059	8353
Equatorial Guinea	5614	NA	NA
Togo	5606	5477	5728
Central African Republic	4996	NA	NA
South Sudan	4960	4845	5072
Niger	4643	NA	NA
Benin	4560	NA	NA
Gambia	4302	NA	NA
Sierra Leone	3803	3705	3903
Chad	3568	NA	NA
Comoros	3209	NA	NA
Guinea-Bissau	2826	2734	2919
Eritrea	2418	2337	2504
Liberia	1956	NA	NA
Burundi	1771	NA	NA
Seychelles	1695	NA	NA
Sao Tome and Principe	1430	NA	NA
Mauritius	594	552	632
United Republic of Tanzania	509	470	546

Cumulative reported cases per 10,000 population

Country	Cum. reported cases per 10k pop	95%CI lower	95%CI upper
Cabo Verde	267.449	264	271
South Africa	256.563	256	257
Seychelles	175.172	NA	NA
Namibia	143.947	NA	NA
Eswatini	119.539	NA	NA
Botswana	108.401	107	109
Sao Tome and Principe	67.764	NA	NA
Gabon	57.430	57	58
Lesotho	46.506	46	47
Equatorial Guinea	42.889	NA	NA
Comoros	38.555	NA	NA
Mauritania	38.101	NA	NA
Zambia	37.790	NA	NA
Algeria	25.997	26	26
Ghana	24.525	24	25
Zimbabwe	24.146	24	24
Kenya	19.890	20	20
Gambia	18.868	NA	NA
Senegal	18.620	18	19
Congo	15.929	16	16
Mozambique	15.845	16	16
Malawi	15.460	15	16
Guinea-Bissau	15.078	15	16
Rwanda	13.771	14	14
Ethiopia	13.207	NA	NA
Cameroon	12.450	12	13
Cote d'Ivoire	12.063	12	12
Guinea	11.914	NA	NA
Central African Republic	10.706	NA	NA
Uganda	9.342	NA	NA
Madagascar	7.372	NA	NA
Nigeria	7.279	7	7
Togo	7.106	7	7
Angola	6.560	6	7
Burkina Faso	5.785	6	6
Sierra Leone	4.971	5	5
Mauritius	4.695	4	5
South Sudan	4.519	4	5
Mali	4.300	4	4
Liberia	4.059	NA	NA
Eritrea	3.997	4	4
Benin	3.970	NA	NA
Democratic Republic of the Congo	2.842	3	3
Chad	2.305	NA	NA
Niger	2.069	NA	NA
Burundi	1.585	NA	NA
United Republic of Tanzania	0.090	0	0

Cumulative deaths

Country	Cum. reported deaths	95%CI lower	95%CI upper
South Africa	47145	46811	47519
Algeria	2926	NA	NA
Ethiopia	2167	2087	2246
Kenya	1791	1717	1863
Nigeria	1702	1636	1768
Zimbabwe	1364	NA	NA
Zambia	901	853	952
Malawi	900	850	952
Senegal	712	669	758
Democratic Republic of the Congo	685	643	726
Eswatini	616	NA	NA
Angola	487	NA	NA
Mozambique	486	452	521
Ghana	482	446	520
Cameroon	474	438	509
Mauritania	425	391	457
Namibia	378	NA	NA
Mali	339	309	369
Uganda	328	300	359
Madagascar	285	256	314
Rwanda	229	205	252
Lesotho	210	NA	NA
Botswana	179	156	199
Cote d'Ivoire	169	148	191
Niger	167	146	187
Cabo Verde	138	119	155
Gambia	135	116	152
Burkina Faso	134	NA	NA
Chad	126	107	144
Congo	122	NA	NA
Comoros	120	102	138
Equatorial Guinea	87	72	103
Guinea	84	NA	NA
Liberia	84	69	100
Togo	80	66	96
Sierra Leone	79	64	94
Gabon	71	59	84
South Sudan	71	NA	NA
Central African Republic	63	50	76
Benin	56	43	69
Guinea-Bissau	46	35	57
United Republic of Tanzania	21	14	29
Sao Tome and Principe	18	NA	NA
Mauritius	10	5	15
Eritrea	7	NA	NA
Seychelles	7	3	11
Burundi	3	0	6

Cumulative deaths per 10,000 populations

Country	Cum. reported deaths per 10k pop	95%CI lower	95%CI upper
South Africa	8.159	8	8
Eswatini	4.506	NA	NA
Cabo Verde	2.538	2	3
Namibia	1.544	NA	NA
Comoros	1.442	1	2
Lesotho	0.996	NA	NA
Mauritania	0.965	1	1
Zimbabwe	0.945	NA	NA
Sao Tome and Principe	0.853	NA	NA
Botswana	0.794	1	1
Seychelles	0.723	0	1
Algeria	0.693	NA	NA
Equatorial Guinea	0.665	1	1
Gambia	0.592	1	1
Zambia	0.519	0	1
Malawi	0.496	0	1
Senegal	0.449	0	0
Kenya	0.348	0	0
Gabon	0.335	0	0
Guinea-Bissau	0.245	0	0
Congo	0.233	NA	NA
Ethiopia	0.198	0	0
Cameroon	0.188	0	0
Rwanda	0.186	0	0
Mali	0.178	0	0
Liberia	0.174	0	0
Mozambique	0.165	0	0
Ghana	0.162	0	0
Angola	0.158	NA	NA
Central African Republic	0.135	0	0
Madagascar	0.109	0	0
Sierra Leone	0.103	0	0
Togo	0.101	0	0
Nigeria	0.087	0	0
Democratic Republic of the Congo	0.081	0	0
Chad	0.081	0	0
Mauritius	0.079	0	0
Uganda	0.077	0	0
Niger	0.074	0	0
Burkina Faso	0.068	NA	NA
Guinea	0.068	NA	NA
Cote d'Ivoire	0.067	0	0
South Sudan	0.065	NA	NA
Benin	0.049	0	0
Eritrea	0.012	NA	NA
United Republic of Tanzania	0.004	0	0
Burundi	0.003	0	0

Weekly Ratio (cases)

Country	Weekly Ratio	95%CI lower	95%CI upper
Seychelles	4.000	3.255	4.916
South Sudan	3.812	3.291	4.417
Sao Tome and Principe	2.870	2.106	3.912
Equatorial Guinea	1.905	1.311	2.767
Gabon	1.757	1.589	1.944
Congo	1.699	1.408	2.051
Cameroon	1.553	1.412	1.708
Guinea	1.477	1.201	1.816
Guinea-Bissau	1.390	1.097	1.761
Benin	1.324	1.149	1.527
Kenya	1.270	1.160	1.391
Liberia	1.222	0.506	2.949
Cote d'Ivoire	1.170	1.086	1.260
Ethiopia	1.110	1.065	1.156
Senegal	1.101	1.036	1.171
Togo	1.079	0.934	1.247
Ghana	1.038	0.998	1.079
Mali	1.024	0.756	1.389
Lesotho	1.010	0.917	1.112
Chad	0.993	0.792	1.246
Algeria	0.948	0.887	1.014
Zambia	0.942	0.914	0.971
Nigeria	0.925	0.897	0.953
Madagascar	0.916	0.782	1.073
Cabo Verde	0.909	0.793	1.043
Central African Republic	0.875	0.317	2.413
Burundi	0.833	0.625	1.111
Botswana	0.816	0.765	0.870
Mozambique	0.815	0.786	0.845
Comoros	0.792	0.684	0.918
Namibia	0.779	0.713	0.851
Angola	0.765	0.653	0.895
Gambia	0.715	0.565	0.906
Democratic Republic of the Congo	0.705	0.641	0.776
Malawi	0.686	0.653	0.722
Rwanda	0.664	0.615	0.716
Burkina Faso	0.632	0.563	0.709
Mauritius	0.625	0.284	1.377
Uganda	0.609	0.516	0.719
South Africa	0.599	0.589	0.610
Niger	0.591	0.447	0.782
Zimbabwe	0.542	0.500	0.588
Eritrea	0.487	0.387	0.612
Eswatini	0.398	0.352	0.449
Mauritania	0.261	0.213	0.321
Sierra Leone	0.225	0.182	0.278
United Republic of Tanzania	NA	NA	NA

Weekly Ratio (deaths)

Country	Weekly Ratio	95%CI lower	95%CI upper
South Sudan	6.000	0.722	49.839
Angola	2.125	0.917	4.924
Madagascar	2.000	0.366	10.920
Lesotho	1.778	0.998	3.167
Cote d'Ivoire	1.571	0.609	4.054
Senegal	1.362	0.934	1.984
Botswana	1.292	0.758	2.201
Chad	1.250	0.336	4.655
Ghana	1.234	0.840	1.813
Kenya	1.222	0.656	2.279
Ethiopia	1.154	0.751	1.772
Algeria	1.130	0.645	1.981
Nigeria	1.120	0.820	1.529
Burkina Faso	1.000	0.351	2.851
Guinea	1.000	0.063	15.988
Mali	1.000	0.323	3.101
Seychelles	1.000	0.141	7.099
Mozambique	0.899	0.652	1.238
Democratic Republic of the Congo	0.846	0.379	1.889
Rwanda	0.840	0.470	1.501
Zambia	0.836	0.639	1.095
Cabo Verde	0.800	0.215	2.979
Gambia	0.750	0.168	3.351
Namibia	0.704	0.391	1.266
Comoros	0.696	0.368	1.317
Malawi	0.675	0.544	0.837
Zimbabwe	0.646	0.499	0.836
South Africa	0.645	0.608	0.684
Gabon	0.500	0.045	5.514
Eswatini	0.492	0.320	0.756
Niger	0.400	0.125	1.275
Benin	0.333	0.067	1.652
Togo	0.333	0.035	3.205
Mauritania	0.250	0.071	0.886
Uganda	0.111	0.014	0.877
Cameroon	0.000	0.000	NA
Congo	0.000	0.000	NA
Sierra Leone	0.000	0.000	NA
Burundi	NA	NA	NA
Central African Republic	NA	NA	NA
Equatorial Guinea	NA	NA	NA
Eritrea	NA	NA	NA
Guinea-Bissau	NA	NA	NA
Liberia	NA	NA	NA
Mauritius	NA	NA	NA
Sao Tome and Principe	NA	NA	NA
United Republic of Tanzania	NA	NA	NA