COVID-19 situation report for WHO Africa Region

12/08/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 12/08/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 12/08/2021


Overview



Total Reported Cases
5156935

Total Reported Deaths
124020





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 12/08/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 12/08/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 184191 reported case(s) (5th in the region) and 4654 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 44 (17th) and 1.1 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.78 (30th). The weekly ratio of reported deaths over the last 2 weeks is 1 (14th).

Angola




Angola has 43998 reported case(s) (19th in the region) and 1063 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (34th) and 0.35 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (17th). The weekly ratio of reported deaths over the last 2 weeks is 1.4 (9th).

Benin




Benin has 9065 reported case(s) (35th in the region) and 113 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 7.9 (41st) and 0.098 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (3rd). The weekly ratio of reported deaths over the last 2 weeks is 1.5 (8th).

Botswana




Botswana has 130771 reported case(s) (8th in the region) and 1832 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 580 (3rd) and 8.1 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (12th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (12th).

Burkina Faso




Burkina Faso has 13635 reported case(s) (30th in the region) and 170 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 6.9 (43rd) and 0.086 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.92 (21st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Burundi




Burundi has 9408 reported case(s) (34th in the region) and 10 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 8.4 (39th) and 0.0089 (46th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (5th). The weekly ratio of reported deaths over the last 2 weeks is 0 (33rd).

Cabo Verde




Cabo Verde has 34171 reported case(s) (21st in the region) and 298 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 630 (2nd) and 5.5 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.95 (18th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cameroon




Cameroon has 82454 reported case(s) (13th in the region) and 1338 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 33 (23rd) and 0.53 (23rd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Central African Republic




Central African Republic has 11174 reported case(s) (32nd in the region) and 98 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 24 (28th) and 0.21 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (45th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 4981 reported case(s) (43rd in the region) and 174 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 3.2 (45th) and 0.11 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.5 (1st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Comoros




Comoros has 4031 reported case(s) (45th in the region) and 147 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 48 (15th) and 1.8 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.4 (42nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Congo




Congo has 13356 reported case(s) (31st in the region) and 179 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 25 (27th) and 0.34 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.3 (2nd). The weekly ratio of reported deaths over the last 2 weeks is 1 (15th).

Cote d'Ivoire




Cote d'Ivoire has 51732 reported case(s) (18th in the region) and 347 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 21 (32nd) and 0.14 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (10th). The weekly ratio of reported deaths over the last 2 weeks is 1.6 (6th).

Democratic Republic of the Congo




Democratic Republic of the Congo has 52432 reported case(s) (17th in the region) and 1050 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 6.2 (44th) and 0.12 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.9 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 0.23 (31st).

Equatorial Guinea




Equatorial Guinea has 8951 reported case(s) (36th in the region) and 123 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 68 (11th) and 0.94 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.48 (41st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eritrea




Eritrea has 6593 reported case(s) (38th in the region) and 36 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (36th) and 0.06 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.86 (24th). The weekly ratio of reported deaths over the last 2 weeks is 1 (16th).

Eswatini




Eswatini has 33565 reported case(s) (22nd in the region) and 896 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 250 (6th) and 6.6 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (13th). The weekly ratio of reported deaths over the last 2 weeks is 1.6 (7th).

Ethiopia




Ethiopia has 286286 reported case(s) (2nd in the region) and 4450 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 26 (25th) and 0.41 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (4th). The weekly ratio of reported deaths over the last 2 weeks is 1.7 (4th).

Gabon




Gabon has 25529 reported case(s) (25th in the region) and 165 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 120 (7th) and 0.78 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (8th). The weekly ratio of reported deaths over the last 2 weeks is 0 (34th).

Gambia




Gambia has 8920 reported case(s) (37th in the region) and 251 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 39 (21st) and 1.1 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.77 (31st). The weekly ratio of reported deaths over the last 2 weeks is 0.7 (28th).

Ghana




Ghana has 109022 reported case(s) (11th in the region) and 892 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 37 (22nd) and 0.3 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.98 (16th). The weekly ratio of reported deaths over the last 2 weeks is 1.9 (3rd).

Guinea




Guinea has 27311 reported case(s) (24th in the region) and 366 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 22 (30th) and 0.29 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (9th). The weekly ratio of reported deaths over the last 2 weeks is 4.3 (1st).

Guinea-Bissau



Guinea-Bissau has 4901 reported case(s) (44th in the region) and 83 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 26 (26th) and 0.44 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.92 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 0.8 (27th).

Kenya



Kenya has 215730 reported case(s) (3rd in the region) and 4241 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 42 (20th) and 0.83 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (7th). The weekly ratio of reported deaths over the last 2 weeks is 1.7 (5th).