COVID-19 situation report for WHO Africa Region

14/01/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 14/01/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 14/01/2021


Overview



Total Reported Cases
2221719

Total Reported Deaths
50689





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 14/01/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 14/01/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 102641 reported case(s) (4th in the region) and 2816 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 24 (12th) and 0.67 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.84 (37th). The weekly ratio of reported deaths over the last 2 weeks is 0.86 (23rd).

Angola




Angola has 18425 reported case(s) (16th in the region) and 424 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 6 (31st) and 0.14 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (28th). The weekly ratio of reported deaths over the last 2 weeks is 0.79 (24th).

Benin




Benin has 3413 reported case(s) (36th in the region) and 46 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 3 (41st) and 0.04 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (14th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Botswana




Botswana has 16051 reported case(s) (18th in the region) and 48 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 71 (5th) and 0.21 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (16th). The weekly ratio of reported deaths over the last 2 weeks is 3 (7th).

Burkina Faso




Burkina Faso has 8546 reported case(s) (26th in the region) and 93 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 4.3 (35th) and 0.047 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.96 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 0.57 (26th).

Burundi




Burundi has 1103 reported case(s) (44th in the region) and 2 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 0.99 (46th) and 0.0018 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.3 (6th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 12592 reported case(s) (21st in the region) and 115 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 230 (1st) and 2.1 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (13th). The weekly ratio of reported deaths over the last 2 weeks is 2 (10th).

Cameroon




Cameroon has 27336 reported case(s) (10th in the region) and 451 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (24th) and 0.18 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.85 (36th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Central African Republic




Central African Republic has 4973 reported case(s) (31st in the region) and 63 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (25th) and 0.14 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.67 (41st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 2709 reported case(s) (38th in the region) and 109 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 1.8 (45th) and 0.07 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (19th). The weekly ratio of reported deaths over the last 2 weeks is 4 (4th).

Comoros




Comoros has 1341 reported case(s) (42nd in the region) and 33 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 16 (18th) and 0.4 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 4.8 (2nd). The weekly ratio of reported deaths over the last 2 weeks is 5 (2nd).

Congo




Congo has 7160 reported case(s) (28th in the region) and 112 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (20th) and 0.21 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (43rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cote d'Ivoire




Cote d'Ivoire has 24186 reported case(s) (12th in the region) and 140 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 9.6 (26th) and 0.056 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.2 (12th). The weekly ratio of reported deaths over the last 2 weeks is 2 (11th).

Democratic Republic of the Congo




Democratic Republic of the Congo has 19495 reported case(s) (15th in the region) and 610 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 2.3 (43rd) and 0.073 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 0.53 (27th).

Equatorial Guinea




Equatorial Guinea has 5316 reported case(s) (30th in the region) and 86 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 41 (9th) and 0.66 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (23rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eritrea




Eritrea has 1596 reported case(s) (41st in the region) and 6 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 2.6 (42nd) and 0.0099 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.78 (39th). The weekly ratio of reported deaths over the last 2 weeks is 1.5 (13th).

Eswatini




Eswatini has 12124 reported case(s) (22nd in the region) and 332 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 89 (4th) and 2.4 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (29th). The weekly ratio of reported deaths over the last 2 weeks is 0.93 (20th).

Ethiopia




Ethiopia has 129445 reported case(s) (2nd in the region) and 2006 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 12 (22nd) and 0.18 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.91 (35th). The weekly ratio of reported deaths over the last 2 weeks is 0.87 (22nd).

Gabon




Gabon has 9819 reported case(s) (25th in the region) and 66 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 46 (8th) and 0.31 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.5 (10th). The weekly ratio of reported deaths over the last 2 weeks is 0 (30th).

Gambia




Gambia has 3890 reported case(s) (34th in the region) and 126 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (16th) and 0.55 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (17th). The weekly ratio of reported deaths over the last 2 weeks is 1 (18th).

Ghana




Ghana has 56981 reported case(s) (6th in the region) and 341 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (14th) and 0.11 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 4.6 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Guinea




Guinea has 14025 reported case(s) (20th in the region) and 81 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 11 (23rd) and 0.065 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (25th). The weekly ratio of reported deaths over the last 2 weeks is 0 (31st).

Guinea-Bissau




Guinea-Bissau has 2447 reported case(s) (39th in the region) and 45 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 13 (21st) and 0.24 (17th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Kenya




Kenya has 98555 reported case(s) (5th in the region) and 1720 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (13th) and 0.33 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (31st). The weekly ratio of reported deaths over the last 2 weeks is 0.96 (19th).

Lesotho




Lesotho has 6241 reported case(s) (29th in the region) and 87 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 30 (11th) and 0.41 (10th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Liberia




Liberia has 1877 reported case(s) (40th in the region) and 84 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 3.9 (38th) and 0.17 (22nd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Madagascar




Madagascar has 18001 reported case(s) (17th in the region) and 267 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 6.9 (30th) and 0.1 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 4.4 (4th). The weekly ratio of reported deaths over the last 2 weeks is 5 (3rd).

Malawi




Malawi has 9991 reported case(s) (24th in the region) and 275 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 5.5 (32nd) and 0.15 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.1 (9th). The weekly ratio of reported deaths over the last 2 weeks is 7.6 (1st).

Mali




Mali has 7738 reported case(s) (27th in the region) and 303 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 4.1 (37th) and 0.16 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.94 (34th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (17th).

Mauritania




Mauritania has 15611 reported case(s) (19th in the region) and 387 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 35 (10th) and 0.88 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.34 (42nd). The weekly ratio of reported deaths over the last 2 weeks is 0.29 (28th).

Mauritius




Mauritius has 546 reported case(s) (46th in the region) and 10 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 4.3 (36th) and 0.079 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.8 (5th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mozambique




Mozambique has 23726 reported case(s) (13th in the region) and 205 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 8 (29th) and 0.07 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.1 (8th). The weekly ratio of reported deaths over the last 2 weeks is 3.7 (6th).

Namibia




Namibia has 29183 reported case(s) (9th in the region) and 271 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 120 (3rd) and 1.1 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 0.92 (21st).

Niger




Niger has 3998 reported case(s) (33rd in the region) and 136 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 1.8 (44th) and 0.061 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3.2 (7th). The weekly ratio of reported deaths over the last 2 weeks is 4 (5th).

Nigeria




Nigeria has 103999 reported case(s) (3rd in the region) and 1382 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 5.3 (33rd) and 0.071 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (26th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (15th).

Rwanda




Rwanda has 10122 reported case(s) (23rd in the region) and 128 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 8.2 (28th) and 0.1 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (24th). The weekly ratio of reported deaths over the last 2 weeks is 0.62 (25th).

Sao Tome and Principe




Sao Tome and Principe has 1105 reported case(s) (43rd in the region) and 17 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 52 (7th) and 0.81 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 8.1 (1st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Senegal




Senegal has 21883 reported case(s) (14th in the region) and 489 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (19th) and 0.31 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (21st). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (12th).

Seychelles




Seychelles has 610 reported case(s) (45th in the region) and 1 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 63 (6th) and 0.1 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (15th). The weekly ratio of reported deaths over the last 2 weeks is 0 (32nd).

Sierra Leone




Sierra Leone has 2887 reported case(s) (37th in the region) and 77 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 3.8 (39th) and 0.1 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.83 (38th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

South Africa




South Africa has 1278303 reported case(s) (1st in the region) and 35140 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 220 (2nd) and 6.1 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (27th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (16th).

South Sudan




South Sudan has 3670 reported case(s) (35th in the region) and 63 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 3.3 (40th) and 0.057 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (30th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Togo




Togo has 4109 reported case(s) (32nd in the region) and 73 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 5.2 (34th) and 0.093 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (20th). The weekly ratio of reported deaths over the last 2 weeks is 1.5 (14th).

Uganda




Uganda has 38085 reported case(s) (7th in the region) and 304 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 8.9 (27th) and 0.071 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.68 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0.22 (29th).

United Republic of Tanzania




United Republic of Tanzania has 509 reported case(s) (47th in the region) and 21 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 0.09 (47th) and 0.0037 (46th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zambia



Zambia has 31100 reported case(s) (8th in the region) and 509 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 18 (15th) and 0.29 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.5 (11th). The weekly ratio of reported deaths over the last 2 weeks is 3 (8th).

Zimbabwe



Zimbabwe has 24256 reported case(s) (11th in the region) and 589 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (17th) and 0.41 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (18th). The weekly ratio of reported deaths over the last 2 weeks is 2.2 (9th).

Appendix

Data

Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 14/01/2021).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 14/01/2021).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

Extended Data tables

Cumulative reported cases

Country	Cum. reported cases	95%CI lower	95%CI upper
South Africa	1278303	1276455	1280095
Ethiopia	129445	NA	NA
Nigeria	103999	103455	104555
Algeria	102641	102144	103172
Kenya	98555	98034	99088
Ghana	56981	56600	57377
Uganda	38085	NA	NA
Zambia	31100	NA	NA
Namibia	29183	NA	NA
Cameroon	27336	27063	27620
Zimbabwe	24256	24011	24538
Cote d'Ivoire	24186	23934	24434
Mozambique	23726	23486	23980
Senegal	21883	21640	22111
Democratic Republic of the Congo	19495	19263	19723
Angola	18425	18190	18661
Madagascar	18001	NA	NA
Botswana	16051	15856	16259
Mauritania	15611	NA	NA
Guinea	14025	NA	NA
Cabo Verde	12592	12406	12764
Eswatini	12124	NA	NA
Rwanda	10122	9958	10292
Malawi	9991	9825	10153
Gabon	9819	9661	9984
Burkina Faso	8546	8390	8691
Mali	7738	7599	7882
Congo	7160	7029	7300
Lesotho	6241	6116	6378
Equatorial Guinea	5316	NA	NA
Central African Republic	4973	NA	NA
Togo	4109	4002	4212
Niger	3998	NA	NA
Gambia	3890	NA	NA
South Sudan	3670	3567	3764
Benin	3413	NA	NA
Sierra Leone	2887	2801	2975
Chad	2709	NA	NA
Guinea-Bissau	2447	2368	2528
Liberia	1877	NA	NA
Eritrea	1596	1529	1662
Comoros	1341	NA	NA
Sao Tome and Principe	1105	NA	NA
Burundi	1103	NA	NA
Seychelles	610	NA	NA
Mauritius	546	512	586
United Republic of Tanzania	509	470	547

Cumulative reported cases per 10,000 population

Country	Cum. reported cases per 10k pop	95%CI lower	95%CI upper
Cabo Verde	231.570	228	235
South Africa	221.238	221	222
Namibia	119.199	NA	NA
Eswatini	88.691	NA	NA
Botswana	71.207	70	72
Seychelles	63.041	NA	NA
Sao Tome and Principe	52.363	NA	NA
Gabon	46.332	46	47
Equatorial Guinea	40.612	NA	NA
Mauritania	35.453	NA	NA
Lesotho	29.604	29	30
Algeria	24.306	24	24
Kenya	19.177	19	19
Ghana	19.142	19	19
Zambia	17.923	NA	NA
Gambia	17.061	NA	NA
Zimbabwe	16.799	17	17
Comoros	16.112	NA	NA
Senegal	13.803	14	14
Congo	13.653	13	14
Guinea-Bissau	13.055	13	13
Ethiopia	11.851	NA	NA
Guinea	11.297	NA	NA
Cameroon	10.841	11	11
Central African Republic	10.657	NA	NA
Cote d'Ivoire	9.648	10	10
Uganda	8.914	NA	NA
Rwanda	8.228	8	8
Mozambique	8.044	8	8
Madagascar	6.854	NA	NA
Angola	5.980	6	6
Malawi	5.507	5	6
Nigeria	5.309	5	5
Togo	5.208	5	5
Burkina Faso	4.327	4	4
Mauritius	4.315	4	5
Mali	4.056	4	4
Liberia	3.895	NA	NA
Sierra Leone	3.774	4	4
South Sudan	3.344	3	3
Benin	2.972	NA	NA
Eritrea	2.638	3	3
Democratic Republic of the Congo	2.319	2	2
Niger	1.781	NA	NA
Chad	1.750	NA	NA
Burundi	0.987	NA	NA
United Republic of Tanzania	0.090	0	0

Cumulative deaths

Country	Cum. reported deaths	95%CI lower	95%CI upper
South Africa	35140	34811	35470
Algeria	2816	NA	NA
Ethiopia	2006	1928	2089
Kenya	1720	1651	1788
Nigeria	1382	1316	1443
Democratic Republic of the Congo	610	568	654
Zimbabwe	589	NA	NA
Zambia	509	473	546
Senegal	489	453	528
Cameroon	451	416	485
Angola	424	NA	NA
Mauritania	387	354	419
Ghana	341	314	370
Eswatini	332	NA	NA
Uganda	304	275	331
Mali	303	275	330
Malawi	275	248	304
Namibia	271	NA	NA
Madagascar	267	241	294
Mozambique	205	181	229
Cote d'Ivoire	140	120	160
Niger	136	117	155
Rwanda	128	110	145
Gambia	126	107	145
Cabo Verde	115	98	132
Congo	112	NA	NA
Chad	109	93	127
Burkina Faso	93	NA	NA
Lesotho	87	72	104
Equatorial Guinea	86	71	102
Liberia	84	69	99
Guinea	81	NA	NA
Sierra Leone	77	62	92
Togo	73	59	88
Gabon	66	52	79
Central African Republic	63	50	77
South Sudan	63	NA	NA
Botswana	48	37	60
Benin	46	35	57
Guinea-Bissau	45	33	56
Comoros	33	25	43
United Republic of Tanzania	21	14	29
Sao Tome and Principe	17	NA	NA
Mauritius	10	5	16
Eritrea	6	NA	NA
Burundi	2	0	5
Seychelles	1	0	3

Cumulative deaths per 10,000 populations

Country	Cum. reported deaths per 10k pop	95%CI lower	95%CI upper
South Africa	6.082	6	6
Eswatini	2.429	NA	NA
Cabo Verde	2.115	2	2
Namibia	1.107	NA	NA
Mauritania	0.879	1	1
Sao Tome and Principe	0.806	NA	NA
Algeria	0.667	NA	NA
Equatorial Guinea	0.657	1	1
Gambia	0.553	0	1
Lesotho	0.413	0	0
Zimbabwe	0.408	NA	NA
Comoros	0.396	0	1
Kenya	0.335	0	0
Gabon	0.311	0	0
Senegal	0.308	0	0
Zambia	0.293	0	0
Guinea-Bissau	0.240	0	0
Congo	0.214	NA	NA
Botswana	0.213	0	0
Ethiopia	0.184	0	0
Cameroon	0.179	0	0
Liberia	0.174	0	0
Mali	0.159	0	0
Malawi	0.152	0	0
Angola	0.138	NA	NA
Central African Republic	0.135	0	0
Ghana	0.115	0	0
Rwanda	0.104	0	0
Seychelles	0.103	0	0
Madagascar	0.102	0	0
Sierra Leone	0.101	0	0
Togo	0.093	0	0
Mauritius	0.079	0	0
Democratic Republic of the Congo	0.073	0	0
Uganda	0.071	0	0
Nigeria	0.071	0	0
Chad	0.070	0	0
Mozambique	0.070	0	0
Guinea	0.065	NA	NA
Niger	0.061	0	0
South Sudan	0.057	NA	NA
Cote d'Ivoire	0.056	0	0
Burkina Faso	0.047	NA	NA
Benin	0.040	0	0
Eritrea	0.010	NA	NA
United Republic of Tanzania	0.004	0	0
Burundi	0.002	0	0

Weekly Ratio (cases)

Country	Weekly Ratio	95%CI lower	95%CI upper
Sao Tome and Principe	8.100	4.199	15.624
Comoros	4.818	3.880	5.983
Ghana	4.567	4.097	5.091
Madagascar	4.415	3.277	5.949
Mauritius	3.750	1.245	11.299
Burundi	3.254	2.474	4.278
Niger	3.189	2.733	3.721
Mozambique	3.137	2.947	3.339
Malawi	3.065	2.838	3.309
Gabon	2.543	1.929	3.353
Zambia	2.507	2.404	2.615
Cote d'Ivoire	2.200	1.998	2.422
Cabo Verde	2.085	1.798	2.418
Benin	2.057	1.481	2.856
Seychelles	1.612	1.312	1.981
Botswana	1.597	1.461	1.747
Gambia	1.583	1.043	2.403
Zimbabwe	1.544	1.485	1.605
Chad	1.518	1.294	1.780
Togo	1.488	1.245	1.777
Senegal	1.426	1.325	1.535
Democratic Republic of the Congo	1.382	1.272	1.501
Equatorial Guinea	1.364	0.787	2.364
Rwanda	1.317	1.202	1.443
Guinea	1.304	1.045	1.628
Nigeria	1.236	1.199	1.273
South Africa	1.166	1.156	1.175
Angola	1.138	1.008	1.284
Eswatini	1.138	1.059	1.223
South Sudan	1.031	0.731	1.454
Kenya	1.009	0.930	1.095
Namibia	0.965	0.917	1.016
Burkina Faso	0.958	0.878	1.046
Mali	0.937	0.809	1.086
Ethiopia	0.908	0.861	0.956
Cameroon	0.855	0.757	0.964
Algeria	0.841	0.785	0.900
Sierra Leone	0.827	0.665	1.028
Eritrea	0.782	0.632	0.968
Uganda	0.683	0.638	0.731
Central African Republic	0.667	0.188	2.362
Mauritania	0.340	0.308	0.377
Congo	0.000	0.000	NA
Guinea-Bissau	NA	NA	NA
Lesotho	NA	NA	NA
Liberia	NA	NA	NA
United Republic of Tanzania	NA	NA	NA

Weekly Ratio (deaths)

Country	Weekly Ratio	95%CI lower	95%CI upper
Malawi	7.600	3.931	14.694
Comoros	5.000	1.709	14.629
Madagascar	5.000	0.584	42.799
Chad	4.000	0.447	35.789
Niger	4.000	1.843	8.680
Mozambique	3.667	1.755	7.663
Botswana	3.000	0.605	14.864
Zambia	2.968	1.975	4.459
Zimbabwe	2.225	1.682	2.945
Cabo Verde	2.000	0.181	22.057
Cote d'Ivoire	2.000	0.181	22.057
Senegal	1.806	1.165	2.801
Eritrea	1.500	0.251	8.977
Togo	1.500	0.251	8.977
Nigeria	1.261	0.856	1.857
South Africa	1.131	1.080	1.185
Mali	1.125	0.574	2.206
Gambia	1.000	0.063	15.988
Kenya	0.963	0.562	1.650
Eswatini	0.934	0.676	1.291
Namibia	0.923	0.587	1.452
Ethiopia	0.872	0.574	1.326
Algeria	0.857	0.526	1.396
Angola	0.786	0.357	1.731
Rwanda	0.615	0.330	1.147
Burkina Faso	0.571	0.167	1.952
Democratic Republic of the Congo	0.529	0.236	1.188
Mauritania	0.286	0.158	0.517
Uganda	0.222	0.112	0.441
Gabon	0.000	0.000	NA
Guinea	0.000	0.000	NA
Seychelles	0.000	0.000	NA
Benin	NA	NA	NA
Burundi	NA	NA	NA
Cameroon	NA	NA	NA
Central African Republic	NA	NA	NA
Congo	NA	NA	NA
Equatorial Guinea	NA	NA	NA
Ghana	NA	NA	NA
Guinea-Bissau	NA	NA	NA
Lesotho	NA	NA	NA
Liberia	NA	NA	NA
Mauritius	NA	NA	NA
Sao Tome and Principe	NA	NA	NA
Sierra Leone	NA	NA	NA
South Sudan	NA	NA	NA
United Republic of Tanzania	NA	NA	NA