CEMA
Center for Epidemiological Modelling and Analysis

University of Nairobi

tiba

# COVID-19 situation report for WHO Africa Region

16/02/2023

Produced by the Centre for Epidemiological Modelling and Analysis, University of Nairobi



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

# Contents

(Click to access)

**Section 1: Overview of WHO Africa Region 16/02/2023** **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

**Section 2: Individual country situations** **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

**Appendix** **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

**Extended Data tables** **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 population . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


# Section 1: Overview of WHO Africa Region 16/02/2023


## Overview



**Total Reported Cases**
**8,952,919**

**Total Reported Deaths**
**174,176**



## Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


# Summary maps




## Section 2: Individual country situations


As of 16/02/2023, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 16/02/2023. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

# Algeria





Algeria has 271406 reported case(s) (7th in the region) and 6881 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 64 (19th) and 1.6 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.17 (15th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Angola





Angola has 105184 reported case(s) (16th in the region) and 1931 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 34 (32nd) and 0.63 (28th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Benin





Benin has 27990 reported case(s) (33rd in the region) and 163 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 24 (36th) and 0.14 (43rd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Botswana





Botswana has 329595 reported case(s) (5th in the region) and 2794 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 1500 (3rd) and 12 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (16th). The weekly ratio of reported deaths over the last 2 weeks is 0 (3rd).

# Burkina Faso





Burkina Faso has 22056 reported case(s) (35th in the region) and 396 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (43rd) and 0.2 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (17th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Burundi





Burundi has 53609 reported case(s) (25th in the region) and 15 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 48 (26th) and 0.013 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.43 (11th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Cabo Verde





Cabo Verde has 63237 reported case(s) (24th in the region) and 413 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 1200 (4th) and 7.6 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.33 (13th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Cameroon





Cameroon has 123993 reported case(s) (15th in the region) and 1965 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 49 (24th) and 0.78 (24th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Central African Republic





Central African Republic has 15367 reported case(s) (38th in the region) and 113 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 33 (33rd) and 0.24 (36th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Chad





Chad has 7652 reported case(s) (46th in the region) and 194 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 4.9 (46th) and 0.13 (46th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Comoros





Comoros has 8997 reported case(s) (42nd in the region) and 160 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 110 (16th) and 1.9 (13th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Congo





Congo has 25073 reported case(s) (34th in the region) and 388 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 48 (27th) and 0.74 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (18th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Cote d'Ivoire





Cote d'Ivoire has 88064 reported case(s) (20th in the region) and 834 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 35 (31st) and 0.33 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (4th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Democratic Republic of the Congo





Democratic Republic of the Congo has 95645 reported case(s) (17th in the region) and 1464 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (42nd) and 0.17 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (19th). The weekly ratio of reported deaths over the last 2 weeks is 0 (4th).

# Equatorial Guinea





Equatorial Guinea has 17115 reported case(s) (37th in the region) and 183 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 130 (14th) and 1.4 (18th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Eritrea





Eritrea has 10189 reported case(s) (40th in the region) and 103 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (38th) and 0.17 (39th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Eswatini





Eswatini has 74158 reported case(s) (21st in the region) and 1423 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 540 (7th) and 10 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (1st). The weekly ratio of reported deaths over the last 2 weeks is 0 (5th).

# Ethiopia





Ethiopia has 499782 reported case(s) (2nd in the region) and 7572 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 46 (29th) and 0.69 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.41 (12th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Gabon





Gabon has 48981 reported case(s) (27th in the region) and 306 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 230 (9th) and 1.4 (17th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Gambia





Gambia has 12586 reported case(s) (39th in the region) and 372 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 55 (22nd) and 1.6 (14th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Ghana





Ghana has 171152 reported case(s) (11th in the region) and 1462 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 57 (20th) and 0.49 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.92 (7th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Guinea





Guinea has 38267 reported case(s) (30th in the region) and 467 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 31 (34th) and 0.38 (33rd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Guinea-Bissau





Guinea-Bissau has 8953 reported case(s) (43rd in the region) and 176 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 48 (28th) and 0.94 (22nd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Kenya





Kenya has 342874 reported case(s) (3rd in the region) and 5688 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 67 (18th) and 1.1 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.78 (9th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Lesotho





Lesotho has 34490 reported case(s) (31st in the region) and 706 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 160 (12th) and 3.3 (10th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Liberia





Liberia has 8065 reported case(s) (44th in the region) and 294 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (39th) and 0.61 (29th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Madagascar





Madagascar has 67849 reported case(s) (22nd in the region) and 1421 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 26 (35th) and 0.54 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (20th). The weekly ratio of reported deaths over the last 2 weeks is 0 (6th).

# Malawi





Malawi has 88543 reported case(s) (19th in the region) and 2686 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 49 (25th) and 1.5 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.98 (5th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Mali





Mali has 32843 reported case(s) (32nd in the region) and 743 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (37th) and 0.39 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.94 (6th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Mauritania





Mauritania has 63438 reported case(s) (23rd in the region) and 997 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 140 (13th) and 2.3 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (21st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Mauritius





Mauritius has 295161 reported case(s) (6th in the region) and 1044 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 2300 (2nd) and 8.3 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (22nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Mozambique





Mozambique has 232819 reported case(s) (10th in the region) and 2237 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 79 (17th) and 0.76 (25th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Namibia





Namibia has 171059 reported case(s) (12th in the region) and 4090 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 700 (6th) and 17 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (23rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Niger





Niger has 9512 reported case(s) (41st in the region) and 315 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 4.2 (47th) and 0.14 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (24th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Nigeria





Nigeria has 266463 reported case(s) (8th in the region) and 3155 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 14 (41st) and 0.16 (41st) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Rwanda





Rwanda has 133170 reported case(s) (14th in the region) and 1468 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 110 (15th) and 1.2 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.49 (10th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Sao Tome and Principe





Sao Tome and Principe has 6280 reported case(s) (47th in the region) and 77 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 300 (8th) and 3.6 (9th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Senegal





Senegal has 88910 reported case(s) (18th in the region) and 1971 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 56 (21st) and 1.2 (19th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Seychelles





Seychelles has 50665 reported case(s) (26th in the region) and 172 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 5200 (1st) and 18 (1st) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Sierra Leone





Sierra Leone has 7760 reported case(s) (45th in the region) and 125 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 10 (44th) and 0.16 (40th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# South Africa





South Africa has 4057134 reported case(s) (1st in the region) and 102595 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 700 (5th) and 18 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (25th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# South Sudan





South Sudan has 18368 reported case(s) (36th in the region) and 138 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 17 (40th) and 0.13 (45th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Togo





Togo has 39362 reported case(s) (29th in the region) and 290 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 50 (23rd) and 0.37 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (2nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Uganda





Uganda has 170369 reported case(s) (13th in the region) and 3630 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 40 (30th) and 0.85 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (26th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# United Republic of Tanzania





United Republic of Tanzania has 42775 reported case(s) (28th in the region) and 846 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 7.6 (45th) and 0.15 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Zambia




Zambia has 342317 reported case(s) (4th in the region) and 4051 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 200 (10th) and 2.3 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.84 (8th). The weekly ratio of reported deaths over the last 2 weeks is 2 (2nd).

# Zimbabwe




Zimbabwe has 263642 reported case(s) (9th in the region) and 5662 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 180 (11th) and 3.9 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.33 (14th). The weekly ratio of reported deaths over the last 2 weeks is 3 (1st).

# Appendix

## Data

### Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 16/02/2023).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 16/02/2023).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

### Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

### Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

# Extended Data tables

**Cumulative reported cases**

| Country | Cum. reported cases | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 4057134 | 4053690 | 4060360 |
| Ethiopia | 499782 | 498575 | 500934 |
| Kenya | 342874 | 341903 | 343842 |
| Zambia | 342317 | 341298 | 343335 |
| Botswana | 329595 | 328666 | 330533 |
| Mauritius | 295161 | 294301 | 296055 |
| Algeria | 271406 | 270501 | 272254 |
| Nigeria | 266463 | 265630 | 267351 |
| Zimbabwe | 263642 | 262812 | 264474 |
| Mozambique | 232819 | 232049 | 233608 |
| Ghana | 171152 | 170485 | 171832 |
| Namibia | 171059 | 170408 | 171748 |
| Uganda | 170369 | NA | NA |
| Rwanda | 133170 | 132550 | 133739 |
| Cameroon | 123993 | 123421 | 124577 |
| Angola | 105184 | 104624 | 105734 |
| Democratic Republic of the Congo | 95645 | 95140 | 96151 |
| Senegal | 88910 | 88428 | 89386 |
| Malawi | 88543 | NA | NA |
| Cote d'Ivoire | 88064 | 87598 | 88545 |
| Eswatini | 74158 | 73710 | 74601 |
| Madagascar | 67849 | 67425 | 68279 |
| Mauritania | 63438 | NA | NA |
| Cabo Verde | 63237 | 62848 | 63638 |
| Burundi | 53609 | 53236 | 54015 |
| Seychelles | 50665 | 50309 | 51047 |
| Gabon | 48981 | 48610 | 49348 |
| United Republic of Tanzania | 42775 | 42427 | 43102 |
| Togo | 39362 | 39030 | 39701 |
| Guinea | 38267 | 37964 | 38593 |
| Lesotho | 34490 | 34170 | 34777 |
| Mali | 32843 | 32558 | 33139 |
| Benin | 27990 | 27722 | 28268 |
| Congo | 25073 | 24794 | 25335 |
| Burkina Faso | 22056 | 21815 | 22298 |
| South Sudan | 18368 | 18137 | 18582 |
| Equatorial Guinea | 17115 | 16895 | 17342 |
| Central African Republic | 15367 | 15170 | 15574 |
| Gambia | 12586 | 12405 | 12778 |
| Eritrea | 10189 | 10020 | 10350 |
| Niger | 9512 | 9356 | 9667 |
| Comoros | 8997 | 8850 | 9142 |
| Guinea-Bissau | 8953 | 8801 | 9105 |
| Liberia | 8065 | NA | NA |
| Sierra Leone | 7760 | 7611 | 7910 |
| Chad | 7652 | 7512 | 7798 |
| Sao Tome and Principe | 6280 | 6142 | 6408 |

**Cumulative reported cases per 10,000 population**

| Country | Cum. reported cases per 10k pop | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Seychelles | 5236.043 | 5199 | 5276 |
| Mauritius | 2332.730 | 2326 | 2340 |
| Botswana | 1462.185 | 1458 | 1466 |
| Cabo Verde | 1162.943 | 1156 | 1170 |
| South Africa | 702.174 | 702 | 703 |
| Namibia | 698.698 | 696 | 702 |
| Eswatini | 542.487 | 539 | 546 |
| Sao Tome and Principe | 297.591 | 291 | 304 |
| Gabon | 231.121 | 229 | 233 |
| Zambia | 197.280 | 197 | 198 |
| Zimbabwe | 182.590 | 182 | 183 |
| Lesotho | 163.605 | 162 | 165 |
| Mauritania | 144.069 | NA | NA |
| Equatorial Guinea | 130.751 | 129 | 132 |
| Rwanda | 108.251 | 108 | 109 |
| Comoros | 108.095 | 106 | 110 |
| Mozambique | 78.932 | 79 | 79 |
| Kenya | 66.716 | 67 | 67 |
| Algeria | 64.271 | 64 | 64 |
| Ghana | 57.497 | 57 | 58 |
| Senegal | 56.079 | 56 | 56 |
| Gambia | 55.199 | 54 | 56 |
| Togo | 49.894 | 49 | 50 |
| Cameroon | 49.172 | 49 | 49 |
| Malawi | 48.802 | NA | NA |
| Burundi | 47.971 | 48 | 48 |
| Congo | 47.809 | 47 | 48 |
| Guinea-Bissau | 47.767 | 47 | 49 |
| Ethiopia | 45.757 | 46 | 46 |
| Uganda | 39.877 | NA | NA |
| Cote d'Ivoire | 35.128 | 35 | 35 |
| Angola | 34.140 | 34 | 34 |
| Central African Republic | 32.931 | 33 | 33 |
| Guinea | 30.825 | 31 | 31 |
| Madagascar | 25.835 | 26 | 26 |
| Benin | 24.371 | 24 | 25 |
| Mali | 17.215 | 17 | 17 |
| Eritrea | 16.841 | 17 | 17 |
| Liberia | 16.736 | NA | NA |
| South Sudan | 16.735 | 17 | 17 |
| Nigeria | 13.604 | 14 | 14 |
| Democratic Republic of the Congo | 11.377 | 11 | 11 |
| Burkina Faso | 11.167 | 11 | 11 |
| Sierra Leone | 10.144 | 10 | 10 |
| United Republic of Tanzania | 7.595 | 8 | 8 |
| Chad | 4.944 | 5 | 5 |
| Niger | 4.238 | 4 | 4 |

**Cumulative deaths**

| Country | Cum. reported deaths | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 102595 | 102078 | 103133 |
| Ethiopia | 7572 | 7427 | 7719 |
| Algeria | 6881 | 6745 | 7021 |
| Kenya | 5688 | 5573 | 5809 |
| Zimbabwe | 5662 | 5527 | 5788 |
| Namibia | 4090 | 3986 | 4197 |
| Zambia | 4051 | 3944 | 4151 |
| Uganda | 3630 | 3534 | 3734 |
| Nigeria | 3155 | 3062 | 3248 |
| Botswana | 2794 | 2701 | 2884 |
| Malawi | 2686 | 2596 | 2763 |
| Mozambique | 2237 | 2158 | 2315 |
| Senegal | 1971 | 1897 | 2046 |
| Cameroon | 1965 | 1897 | 2040 |
| Angola | 1931 | 1858 | 2001 |
| Rwanda | 1468 | 1409 | 1530 |
| Democratic Republic of the Congo | 1464 | 1400 | 1525 |
| Ghana | 1462 | 1401 | 1527 |
| Eswatini | 1423 | 1364 | 1487 |
| Madagascar | 1421 | 1358 | 1483 |
| Mauritius | 1044 | 989 | 1097 |
| Mauritania | 997 | 946 | 1051 |
| United Republic of Tanzania | 846 | 799 | 895 |
| Cote d'Ivoire | 834 | 788 | 881 |
| Mali | 743 | 699 | 786 |
| Lesotho | 706 | 660 | 750 |
| Guinea | 467 | 429 | 504 |
| Cabo Verde | 413 | NA | NA |
| Burkina Faso | 396 | 363 | 428 |
| Congo | 388 | 357 | 420 |
| Gambia | 372 | 338 | 403 |
| Niger | 315 | 287 | 345 |
| Gabon | 306 | 276 | 334 |
| Liberia | 294 | 268 | 322 |
| Togo | 290 | 262 | 317 |
| Chad | 194 | 173 | 219 |
| Equatorial Guinea | 183 | 161 | 204 |
| Guinea-Bissau | 176 | 154 | 199 |
| Seychelles | 172 | 152 | 194 |
| Benin | 163 | 142 | 184 |
| Comoros | 160 | NA | NA |
| South Sudan | 138 | 120 | 158 |
| Sierra Leone | 125 | NA | NA |
| Central African Republic | 113 | 96 | 131 |
| Eritrea | 103 | 87 | 120 |
| Sao Tome and Principe | 77 | 63 | 91 |
| Burundi | 15 | 9 | 21 |

**Cumulative deaths per 10,000 population**

| Country | Cum. reported deaths per 10k pop | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Seychelles | 17.776 | 16 | 20 |
| South Africa | 17.756 | 18 | 18 |
| Namibia | 16.706 | 16 | 17 |
| Botswana | 12.395 | 12 | 13 |
| Eswatini | 10.410 | 10 | 11 |
| Mauritius | 8.251 | 8 | 9 |
| Cabo Verde | 7.595 | NA | NA |
| Zimbabwe | 3.921 | 4 | 4 |
| Sao Tome and Principe | 3.649 | 3 | 4 |
| Lesotho | 3.349 | 3 | 4 |
| Zambia | 2.335 | 2 | 2 |
| Mauritania | 2.264 | 2 | 2 |
| Comoros | 1.922 | NA | NA |
| Gambia | 1.632 | 1 | 2 |
| Algeria | 1.629 | 2 | 2 |
| Malawi | 1.480 | 1 | 2 |
| Gabon | 1.444 | 1 | 2 |
| Equatorial Guinea | 1.398 | 1 | 2 |
| Senegal | 1.243 | 1 | 1 |
| Rwanda | 1.193 | 1 | 1 |
| Kenya | 1.107 | 1 | 1 |
| Guinea-Bissau | 0.939 | 1 | 1 |
| Uganda | 0.850 | 1 | 1 |
| Cameroon | 0.779 | 1 | 1 |
| Mozambique | 0.758 | 1 | 1 |
| Congo | 0.740 | 1 | 1 |
| Ethiopia | 0.693 | 1 | 1 |
| Angola | 0.627 | 1 | 1 |
| Liberia | 0.610 | 1 | 1 |
| Madagascar | 0.541 | 1 | 1 |
| Ghana | 0.491 | 0 | 1 |
| Mali | 0.389 | 0 | 0 |
| Guinea | 0.376 | 0 | 0 |
| Togo | 0.368 | 0 | 0 |
| Cote d'Ivoire | 0.333 | 0 | 0 |
| Central African Republic | 0.242 | 0 | 0 |
| Burkina Faso | 0.200 | 0 | 0 |
| Democratic Republic of the Congo | 0.174 | 0 | 0 |
| Eritrea | 0.170 | 0 | 0 |
| Sierra Leone | 0.163 | NA | NA |
| Nigeria | 0.161 | 0 | 0 |
| United Republic of Tanzania | 0.150 | 0 | 0 |
| Benin | 0.142 | 0 | 0 |
| Niger | 0.140 | 0 | 0 |
| South Sudan | 0.126 | 0 | 0 |
| Chad | 0.125 | 0 | 0 |
| Burundi | 0.013 | 0 | 0 |

**Weekly Ratio (cases)**

| Country | Weekly Ratio | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Eswatini | 1.500 | 0.674 | 3.339 |
| Togo | 1.333 | 0.298 | 5.958 |
| United Republic of Tanzania | 1.094 | 0.754 | 1.588 |
| Cote d'Ivoire | 1.027 | 0.653 | 1.615 |
| Malawi | 0.976 | 0.631 | 1.508 |
| Mali | 0.935 | 0.564 | 1.552 |
| Ghana | 0.923 | 0.421 | 2.023 |
| Zambia | 0.840 | 0.756 | 0.935 |
| Kenya | 0.781 | 0.463 | 1.318 |
| Rwanda | 0.489 | 0.294 | 0.814 |
| Burundi | 0.427 | 0.287 | 0.634 |
| Ethiopia | 0.410 | 0.309 | 0.543 |
| Cabo Verde | 0.333 | 0.067 | 1.652 |
| Zimbabwe | 0.327 | 0.282 | 0.380 |
| Algeria | 0.167 | 0.049 | 0.566 |
| Botswana | 0.000 | 0.000 | NA |
| Burkina Faso | 0.000 | 0.000 | NA |
| Congo | 0.000 | 0.000 | NA |
| Democratic Republic of the Congo | 0.000 | 0.000 | NA |
| Madagascar | 0.000 | 0.000 | NA |
| Mauritania | 0.000 | 0.000 | NA |
| Mauritius | 0.000 | 0.000 | NA |
| Namibia | 0.000 | 0.000 | NA |
| Niger | 0.000 | 0.000 | NA |
| South Africa | 0.000 | 0.000 | NA |
| Uganda | 0.000 | 0.000 | NA |
| Angola | NA | NA | NA |
| Benin | NA | NA | NA |
| Cameroon | NA | NA | NA |
| Central African Republic | NA | NA | NA |
| Chad | NA | NA | NA |
| Comoros | NA | NA | NA |
| Equatorial Guinea | NA | NA | NA |
| Eritrea | NA | NA | NA |
| Gabon | NA | NA | NA |
| Gambia | NA | NA | NA |
| Guinea | NA | NA | NA |
| Guinea-Bissau | NA | NA | NA |
| Lesotho | NA | NA | NA |
| Liberia | NA | NA | NA |
| Mozambique | NA | NA | NA |
| Nigeria | NA | NA | NA |
| Sao Tome and Principe | NA | NA | NA |
| Senegal | NA | NA | NA |
| Seychelles | NA | NA | NA |
| Sierra Leone | NA | NA | NA |
| South Sudan | NA | NA | NA |

**Weekly Ratio (deaths)**

| Country | Weekly Ratio | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Zimbabwe | 3 | 0.312 | 28.842 |
| Zambia | 2 | 0.181 | 22.057 |
| Botswana | 0 | 0.000 | NA |
| Democratic Republic of the Congo | 0 | 0.000 | NA |
| Eswatini | 0 | 0.000 | NA |
| Madagascar | 0 | 0.000 | NA |
| Algeria | NA | NA | NA |
| Angola | NA | NA | NA |
| Benin | NA | NA | NA |
| Burkina Faso | NA | NA | NA |
| Burundi | NA | NA | NA |
| Cabo Verde | NA | NA | NA |
| Cameroon | NA | NA | NA |
| Central African Republic | NA | NA | NA |
| Chad | NA | NA | NA |
| Comoros | NA | NA | NA |
| Congo | NA | NA | NA |
| Cote d'Ivoire | NA | NA | NA |
| Equatorial Guinea | NA | NA | NA |
| Eritrea | NA | NA | NA |
| Ethiopia | NA | NA | NA |
| Gabon | NA | NA | NA |
| Gambia | NA | NA | NA |
| Ghana | NA | NA | NA |
| Guinea | NA | NA | NA |
| Guinea-Bissau | NA | NA | NA |
| Kenya | NA | NA | NA |
| Lesotho | NA | NA | NA |
| Liberia | NA | NA | NA |
| Malawi | NA | NA | NA |
| Mali | NA | NA | NA |
| Mauritania | NA | NA | NA |
| Mauritius | NA | NA | NA |
| Mozambique | NA | NA | NA |
| Namibia | NA | NA | NA |
| Niger | NA | NA | NA |
| Nigeria | NA | NA | NA |
| Rwanda | NA | NA | NA |
| Sao Tome and Principe | NA | NA | NA |
| Senegal | NA | NA | NA |
| Seychelles | NA | NA | NA |
| Sierra Leone | NA | NA | NA |
| South Africa | NA | NA | NA |
| South Sudan | NA | NA | NA |
| Togo | NA | NA | NA |
| Uganda | NA | NA | NA |
| United Republic of Tanzania | NA | NA | NA |