COVID-19 situation report for WHO Africa Region

17/06/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 17/06/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 17/06/2021


Overview



Total Reported Cases
3677529

Total Reported Deaths
90348





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 17/06/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 17/06/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 134458 reported case(s) (5th in the region) and 3598 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 32 (16th) and 0.85 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (27th). The weekly ratio of reported deaths over the last 2 weeks is 1 (15th).

Angola




Angola has 37094 reported case(s) (17th in the region) and 847 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (34th) and 0.27 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.79 (31st). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (11th).

Benin




Benin has 8140 reported case(s) (34th in the region) and 103 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 7.1 (39th) and 0.09 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (23rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Botswana




Botswana has 64021 reported case(s) (12th in the region) and 926 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 280 (4th) and 4.1 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (25th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (12th).

Burkina Faso




Burkina Faso has 13460 reported case(s) (29th in the region) and 167 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 6.8 (40th) and 0.085 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.32 (40th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Burundi




Burundi has 5098 reported case(s) (39th in the region) and 8 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 4.6 (43rd) and 0.0072 (46th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 0 (27th).

Cabo Verde




Cabo Verde has 31783 reported case(s) (20th in the region) and 279 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 580 (2nd) and 5.1 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.69 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 2.2 (7th).

Cameroon




Cameroon has 80090 reported case(s) (8th in the region) and 1310 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 32 (17th) and 0.52 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.19 (42nd). The weekly ratio of reported deaths over the last 2 weeks is 0.3 (25th).

Central African Republic




Central African Republic has 7101 reported case(s) (35th in the region) and 98 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (32nd) and 0.21 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (45th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 4943 reported case(s) (40th in the region) and 174 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 3.2 (45th) and 0.11 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.14 (44th). The weekly ratio of reported deaths over the last 2 weeks is 0 (28th).

Comoros




Comoros has 3973 reported case(s) (42nd in the region) and 146 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 48 (12th) and 1.8 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (17th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Congo




Congo has 12298 reported case(s) (30th in the region) and 161 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 23 (24th) and 0.31 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 5 (2nd). The weekly ratio of reported deaths over the last 2 weeks is 6 (2nd).

Cote d'Ivoire




Cote d'Ivoire has 47933 reported case(s) (13th in the region) and 306 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (26th) and 0.12 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (10th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Democratic Republic of the Congo




Democratic Republic of the Congo has 36222 reported case(s) (18th in the region) and 857 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 4.3 (44th) and 0.1 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (24th). The weekly ratio of reported deaths over the last 2 weeks is 1 (14th).

Equatorial Guinea




Equatorial Guinea has 8662 reported case(s) (33rd in the region) and 120 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 66 (10th) and 0.92 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.32 (39th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eritrea




Eritrea has 5108 reported case(s) (38th in the region) and 17 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 8.4 (37th) and 0.028 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.77 (32nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eswatini




Eswatini has 18768 reported case(s) (25th in the region) and 676 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 140 (6th) and 4.9 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (29th). The weekly ratio of reported deaths over the last 2 weeks is 0 (29th).

Ethiopia




Ethiopia has 274601 reported case(s) (2nd in the region) and 4260 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 25 (21st) and 0.39 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.88 (30th). The weekly ratio of reported deaths over the last 2 weeks is 0.71 (21st).

Gabon




Gabon has 24736 reported case(s) (22nd in the region) and 156 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 120 (7th) and 0.74 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.15 (43rd). The weekly ratio of reported deaths over the last 2 weeks is 0 (30th).

Gambia




Gambia has 6024 reported case(s) (36th in the region) and 181 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 26 (20th) and 0.79 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (20th). The weekly ratio of reported deaths over the last 2 weeks is 1 (16th).

Ghana




Ghana has 94824 reported case(s) (7th in the region) and 790 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 32 (15th) and 0.27 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (18th). The weekly ratio of reported deaths over the last 2 weeks is 0.25 (26th).

Guinea




Guinea has 23398 reported case(s) (23rd in the region) and 167 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 19 (28th) and 0.13 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.46 (38th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Guinea-Bissau



Guinea-Bissau has 3810 reported case(s) (43rd in the region) and 69 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 20 (25th) and 0.37 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (16th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Kenya



Kenya has 176622 reported case(s) (3rd in the region) and 3428 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 34 (14th) and 0.67 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (21st). The weekly ratio of reported deaths over the last 2 weeks is 0.6 (23rd).