COVID-19 situation report for WHO Africa Region

21/01/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 21/01/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 21/01/2021


Overview



Total Reported Cases
2378695

Total Reported Deaths
55541





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 21/01/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 21/01/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 104606 reported case(s) (4th in the region) and 2854 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 25 (12th) and 0.68 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (13th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (14th).

Angola




Angola has 19093 reported case(s) (16th in the region) and 444 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 6.2 (32nd) and 0.14 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (16th). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (9th).

Benin




Benin has 3582 reported case(s) (36th in the region) and 48 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 3.1 (42nd) and 0.042 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (7th). The weekly ratio of reported deaths over the last 2 weeks is 1 (21st).

Botswana




Botswana has 18630 reported case(s) (17th in the region) and 88 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 83 (6th) and 0.39 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (2nd). The weekly ratio of reported deaths over the last 2 weeks is 6.7 (1st).

Burkina Faso




Burkina Faso has 9553 reported case(s) (26th in the region) and 106 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 4.8 (35th) and 0.054 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (25th). The weekly ratio of reported deaths over the last 2 weeks is 3.2 (3rd).

Burundi




Burundi has 1358 reported case(s) (43rd in the region) and 2 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 1.2 (46th) and 0.0018 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (18th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 13224 reported case(s) (23rd in the region) and 121 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 240 (1st) and 2.2 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (17th). The weekly ratio of reported deaths over the last 2 weeks is 3 (4th).

Cameroon




Cameroon has 28010 reported case(s) (12th in the region) and 455 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (24th) and 0.18 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (10th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (13th).

Central African Republic




Central African Republic has 4974 reported case(s) (31st in the region) and 63 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (25th) and 0.14 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.25 (42nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 3012 reported case(s) (38th in the region) and 114 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 1.9 (44th) and 0.074 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.8 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (15th).

Comoros




Comoros has 1933 reported case(s) (40th in the region) and 54 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 23 (14th) and 0.65 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (15th). The weekly ratio of reported deaths over the last 2 weeks is 1 (18th).

Congo




Congo has 7794 reported case(s) (28th in the region) and 117 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (20th) and 0.22 (20th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths over the last 2 weeks is 0.42 (29th).

Cote d'Ivoire




Cote d'Ivoire has 25597 reported case(s) (13th in the region) and 142 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 10 (26th) and 0.057 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 1 (22nd).

Democratic Republic of the Congo




Democratic Republic of the Congo has 21301 reported case(s) (15th in the region) and 640 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 2.5 (43rd) and 0.076 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (11th). The weekly ratio of reported deaths over the last 2 weeks is 3.3 (2nd).

Equatorial Guinea




Equatorial Guinea has 5365 reported case(s) (30th in the region) and 86 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 41 (9th) and 0.66 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (6th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eritrea




Eritrea has 1910 reported case(s) (41st in the region) and 6 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 3.2 (41st) and 0.0099 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (1st). The weekly ratio of reported deaths over the last 2 weeks is 0 (33rd).

Eswatini




Eswatini has 13789 reported case(s) (22nd in the region) and 427 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 100 (4th) and 3.1 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (24th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (12th).

Ethiopia




Ethiopia has 132034 reported case(s) (2nd in the region) and 2044 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 12 (22nd) and 0.19 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (29th). The weekly ratio of reported deaths over the last 2 weeks is 0.93 (24th).

Gabon




Gabon has 10120 reported case(s) (25th in the region) and 66 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 48 (8th) and 0.31 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (4th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Gambia




Gambia has 3950 reported case(s) (34th in the region) and 128 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (18th) and 0.56 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 2 (6th).

Ghana




Ghana has 58822 reported case(s) (6th in the region) and 358 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 20 (16th) and 0.12 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (27th). The weekly ratio of reported deaths over the last 2 weeks is 2.8 (5th).

Guinea




Guinea has 14207 reported case(s) (21st in the region) and 81 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 11 (23rd) and 0.065 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (28th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Guinea-Bissau




Guinea-Bissau has 2510 reported case(s) (39th in the region) and 45 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 13 (21st) and 0.24 (19th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Kenya




Kenya has 99444 reported case(s) (5th in the region) and 1736 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (17th) and 0.34 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.77 (34th). The weekly ratio of reported deaths over the last 2 weeks is 0.62 (28th).

Lesotho




Lesotho has 7035 reported case(s) (29th in the region) and 101 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 33 (11th) and 0.48 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.22 (43rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Liberia




Liberia has 1901 reported case(s) (42nd in the region) and 84 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 3.9 (39th) and 0.17 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.31 (41st). The weekly ratio of reported deaths over the last 2 weeks is 0 (34th).

Madagascar




Madagascar has 18301 reported case(s) (18th in the region) and 273 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 7 (31st) and 0.1 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (14th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (16th).

Malawi




Malawi has 14851 reported case(s) (20th in the region) and 354 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 8.2 (30th) and 0.2 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (3rd). The weekly ratio of reported deaths over the last 2 weeks is 1 (19th).

Mali




Mali has 7897 reported case(s) (27th in the region) and 318 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 4.1 (37th) and 0.17 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.46 (38th). The weekly ratio of reported deaths over the last 2 weeks is 0.83 (25th).

Mauritania




Mauritania has 16039 reported case(s) (19th in the region) and 402 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 36 (10th) and 0.91 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.86 (30th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (17th).

Mauritius




Mauritius has 556 reported case(s) (46th in the region) and 10 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 4.4 (36th) and 0.079 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.67 (37th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mozambique




Mozambique has 29396 reported case(s) (11th in the region) and 271 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 10 (27th) and 0.092 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (8th). The weekly ratio of reported deaths over the last 2 weeks is 2 (7th).

Namibia




Namibia has 31253 reported case(s) (9th in the region) and 301 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 130 (3rd) and 1.2 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.72 (35th). The weekly ratio of reported deaths over the last 2 weeks is 0.83 (26th).

Niger




Niger has 4249 reported case(s) (33rd in the region) and 147 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 1.9 (45th) and 0.065 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.37 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0.34 (30th).

Nigeria




Nigeria has 114691 reported case(s) (3rd in the region) and 1478 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 5.9 (33rd) and 0.075 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (20th). The weekly ratio of reported deaths over the last 2 weeks is 1.7 (10th).

Rwanda




Rwanda has 11860 reported case(s) (24th in the region) and 153 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 9.6 (28th) and 0.12 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (5th). The weekly ratio of reported deaths over the last 2 weeks is 1.6 (11th).

Sao Tome and Principe




Sao Tome and Principe has 1170 reported case(s) (44th in the region) and 17 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 55 (7th) and 0.81 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.8 (31st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Senegal




Senegal has 23642 reported case(s) (14th in the region) and 546 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (19th) and 0.34 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (26th). The weekly ratio of reported deaths over the last 2 weeks is 1 (20th).

Seychelles




Seychelles has 844 reported case(s) (45th in the region) and 3 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 87 (5th) and 0.31 (18th) respectively. The weekly ratio of reported cases cannot be calculated as some cases have been redacted in last 14 days. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Sierra Leone




Sierra Leone has 3051 reported case(s) (37th in the region) and 77 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 4 (38th) and 0.1 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (21st). The weekly ratio of reported deaths over the last 2 weeks is 0 (35th).

South Africa




South Africa has 1369426 reported case(s) (1st in the region) and 38854 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 240 (2nd) and 6.7 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.71 (36th). The weekly ratio of reported deaths over the last 2 weeks is 0.98 (23rd).

South Sudan




South Sudan has 3762 reported case(s) (35th in the region) and 63 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 3.4 (40th) and 0.057 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (9th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Togo




Togo has 4459 reported case(s) (32nd in the region) and 74 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 5.7 (34th) and 0.094 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (19th). The weekly ratio of reported deaths over the last 2 weeks is 0.33 (31st).

Uganda




Uganda has 38628 reported case(s) (8th in the region) and 305 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 9 (29th) and 0.071 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.39 (39th). The weekly ratio of reported deaths over the last 2 weeks is 0.1 (32nd).

United Republic of Tanzania




United Republic of Tanzania has 509 reported case(s) (47th in the region) and 21 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 0.09 (47th) and 0.0037 (46th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zambia



Zambia has 40949 reported case(s) (7th in the region) and 585 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 24 (13th) and 0.34 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (12th). The weekly ratio of reported deaths over the last 2 weeks is 0.83 (27th).

Zimbabwe



Zimbabwe has 29408 reported case(s) (10th in the region) and 879 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 20 (15th) and 0.61 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.8 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (8th).

Appendix

Data

Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 21/01/2021).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 21/01/2021).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

Extended Data tables

Cumulative reported cases

Country	Cum. reported cases	95%CI lower	95%CI upper
South Africa	1369426	1367546	1371351
Ethiopia	132034	NA	NA
Nigeria	114691	114170	115298
Algeria	104606	104087	105147
Kenya	99444	98948	99926
Ghana	58822	58410	59212
Zambia	40949	NA	NA
Uganda	38628	NA	NA
Namibia	31253	NA	NA
Zimbabwe	29408	29132	29668
Mozambique	29396	29109	29671
Cameroon	28010	27738	28282
Cote d'Ivoire	25597	25338	25840
Senegal	23642	23369	23876
Democratic Republic of the Congo	21301	21069	21555
Angola	19093	18854	19323
Botswana	18630	18408	18857
Madagascar	18301	NA	NA
Mauritania	16039	NA	NA
Malawi	14851	14654	15049
Guinea	14207	NA	NA
Eswatini	13789	NA	NA
Cabo Verde	13224	13040	13418
Rwanda	11860	11667	12025
Gabon	10120	9946	10285
Burkina Faso	9553	9389	9711
Mali	7897	7749	8046
Congo	7794	7650	7946
Lesotho	7035	6894	7177
Equatorial Guinea	5365	NA	NA
Central African Republic	4974	NA	NA
Togo	4459	4347	4566
Niger	4249	NA	NA
Gambia	3950	NA	NA
South Sudan	3762	3656	3862
Benin	3582	NA	NA
Sierra Leone	3051	2955	3140
Chad	3012	NA	NA
Guinea-Bissau	2510	2432	2592
Comoros	1933	NA	NA
Eritrea	1910	1837	1986
Liberia	1901	NA	NA
Burundi	1358	NA	NA
Sao Tome and Principe	1170	NA	NA
Seychelles	844	NA	NA
Mauritius	556	515	595
United Republic of Tanzania	509	473	547

Cumulative reported cases per 10,000 population

Country	Cum. reported cases per 10k pop	95%CI lower	95%CI upper
Cabo Verde	243.192	240	247
South Africa	237.008	237	237
Namibia	127.654	NA	NA
Eswatini	100.871	NA	NA
Seychelles	87.224	NA	NA
Botswana	82.648	82	84
Sao Tome and Principe	55.443	NA	NA
Gabon	47.752	47	49
Equatorial Guinea	40.986	NA	NA
Mauritania	36.425	NA	NA
Lesotho	33.371	33	34
Algeria	24.771	25	25
Zambia	23.599	NA	NA
Comoros	23.224	NA	NA
Zimbabwe	20.367	20	21
Ghana	19.761	20	20
Kenya	19.350	19	19
Gambia	17.324	NA	NA
Senegal	14.912	15	15
Congo	14.862	15	15
Guinea-Bissau	13.392	13	14
Ethiopia	12.088	NA	NA
Guinea	11.444	NA	NA
Cameroon	11.108	11	11
Central African Republic	10.659	NA	NA
Cote d'Ivoire	10.211	10	10
Mozambique	9.966	10	10
Rwanda	9.641	9	10
Uganda	9.041	NA	NA
Malawi	8.185	8	8
Madagascar	6.969	NA	NA
Angola	6.197	6	6
Nigeria	5.855	6	6
Togo	5.652	6	6
Burkina Faso	4.837	5	5
Mauritius	4.394	4	5
Mali	4.139	4	4
Sierra Leone	3.988	4	4
Liberia	3.945	NA	NA
South Sudan	3.428	3	4
Eritrea	3.157	3	3
Benin	3.119	NA	NA
Democratic Republic of the Congo	2.534	3	3
Chad	1.946	NA	NA
Niger	1.893	NA	NA
Burundi	1.215	NA	NA
United Republic of Tanzania	0.090	0	0

Cumulative deaths

Country	Cum. reported deaths	95%CI lower	95%CI upper
South Africa	38854	38514	39204
Algeria	2854	NA	NA
Ethiopia	2044	1967	2121
Kenya	1736	1666	1806
Nigeria	1478	1413	1540
Zimbabwe	879	NA	NA
Democratic Republic of the Congo	640	597	679
Zambia	585	547	623
Senegal	546	508	584
Cameroon	455	420	490
Angola	444	NA	NA
Eswatini	427	NA	NA
Mauritania	402	368	433
Ghana	358	328	389
Malawi	354	324	386
Mali	318	292	348
Uganda	305	274	335
Namibia	301	NA	NA
Madagascar	273	246	300
Mozambique	271	246	297
Rwanda	153	133	173
Niger	147	127	167
Cote d'Ivoire	142	122	162
Gambia	128	110	146
Cabo Verde	121	103	140
Congo	117	NA	NA
Chad	114	96	131
Burkina Faso	106	NA	NA
Lesotho	101	NA	NA
Botswana	88	72	104
Equatorial Guinea	86	70	101
Liberia	84	69	100
Guinea	81	NA	NA
Sierra Leone	77	63	91
Togo	74	61	89
Gabon	66	53	80
Central African Republic	63	50	76
South Sudan	63	NA	NA
Comoros	54	43	67
Benin	48	36	59
Guinea-Bissau	45	34	56
United Republic of Tanzania	21	14	29
Sao Tome and Principe	17	NA	NA
Mauritius	10	5	15
Eritrea	6	NA	NA
Seychelles	3	1	6
Burundi	2	0	4

Cumulative deaths per 10,000 populations

Country	Cum. reported deaths per 10k pop	95%CI lower	95%CI upper
South Africa	6.725	7	7
Eswatini	3.124	NA	NA
Cabo Verde	2.225	2	3
Namibia	1.229	NA	NA
Mauritania	0.913	1	1
Sao Tome and Principe	0.806	NA	NA
Algeria	0.676	NA	NA
Equatorial Guinea	0.657	1	1
Comoros	0.649	1	1
Zimbabwe	0.609	NA	NA
Gambia	0.561	0	1
Lesotho	0.479	NA	NA
Botswana	0.390	0	0
Senegal	0.344	0	0
Kenya	0.338	0	0
Zambia	0.337	0	0
Gabon	0.311	0	0
Seychelles	0.310	0	1
Guinea-Bissau	0.240	0	0
Congo	0.223	NA	NA
Malawi	0.195	0	0
Ethiopia	0.187	0	0
Cameroon	0.180	0	0
Liberia	0.174	0	0
Mali	0.167	0	0
Angola	0.144	NA	NA
Central African Republic	0.135	0	0
Rwanda	0.124	0	0
Ghana	0.120	0	0
Madagascar	0.104	0	0
Sierra Leone	0.101	0	0
Togo	0.094	0	0
Mozambique	0.092	0	0
Mauritius	0.079	0	0
Democratic Republic of the Congo	0.076	0	0
Nigeria	0.075	0	0
Chad	0.074	0	0
Uganda	0.071	0	0
Niger	0.065	0	0
Guinea	0.065	NA	NA
South Sudan	0.057	NA	NA
Cote d'Ivoire	0.057	0	0
Burkina Faso	0.054	NA	NA
Benin	0.042	0	0
Eritrea	0.010	NA	NA
United Republic of Tanzania	0.004	0	0
Burundi	0.002	0	0

Weekly Ratio (cases)

Country	Weekly Ratio	95%CI lower	95%CI upper
Eritrea	2.079	1.713	2.525
Botswana	2.070	1.934	2.215
Malawi	1.831	1.747	1.920
Gabon	1.691	1.405	2.035
Rwanda	1.633	1.513	1.763
Equatorial Guinea	1.633	1.037	2.573
Benin	1.550	1.219	1.973
Mozambique	1.397	1.342	1.454
South Sudan	1.394	1.016	1.912
Cameroon	1.381	1.229	1.552
Democratic Republic of the Congo	1.345	1.253	1.443
Zambia	1.295	1.257	1.334
Algeria	1.292	1.208	1.381
Madagascar	1.282	1.081	1.521
Comoros	1.241	1.100	1.400
Angola	1.191	1.064	1.332
Cabo Verde	1.170	1.043	1.313
Burundi	1.170	0.976	1.402
Togo	1.159	0.994	1.352
Nigeria	1.110	1.080	1.141
Sierra Leone	1.108	0.887	1.384
Cote d'Ivoire	1.060	0.984	1.143
Gambia	1.053	0.733	1.513
Eswatini	1.050	0.981	1.125
Burkina Faso	1.024	0.938	1.119
Senegal	1.019	0.953	1.088
Ghana	1.015	0.952	1.083
Guinea	1.011	0.823	1.242
Ethiopia	0.974	0.922	1.028
Mauritania	0.856	0.752	0.974
Sao Tome and Principe	0.802	0.579	1.112
Zimbabwe	0.799	0.770	0.828
Chad	0.795	0.684	0.925
Kenya	0.768	0.704	0.839
Namibia	0.721	0.681	0.762
South Africa	0.708	0.702	0.714
Mauritius	0.667	0.300	1.484
Mali	0.464	0.384	0.559
Uganda	0.393	0.356	0.434
Niger	0.371	0.321	0.429
Liberia	0.312	0.197	0.493
Central African Republic	0.250	0.028	2.237
Lesotho	0.217	0.201	0.234
Seychelles	-1.000	NA	NA
Congo	NA	NA	NA
Guinea-Bissau	NA	NA	NA
United Republic of Tanzania	NA	NA	NA

Weekly Ratio (deaths)

Country	Weekly Ratio	95%CI lower	95%CI upper
Botswana	6.667	2.826	15.724
Democratic Republic of the Congo	3.333	1.583	7.021
Burkina Faso	3.250	1.060	9.967
Cabo Verde	3.000	0.605	14.864
Ghana	2.833	1.117	7.186
Gambia	2.000	0.181	22.057
Mozambique	2.000	1.317	3.037
Zimbabwe	1.835	1.512	2.228
Angola	1.818	0.871	3.795
Nigeria	1.655	1.195	2.293
Rwanda	1.562	0.834	2.926
Eswatini	1.338	0.984	1.820
Cameroon	1.333	0.298	5.958
Algeria	1.267	0.785	2.044
Chad	1.250	0.336	4.655
Madagascar	1.200	0.366	3.932
Mauritania	1.071	0.517	2.220
Comoros	1.050	0.569	1.937
Malawi	1.039	0.759	1.424
Senegal	1.018	0.704	1.472
Benin	1.000	0.141	7.099
Cote d'Ivoire	1.000	0.141	7.099
South Africa	0.985	0.941	1.030
Ethiopia	0.927	0.596	1.441
Mali	0.833	0.420	1.654
Namibia	0.833	0.513	1.353
Zambia	0.826	0.610	1.119
Kenya	0.615	0.330	1.147
Congo	0.417	0.147	1.183
Niger	0.344	0.173	0.682
Togo	0.333	0.035	3.205
Uganda	0.100	0.013	0.781
Eritrea	0.000	0.000	NA
Liberia	0.000	0.000	NA
Sierra Leone	0.000	0.000	NA
Burundi	NA	NA	NA
Central African Republic	NA	NA	NA
Equatorial Guinea	NA	NA	NA
Gabon	NA	NA	NA
Guinea	NA	NA	NA
Guinea-Bissau	NA	NA	NA
Lesotho	NA	NA	NA
Mauritius	NA	NA	NA
Sao Tome and Principe	NA	NA	NA
Seychelles	NA	NA	NA
South Sudan	NA	NA	NA
United Republic of Tanzania	NA	NA	NA