COVID-19 situation report for WHO Africa Region

24/06/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 24/06/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 24/06/2021


Overview



Total Reported Cases
3831886

Total Reported Deaths
92700





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 24/06/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 24/06/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 137049 reported case(s) (5th in the region) and 3660 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 32 (15th) and 0.87 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (27th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (14th).

Angola




Angola has 38002 reported case(s) (18th in the region) and 878 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (34th) and 0.28 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 0.86 (21st).

Benin




Benin has 8170 reported case(s) (34th in the region) and 104 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 7.1 (39th) and 0.091 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (31st). The weekly ratio of reported deaths over the last 2 weeks is 1 (16th).

Botswana




Botswana has 68387 reported case(s) (12th in the region) and 1069 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 300 (5th) and 4.7 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 3.5 (2nd).

Burkina Faso




Burkina Faso has 13473 reported case(s) (29th in the region) and 168 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 6.8 (40th) and 0.085 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.2 (7th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Burundi




Burundi has 5334 reported case(s) (39th in the region) and 8 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 4.8 (43rd) and 0.0072 (46th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (16th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 32192 reported case(s) (21st in the region) and 284 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 590 (2nd) and 5.2 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.92 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 0.56 (23rd).

Cameroon




Cameroon has 80487 reported case(s) (8th in the region) and 1320 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 32 (17th) and 0.52 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (9th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (13th).

Central African Republic




Central African Republic has 7139 reported case(s) (35th in the region) and 98 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (32nd) and 0.21 (31st) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Chad




Chad has 4951 reported case(s) (41st in the region) and 174 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 3.2 (45th) and 0.11 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 8 (1st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Comoros




Comoros has 3985 reported case(s) (42nd in the region) and 146 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 48 (12th) and 1.8 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (29th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Congo




Congo has 12404 reported case(s) (30th in the region) and 164 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 24 (24th) and 0.31 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.28 (44th). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (24th).

Cote d'Ivoire




Cote d'Ivoire has 48058 reported case(s) (13th in the region) and 309 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (27th) and 0.12 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.32 (43rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Democratic Republic of the Congo




Democratic Republic of the Congo has 38553 reported case(s) (17th in the region) and 891 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 4.6 (44th) and 0.11 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (28th). The weekly ratio of reported deaths over the last 2 weeks is 0.94 (19th).

Equatorial Guinea




Equatorial Guinea has 8708 reported case(s) (33rd in the region) and 120 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 67 (10th) and 0.92 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (11th). The weekly ratio of reported deaths over the last 2 weeks is 0 (28th).

Eritrea




Eritrea has 5603 reported case(s) (37th in the region) and 21 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 9.3 (36th) and 0.035 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (26th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (12th).

Eswatini




Eswatini has 18898 reported case(s) (25th in the region) and 677 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 140 (6th) and 5 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (15th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Ethiopia




Ethiopia has 275502 reported case(s) (2nd in the region) and 4292 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 25 (22nd) and 0.39 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.75 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0.94 (20th).

Gabon




Gabon has 24958 reported case(s) (22nd in the region) and 159 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 120 (7th) and 0.75 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 5.6 (2nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Gambia




Gambia has 6054 reported case(s) (36th in the region) and 181 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 27 (21st) and 0.79 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.9 (13th). The weekly ratio of reported deaths over the last 2 weeks is 0 (29th).

Ghana




Ghana has 95236 reported case(s) (7th in the region) and 794 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 32 (16th) and 0.27 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.91 (34th). The weekly ratio of reported deaths over the last 2 weeks is 4 (1st).

Guinea




Guinea has 23579 reported case(s) (23rd in the region) and 168 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 19 (28th) and 0.14 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.8 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Guinea-Bissau



Guinea-Bissau has 3839 reported case(s) (43rd in the region) and 69 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 20 (25th) and 0.37 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (14th). The weekly ratio of reported deaths over the last 2 weeks is 0 (30th).

Kenya



Kenya has 180498 reported case(s) (3rd in the region) and 3514 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 35 (14th) and 0.68 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (21st). The weekly ratio of reported deaths over the last 2 weeks is 1 (15th).