CEMA
Center for Epidemiological Modelling and Analysis

University of Nairobi

tiba

COVID-19 situation report for WHO Africa Region

26/05/2022

Produced by the Centre for Epidemiological Modelling and Analysis, University of Nairobi



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 26/05/2022 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 26/05/2022


Overview



Total Reported Cases
8,520,337

Total Reported Deaths
171,478





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 26/05/2022, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 26/05/2022. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 265862 reported case(s) (6th in the region) and 6875 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 63 (19th) and 1.6 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (12th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Angola




Angola has 99527 reported case(s) (16th in the region) and 1900 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 32 (32nd) and 0.62 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (30th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Benin




Benin has 26670 reported case(s) (33rd in the region) and 163 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 23 (36th) and 0.14 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (31st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Botswana




Botswana has 306696 reported case(s) (5th in the region) and 2695 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 1400 (3rd) and 12 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 0 (6th).

Burkina Faso




Burkina Faso has 20899 reported case(s) (35th in the region) and 384 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (42nd) and 0.19 (37th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Burundi




Burundi has 41927 reported case(s) (27th in the region) and 15 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 38 (30th) and 0.013 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.87 (18th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 56177 reported case(s) (24th in the region) and 401 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 1000 (4th) and 7.4 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (8th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cameroon




Cameroon has 119947 reported case(s) (15th in the region) and 1930 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 48 (23rd) and 0.77 (24th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Central African Republic




Central African Republic has 14371 reported case(s) (38th in the region) and 113 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 31 (33rd) and 0.24 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (33rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 7417 reported case(s) (46th in the region) and 193 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 4.8 (46th) and 0.12 (46th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Comoros




Comoros has 8120 reported case(s) (43rd in the region) and 161 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 98 (16th) and 1.9 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (13th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Congo




Congo has 24052 reported case(s) (34th in the region) and 385 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 46 (26th) and 0.73 (26th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Cote d'Ivoire




Cote d'Ivoire has 82116 reported case(s) (20th in the region) and 799 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 33 (31st) and 0.32 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.6 (1st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Democratic Republic of the Congo




Democratic Republic of the Congo has 88036 reported case(s) (17th in the region) and 1338 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 10 (43rd) and 0.16 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (34th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Equatorial Guinea




Equatorial Guinea has 15910 reported case(s) (37th in the region) and 183 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 120 (14th) and 1.4 (18th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Eritrea




Eritrea has 9755 reported case(s) (40th in the region) and 103 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 16 (38th) and 0.17 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.36 (27th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eswatini




Eswatini has 72257 reported case(s) (21st in the region) and 1406 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 530 (7th) and 10 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.71 (21st). The weekly ratio of reported deaths over the last 2 weeks is 3 (1st).

Ethiopia




Ethiopia has 471527 reported case(s) (2nd in the region) and 7512 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 43 (28th) and 0.69 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (5th). The weekly ratio of reported deaths over the last 2 weeks is 0 (7th).

Gabon




Gabon has 47622 reported case(s) (25th in the region) and 304 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 220 (9th) and 1.4 (17th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Gambia




Gambia has 12002 reported case(s) (39th in the region) and 365 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 53 (22nd) and 1.6 (15th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Ghana




Ghana has 161370 reported case(s) (13th in the region) and 1445 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 54 (21st) and 0.49 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.89 (17th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Guinea




Guinea has 36661 reported case(s) (29th in the region) and 442 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 30 (34th) and 0.36 (33rd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Guinea-Bissau




Guinea-Bissau has 8259 reported case(s) (42nd in the region) and 171 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 44 (27th) and 0.91 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.65 (24th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Kenya




Kenya has 324406 reported case(s) (3rd in the region) and 5651 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 63 (18th) and 1.1 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 2 (4th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Lesotho




Lesotho has 33358 reported case(s) (31st in the region) and 698 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 160 (12th) and 3.3 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.2 (29th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Liberia




Liberia has 7455 reported case(s) (45th in the region) and 294 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (40th) and 0.61 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (35th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Madagascar




Madagascar has 64314 reported case(s) (22nd in the region) and 1393 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 24 (35th) and 0.53 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.95 (16th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Malawi




Malawi has 85935 reported case(s) (19th in the region) and 2638 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 47 (24th) and 1.5 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.66 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (5th).

Mali




Mali has 31069 reported case(s) (32nd in the region) and 734 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 16 (37th) and 0.38 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.35 (28th). The weekly ratio of reported deaths over the last 2 weeks is 0 (8th).

Mauritania




Mauritania has 59068 reported case(s) (23rd in the region) and 982 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 130 (13th) and 2.2 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (11th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mauritius




Mauritius has 225862 reported case(s) (9th in the region) and 996 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 1800 (2nd) and 7.9 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.67 (22nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mozambique




Mozambique has 225626 reported case(s) (10th in the region) and 2203 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 76 (17th) and 0.75 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.99 (15th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Namibia




Namibia has 162462 reported case(s) (12th in the region) and 4034 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 660 (6th) and 16 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.75 (19th). The weekly ratio of reported deaths over the last 2 weeks is 1 (3rd).

Niger




Niger has 9031 reported case(s) (41st in the region) and 310 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 4 (47th) and 0.14 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (36th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Nigeria




Nigeria has 255972 reported case(s) (7th in the region) and 3143 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 13 (41st) and 0.16 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.55 (26th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Rwanda




Rwanda has 130023 reported case(s) (14th in the region) and 1459 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 110 (15th) and 1.2 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (7th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Sao Tome and Principe




Sao Tome and Principe has 5970 reported case(s) (47th in the region) and 73 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 280 (8th) and 3.5 (9th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Senegal




Senegal has 86093 reported case(s) (18th in the region) and 1966 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 54 (20th) and 1.2 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (10th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Seychelles




Seychelles has 43889 reported case(s) (26th in the region) and 167 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 4500 (1st) and 17 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.61 (25th). The weekly ratio of reported deaths over the last 2 weeks is 0 (9th).

Sierra Leone




Sierra Leone has 7682 reported case(s) (44th in the region) and 125 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 10 (44th) and 0.16 (39th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

South Africa




South Africa has 3941045 reported case(s) (1st in the region) and 101043 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 680 (5th) and 17 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.72 (20th). The weekly ratio of reported deaths over the last 2 weeks is 0.68 (4th).

South Sudan




South Sudan has 17590 reported case(s) (36th in the region) and 138 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 16 (39th) and 0.13 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (6th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Togo




Togo has 37065 reported case(s) (28th in the region) and 273 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 47 (25th) and 0.35 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.2 (2nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Uganda




Uganda has 164331 reported case(s) (11th in the region) and 3600 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 38 (29th) and 0.84 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (9th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

United Republic of Tanzania




United Republic of Tanzania has 33928 reported case(s) (30th in the region) and 803 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 6 (45th) and 0.14 (42nd) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zambia



Zambia has 319755 reported case(s) (4th in the region) and 3976 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 180 (10th) and 2.3 (11th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zimbabwe



Zimbabwe has 251228 reported case(s) (8th in the region) and 5496 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 170 (11th) and 3.8 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.99 (14th). The weekly ratio of reported deaths over the last 2 weeks is 2 (2nd).

Appendix

Data

Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 26/05/2022).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 26/05/2022).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

Extended Data tables

Cumulative reported cases

Country	Cum. reported cases	95%CI lower	95%CI upper
South Africa	3941045	3937636	3944193
Ethiopia	471527	470492	472644
Kenya	324406	323470	325347
Zambia	319755	318788	320716
Botswana	306696	305790	307613
Algeria	265862	265077	266704
Nigeria	255972	255105	256819
Zimbabwe	251228	250452	252047
Mauritius	225862	225057	226629
Mozambique	225626	224852	226400
Uganda	164331	163643	164997
Namibia	162462	161768	163114
Ghana	161370	160708	161999
Rwanda	130023	129425	130647
Cameroon	119947	119384	120543
Angola	99527	98981	100049
Democratic Republic of the Congo	88036	87547	88507
Senegal	86093	85604	86546
Malawi	85935	85450	86400
Cote d'Ivoire	82116	81653	82564
Eswatini	72257	71837	72707
Madagascar	64314	63910	64721
Mauritania	59068	58670	59465
Cabo Verde	56177	55829	56584
Gabon	47622	47250	47989
Seychelles	43889	43545	44220
Burundi	41927	41576	42272
Togo	37065	36751	37386
Guinea	36661	36333	36984
United Republic of Tanzania	33928	33621	34217
Lesotho	33358	33061	33652
Mali	31069	30795	31352
Benin	26670	26401	26928
Congo	24052	23765	24310
Burkina Faso	20899	20666	21135
South Sudan	17590	17371	17803
Equatorial Guinea	15910	15718	16102
Central African Republic	14371	14188	14574
Gambia	12002	11825	12169
Eritrea	9755	9599	9920
Niger	9031	8874	9182
Guinea-Bissau	8259	8119	8409
Comoros	8120	7969	8263
Sierra Leone	7682	7531	7832
Liberia	7455	7315	7598
Chad	7417	7277	7562
Sao Tome and Principe	5970	5846	6100

Cumulative reported cases per 10,000 population

Country	Cum. reported cases per 10k pop	95%CI lower	95%CI upper
Seychelles	4535.768	4500	4570
Mauritius	1785.043	1779	1791
Botswana	1360.598	1357	1365
Cabo Verde	1033.108	1027	1041
South Africa	682.082	681	683
Namibia	663.583	661	666
Eswatini	528.581	526	532
Sao Tome and Principe	282.901	277	289
Gabon	224.709	223	226
Zambia	184.277	184	185
Zimbabwe	173.992	173	175
Lesotho	158.235	157	160
Mauritania	134.144	133	135
Equatorial Guinea	121.546	120	123
Rwanda	105.693	105	106
Comoros	97.558	96	99
Mozambique	76.494	76	77
Kenya	63.123	63	63
Algeria	62.958	63	63
Senegal	54.302	54	55
Ghana	54.211	54	54
Gambia	52.638	52	53
Cameroon	47.567	47	48
Malawi	47.365	47	48
Togo	46.983	47	47
Congo	45.863	45	46
Guinea-Bissau	44.064	43	45
Ethiopia	43.170	43	43
Uganda	38.464	38	39
Burundi	37.517	37	38
Cote d'Ivoire	32.756	33	33
Angola	32.304	32	32
Central African Republic	30.797	30	31
Guinea	29.531	29	30
Madagascar	24.489	24	25
Benin	23.221	23	23
Mali	16.286	16	16
Eritrea	16.124	16	16
South Sudan	16.026	16	16
Liberia	15.470	15	16
Nigeria	13.068	13	13
Burkina Faso	10.581	10	11
Democratic Republic of the Congo	10.472	10	11
Sierra Leone	10.042	10	10
United Republic of Tanzania	6.024	6	6
Chad	4.792	5	5
Niger	4.024	4	4

Cumulative deaths

Country	Cum. reported deaths	95%CI lower	95%CI upper
South Africa	101043	100531	101552
Ethiopia	7512	7362	7657
Algeria	6875	6744	7019
Kenya	5651	5521	5773
Zimbabwe	5496	5373	5620
Namibia	4034	3933	4136
Zambia	3976	3871	4074
Uganda	3600	3492	3701
Nigeria	3143	3057	3234
Botswana	2695	NA	NA
Malawi	2638	2557	2729
Mozambique	2203	2123	2281
Senegal	1966	1899	2044
Cameroon	1930	1863	2002
Angola	1900	1833	1968
Rwanda	1459	1402	1521
Ghana	1445	1382	1508
Eswatini	1406	1348	1470
Madagascar	1393	1330	1455
Democratic Republic of the Congo	1338	1277	1396
Mauritius	996	942	1052
Mauritania	982	928	1038
United Republic of Tanzania	803	757	848
Cote d'Ivoire	799	755	845
Mali	734	690	778
Lesotho	698	656	740
Guinea	442	409	476
Cabo Verde	401	367	434
Congo	385	352	416
Burkina Faso	384	350	415
Gambia	365	336	397
Niger	310	280	339
Gabon	304	276	334
Liberia	294	267	322
Togo	273	247	300
Chad	193	170	215
Equatorial Guinea	183	160	206
Guinea-Bissau	171	148	194
Seychelles	167	146	189
Benin	163	143	186
Comoros	161	141	183
South Sudan	138	118	157
Sierra Leone	125	107	142
Central African Republic	113	97	131
Eritrea	103	85	121
Sao Tome and Principe	73	59	88
Burundi	15	9	22

Cumulative deaths per 10,000 populations

Country	Cum. reported deaths per 10k pop	95%CI lower	95%CI upper
South Africa	17.488	17	18
Seychelles	17.259	15	20
Namibia	16.477	16	17
Botswana	11.956	NA	NA
Eswatini	10.285	10	11
Mauritius	7.872	7	8
Cabo Verde	7.374	7	8
Zimbabwe	3.806	4	4
Sao Tome and Principe	3.459	3	4
Lesotho	3.311	3	4
Zambia	2.291	2	2
Mauritania	2.230	2	2
Comoros	1.934	2	2
Algeria	1.628	2	2
Gambia	1.601	1	2
Malawi	1.454	1	2
Gabon	1.434	1	2
Equatorial Guinea	1.398	1	2
Senegal	1.240	1	1
Rwanda	1.186	1	1
Kenya	1.100	1	1
Guinea-Bissau	0.912	1	1
Uganda	0.843	1	1
Cameroon	0.765	1	1
Mozambique	0.747	1	1
Congo	0.734	1	1
Ethiopia	0.688	1	1
Angola	0.617	1	1
Liberia	0.610	1	1
Madagascar	0.530	1	1
Ghana	0.485	0	1
Mali	0.385	0	0
Guinea	0.356	0	0
Togo	0.346	0	0
Cote d'Ivoire	0.319	0	0
Central African Republic	0.242	0	0
Burkina Faso	0.194	0	0
Eritrea	0.170	0	0
Sierra Leone	0.163	0	0
Nigeria	0.160	0	0
Democratic Republic of the Congo	0.159	0	0
United Republic of Tanzania	0.143	0	0
Benin	0.142	0	0
Niger	0.138	0	0
South Sudan	0.126	0	0
Chad	0.125	0	0
Burundi	0.013	0	0

Weekly Ratio (cases)

Country	Weekly Ratio	95%CI lower	95%CI upper
Cote d'Ivoire	2.595	1.776	3.791
Togo	2.250	1.249	4.055
Chad	2.000	0.181	22.057
Kenya	1.956	1.615	2.369
Ethiopia	1.711	1.466	1.996
South Sudan	1.500	0.913	2.464
Rwanda	1.358	0.953	1.937
Cabo Verde	1.294	0.827	2.025
Uganda	1.246	0.899	1.727
Senegal	1.188	0.742	1.900
Mauritania	1.113	0.880	1.406
Algeria	1.000	0.592	1.688
Comoros	1.000	0.323	3.101
Zimbabwe	0.993	0.918	1.075
Mozambique	0.989	0.735	1.330
Madagascar	0.950	0.609	1.481
Ghana	0.889	0.552	1.431
Burundi	0.865	0.745	1.005
Namibia	0.753	0.700	0.810
South Africa	0.720	0.710	0.730
Eswatini	0.711	0.617	0.821
Mauritius	0.670	0.607	0.741
Malawi	0.661	0.436	1.001
Guinea-Bissau	0.654	0.355	1.205
Seychelles	0.608	0.514	0.719
Nigeria	0.545	0.384	0.775
Eritrea	0.364	0.116	1.142
Mali	0.346	0.225	0.531
Lesotho	0.202	0.125	0.327
Angola	0.000	0.000	NA
Benin	0.000	0.000	NA
Botswana	0.000	0.000	NA
Central African Republic	0.000	0.000	NA
Democratic Republic of the Congo	0.000	0.000	NA
Liberia	0.000	0.000	NA
Niger	0.000	0.000	NA
Burkina Faso	NA	NA	NA
Cameroon	NA	NA	NA
Congo	NA	NA	NA
Equatorial Guinea	NA	NA	NA
Gabon	NA	NA	NA
Gambia	NA	NA	NA
Guinea	NA	NA	NA
Sao Tome and Principe	NA	NA	NA
Sierra Leone	NA	NA	NA
United Republic of Tanzania	NA	NA	NA
Zambia	NA	NA	NA

Weekly Ratio (deaths)

Country	Weekly Ratio	95%CI lower	95%CI upper
Eswatini	3.000	0.312	28.842
Zimbabwe	2.000	0.684	5.851
Namibia	1.000	0.202	4.955
South Africa	0.682	0.563	0.826
Malawi	0.500	0.045	5.514
Botswana	0.000	0.000	NA
Ethiopia	0.000	0.000	NA
Mali	0.000	0.000	NA
Seychelles	0.000	0.000	NA
Algeria	NA	NA	NA
Angola	NA	NA	NA
Benin	NA	NA	NA
Burkina Faso	NA	NA	NA
Burundi	NA	NA	NA
Cabo Verde	NA	NA	NA
Cameroon	NA	NA	NA
Central African Republic	NA	NA	NA
Chad	NA	NA	NA
Comoros	NA	NA	NA
Congo	NA	NA	NA
Cote d'Ivoire	NA	NA	NA
Democratic Republic of the Congo	NA	NA	NA
Equatorial Guinea	NA	NA	NA
Eritrea	NA	NA	NA
Gabon	NA	NA	NA
Gambia	NA	NA	NA
Ghana	NA	NA	NA
Guinea	NA	NA	NA
Guinea-Bissau	NA	NA	NA
Kenya	NA	NA	NA
Lesotho	NA	NA	NA
Liberia	NA	NA	NA
Madagascar	NA	NA	NA
Mauritania	NA	NA	NA
Mauritius	NA	NA	NA
Mozambique	NA	NA	NA
Niger	NA	NA	NA
Nigeria	NA	NA	NA
Rwanda	NA	NA	NA
Sao Tome and Principe	NA	NA	NA
Senegal	NA	NA	NA
Sierra Leone	NA	NA	NA
South Sudan	NA	NA	NA
Togo	NA	NA	NA
Uganda	NA	NA	NA
United Republic of Tanzania	NA	NA	NA
Zambia	NA	NA	NA