CEMA
Center for Epidemiological Modelling and Analysis

tiba

# COVID-19 situation report for WHO Africa Region

25/11/2021

Produced by the Centre for Epidemiological Modelling and Analysis, University of Nairobi



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

# Contents

(Click to access)

**Section 1: Overview of WHO Africa Region 25/11/2021** **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

**Section 2: Individual country situations** **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

**Appendix** **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

**Extended Data tables** **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


## Section 1: Overview of WHO Africa Region 25/11/2021


### Overview



**Total Reported Cases**
**6,146,838**

**Total Reported Deaths**
**151,743**



## Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


## Summary maps




## Section 2: Individual country situations


As of 25/11/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 25/11/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

# Algeria





Algeria has 209463 reported case(s) (6th in the region) and 6035 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 50 (18th) and 1.4 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (11th). The weekly ratio of reported deaths over the last 2 weeks is 0.67 (19th).

# Angola





Angola has 65080 reported case(s) (16th in the region) and 1731 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 21 (34th) and 0.56 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.54 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 0.33 (24th).

# Benin





Benin has 24850 reported case(s) (28th in the region) and 161 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 22 (33rd) and 0.14 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.21 (39th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Botswana





Botswana has 194652 reported case(s) (7th in the region) and 2416 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 860 (2nd) and 11 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.77 (27th). The weekly ratio of reported deaths over the last 2 weeks is 0 (27th).

# Burkina Faso





Burkina Faso has 15514 reported case(s) (35th in the region) and 265 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 7.9 (43rd) and 0.13 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (41st). The weekly ratio of reported deaths over the last 2 weeks is 0 (28th).

# Burundi





Burundi has 20360 reported case(s) (31st in the region) and 14 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 18 (35th) and 0.013 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.35 (38th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Cabo Verde





Cabo Verde has 38345 reported case(s) (23rd in the region) and 349 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 710 (3rd) and 6.4 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (12th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Cameroon





Cameroon has 106794 reported case(s) (13th in the region) and 1791 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 42 (23rd) and 0.71 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (10th). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (6th).

# Central African Republic





Central African Republic has 11708 reported case(s) (38th in the region) and 101 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 25 (30th) and 0.22 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.48 (36th). The weekly ratio of reported deaths over the last 2 weeks is 0 (29th).

# Chad





Chad has 5107 reported case(s) (45th in the region) and 175 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 3.3 (46th) and 0.11 (44th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Comoros





Comoros has 4466 reported case(s) (46th in the region) and 150 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 54 (16th) and 1.8 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.95 (19th). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (21st).

# Congo





Congo has 18837 reported case(s) (33rd in the region) and 349 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 36 (24th) and 0.67 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.77 (26th). The weekly ratio of reported deaths over the last 2 weeks is 0.82 (15th).

# Cote d'Ivoire





Cote d'Ivoire has 61660 reported case(s) (18th in the region) and 703 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 25 (32nd) and 0.28 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (13th). The weekly ratio of reported deaths over the last 2 weeks is 0.33 (25th).

# Democratic Republic of the Congo





Democratic Republic of the Congo has 58060 reported case(s) (19th in the region) and 1104 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 6.9 (44th) and 0.13 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Equatorial Guinea





Equatorial Guinea has 13547 reported case(s) (36th in the region) and 170 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 100 (11th) and 1.3 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.47 (37th). The weekly ratio of reported deaths over the last 2 weeks is 1 (11th).

# Eritrea





Eritrea has 7250 reported case(s) (40th in the region) and 57 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (38th) and 0.094 (46th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (4th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (10th).

# Eswatini





Eswatini has 46506 reported case(s) (20th in the region) and 1248 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 340 (6th) and 9.1 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (15th). The weekly ratio of reported deaths over the last 2 weeks is 2 (2nd).

# Ethiopia





Ethiopia has 370712 reported case(s) (2nd in the region) and 6708 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 34 (27th) and 0.61 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.71 (29th). The weekly ratio of reported deaths over the last 2 weeks is 0.71 (18th).

# Gabon





Gabon has 37223 reported case(s) (24th in the region) and 276 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 180 (8th) and 1.3 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.79 (25th). The weekly ratio of reported deaths over the last 2 weeks is 0.75 (17th).

# Gambia





Gambia has 9989 reported case(s) (39th in the region) and 342 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 44 (22nd) and 1.5 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.5 (34th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Ghana





Ghana has 130920 reported case(s) (10th in the region) and 1209 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 44 (21st) and 0.41 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (5th). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (22nd).

# Guinea





Guinea has 30751 reported case(s) (25th in the region) and 387 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 25 (31st) and 0.31 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 6 (2nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Guinea-Bissau





Guinea-Bissau has 6438 reported case(s) (42nd in the region) and 146 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 34 (25th) and 0.78 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.026 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0 (30th).

# Kenya





Kenya has 254816 reported case(s) (3rd in the region) and 5332 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 50 (19th) and 1 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.92 (21st). The weekly ratio of reported deaths over the last 2 weeks is 0.64 (20th).

# Lesotho





Lesotho has 21735 reported case(s) (30th in the region) and 662 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 100 (12th) and 3.1 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.5 (35th). The weekly ratio of reported deaths over the last 2 weeks is 1 (12th).

# Liberia





Liberia has 5819 reported case(s) (44th in the region) and 287 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (37th) and 0.6 (28th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Madagascar





Madagascar has 44072 reported case(s) (21st in the region) and 967 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (36th) and 0.37 (31st) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Malawi





Malawi has 61867 reported case(s) (17th in the region) and 2304 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 34 (26th) and 1.3 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.59 (31st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Mali





Mali has 17097 reported case(s) (34th in the region) and 601 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 9 (41st) and 0.32 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (7th). The weekly ratio of reported deaths over the last 2 weeks is 1.5 (7th).

# Mauritania





Mauritania has 38881 reported case(s) (22nd in the region) and 822 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 88 (14th) and 1.9 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (14th). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (4th).

# Mauritius





Mauritius has 18979 reported case(s) (32nd in the region) and 240 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 150 (9th) and 1.9 (11th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# Mozambique





Mozambique has 151503 reported case(s) (8th in the region) and 1940 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 51 (17th) and 0.66 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.69 (30th). The weekly ratio of reported deaths over the last 2 weeks is 2 (3rd).

# Namibia





Namibia has 129126 reported case(s) (11th in the region) and 3571 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 530 (4th) and 15 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (9th). The weekly ratio of reported deaths over the last 2 weeks is 2.5 (1st).

# Niger





Niger has 6902 reported case(s) (41st in the region) and 248 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 3.1 (47th) and 0.11 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.94 (20th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (9th).

# Nigeria





Nigeria has 213818 reported case(s) (4th in the region) and 2974 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (40th) and 0.15 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.82 (24th). The weekly ratio of reported deaths over the last 2 weeks is 0.02 (26th).

# Rwanda





Rwanda has 100277 reported case(s) (14th in the region) and 1341 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 82 (15th) and 1.1 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.57 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 1 (13th).

# Sao Tome and Principe





Sao Tome and Principe has 3731 reported case(s) (47th in the region) and 56 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 180 (7th) and 2.7 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (42nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Senegal





Senegal has 73973 reported case(s) (15th in the region) and 1885 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 47 (20th) and 1.2 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.87 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 1 (14th).

# Seychelles





Seychelles has 23197 reported case(s) (29th in the region) and 122 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 2400 (1st) and 13 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (8th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Sierra Leone





Sierra Leone has 6400 reported case(s) (43rd in the region) and 121 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 8.4 (42nd) and 0.16 (37th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

# South Africa





South Africa has 2950035 reported case(s) (1st in the region) and 89657 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 510 (5th) and 16 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 10 (1st). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (5th).

# South Sudan





South Sudan has 12710 reported case(s) (37th in the region) and 133 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 12 (39th) and 0.12 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.6 (6th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Togo





Togo has 26224 reported case(s) (27th in the region) and 243 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 33 (28th) and 0.31 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (17th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# Uganda





Uganda has 127337 reported case(s) (12th in the region) and 3250 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 30 (29th) and 0.76 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.85 (23rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

# United Republic of Tanzania





United Republic of Tanzania has 26261 reported case(s) (26th in the region) and 730 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 4.7 (45th) and 0.13 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (16th). The weekly ratio of reported deaths over the last 2 weeks is 1.5 (8th).

# Zambia




Zambia has 210099 reported case(s) (5th in the region) and 3667 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 120 (10th) and 2.1 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.98 (18th). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (23rd).

# Zimbabwe




Zimbabwe has 133747 reported case(s) (9th in the region) and 4703 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 93 (13th) and 3.3 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.75 (28th). The weekly ratio of reported deaths over the last 2 weeks is 0.8 (16th).

# Appendix

## Data

### Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 25/11/2021).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 25/11/2021).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

### Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

### Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

# Extended Data tables

### Cumulative reported cases

| Country | Cum. reported cases | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 2950035 | 2947226 | 2952771 |
| Ethiopia | 370712 | NA | NA |
| Kenya | 254816 | 254012 | 255629 |
| Nigeria | 213818 | NA | NA |
| Zambia | 210099 | NA | NA |
| Algeria | 209463 | 208672 | 210225 |
| Botswana | 194652 | 193965 | 195385 |
| Mozambique | 151503 | 150909 | 152138 |
| Zimbabwe | 133747 | 133147 | 134336 |
| Ghana | 130920 | 130294 | 131506 |
| Namibia | 129126 | NA | NA |
| Uganda | 127337 | NA | NA |
| Cameroon | 106794 | 106257 | 107331 |
| Rwanda | 100277 | NA | NA |
| Senegal | 73973 | 73523 | 74433 |
| Angola | 65080 | NA | NA |
| Malawi | 61867 | 61489 | 62266 |
| Cote d'Ivoire | 61660 | 61236 | 62100 |
| Democratic Republic of the Congo | 58060 | 57657 | 58449 |
| Eswatini | 46506 | NA | NA |
| Madagascar | 44072 | NA | NA |
| Mauritania | 38881 | NA | NA |
| Cabo Verde | 38345 | 38040 | 38672 |
| Gabon | 37223 | 36908 | 37546 |
| Guinea | 30751 | NA | NA |
| United Republic of Tanzania | 26261 | 26007 | 26528 |
| Togo | 26224 | NA | NA |
| Benin | 24850 | NA | NA |
| Seychelles | 23197 | NA | NA |
| Lesotho | 21735 | 21484 | 21990 |
| Burundi | 20360 | NA | NA |
| Mauritius | 18979 | 18747 | 19201 |
| Congo | 18837 | 18613 | 19050 |
| Mali | 17097 | 16891 | 17301 |
| Burkina Faso | 15514 | 15311 | 15716 |
| Equatorial Guinea | 13547 | NA | NA |
| South Sudan | 12710 | NA | NA |
| Central African Republic | 11708 | NA | NA |
| Gambia | 9989 | NA | NA |
| Eritrea | 7250 | 7116 | 7392 |
| Niger | 6902 | NA | NA |
| Guinea-Bissau | 6438 | 6304 | 6557 |
| Sierra Leone | 6400 | 6269 | 6533 |
| Liberia | 5819 | NA | NA |
| Chad | 5107 | NA | NA |
| Comoros | 4466 | NA | NA |
| Sao Tome and Principe | 3731 | NA | NA |

**Cumulative reported cases per 10,000 population**

| Country | Cum. reported cases per 10k pop | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Seychelles | 2397.325 | NA | NA |
| Botswana | 863.536 | 860 | 867 |
| Cabo Verde | 705.173 | 700 | 711 |
| Namibia | 527.421 | NA | NA |
| South Africa | 510.567 | 510 | 511 |
| Eswatini | 340.205 | NA | NA |
| Sao Tome and Principe | 176.801 | NA | NA |
| Gabon | 175.640 | 174 | 177 |
| Mauritius | 149.996 | 148 | 152 |
| Zambia | 121.082 | NA | NA |
| Equatorial Guinea | 103.493 | NA | NA |
| Lesotho | 103.101 | 102 | 104 |
| Zimbabwe | 92.629 | 92 | 93 |
| Mauritania | 88.299 | NA | NA |
| Rwanda | 81.513 | NA | NA |
| Comoros | 53.657 | NA | NA |
| Mozambique | 51.364 | 51 | 52 |
| Algeria | 49.602 | 49 | 50 |
| Kenya | 49.582 | 49 | 50 |
| Senegal | 46.658 | 46 | 47 |
| Ghana | 43.981 | 44 | 44 |
| Gambia | 43.809 | NA | NA |
| Cameroon | 42.351 | 42 | 43 |
| Congo | 35.919 | 35 | 36 |
| Guinea-Bissau | 34.349 | 34 | 35 |
| Malawi | 34.099 | 34 | 34 |
| Ethiopia | 33.940 | NA | NA |
| Togo | 33.241 | NA | NA |
| Uganda | 29.805 | NA | NA |
| Central African Republic | 25.090 | NA | NA |
| Guinea | 24.771 | NA | NA |
| Cote d'Ivoire | 24.596 | 24 | 25 |
| Benin | 21.637 | NA | NA |
| Angola | 21.123 | NA | NA |
| Burundi | 18.219 | NA | NA |
| Madagascar | 16.781 | NA | NA |
| Liberia | 12.075 | NA | NA |
| Eritrea | 11.983 | 12 | 12 |
| South Sudan | 11.580 | NA | NA |
| Nigeria | 10.916 | NA | NA |
| Mali | 8.962 | 9 | 9 |
| Sierra Leone | 8.366 | 8 | 9 |
| Burkina Faso | 7.855 | 8 | 8 |
| Democratic Republic of the Congo | 6.906 | 7 | 7 |
| United Republic of Tanzania | 4.663 | 5 | 5 |
| Chad | 3.300 | NA | NA |
| Niger | 3.075 | NA | NA |

**Cumulative deaths**

| Country | Cum. reported deaths | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 89657 | 89149 | 90132 |
| Ethiopia | 6708 | 6575 | 6845 |
| Algeria | 6035 | NA | NA |
| Kenya | 5332 | 5206 | 5451 |
| Zimbabwe | 4703 | NA | NA |
| Zambia | 3667 | 3563 | 3759 |
| Namibia | 3571 | NA | NA |
| Uganda | 3250 | NA | NA |
| Nigeria | 2974 | NA | NA |
| Botswana | 2416 | 2341 | 2497 |
| Malawi | 2304 | 2222 | 2387 |
| Mozambique | 1940 | 1865 | 2018 |
| Senegal | 1885 | 1818 | 1954 |
| Cameroon | 1791 | 1720 | 1864 |
| Angola | 1731 | NA | NA |
| Rwanda | 1341 | 1282 | 1400 |
| Eswatini | 1248 | NA | NA |
| Ghana | 1209 | 1151 | 1265 |
| Democratic Republic of the Congo | 1104 | 1050 | 1159 |
| Madagascar | 967 | 917 | 1016 |
| Mauritania | 822 | 770 | 872 |
| United Republic of Tanzania | 730 | 685 | 772 |
| Cote d'Ivoire | 703 | 660 | 748 |
| Lesotho | 662 | NA | NA |
| Mali | 601 | NA | NA |
| Guinea | 387 | NA | NA |
| Cabo Verde | 349 | NA | NA |
| Congo | 349 | NA | NA |
| Gambia | 342 | 313 | 371 |
| Liberia | 287 | 260 | 314 |
| Gabon | 276 | 248 | 301 |
| Burkina Faso | 265 | NA | NA |
| Niger | 248 | 221 | 273 |
| Togo | 243 | 218 | 269 |
| Mauritius | 240 | 214 | 266 |
| Chad | 175 | 153 | 198 |
| Equatorial Guinea | 170 | 148 | 193 |
| Benin | 161 | 142 | 182 |
| Comoros | 150 | 129 | 172 |
| Guinea-Bissau | 146 | 127 | 166 |
| South Sudan | 133 | NA | NA |
| Seychelles | 122 | 104 | 139 |
| Sierra Leone | 121 | 102 | 140 |
| Central African Republic | 101 | 84 | 119 |
| Eritrea | 57 | NA | NA |
| Sao Tome and Principe | 56 | NA | NA |
| Burundi | 14 | 8 | 20 |

**Cumulative deaths per 10,000 populations**

| Country | Cum. reported deaths per 10k pop | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 15.517 | 15 | 16 |
| Namibia | 14.586 | NA | NA |
| Seychelles | 12.608 | 11 | 14 |
| Botswana | 10.718 | 10 | 11 |
| Eswatini | 9.129 | NA | NA |
| Cabo Verde | 6.418 | NA | NA |
| Zimbabwe | 3.257 | NA | NA |
| Lesotho | 3.140 | NA | NA |
| Sao Tome and Principe | 2.654 | NA | NA |
| Zambia | 2.113 | 2 | 2 |
| Mauritius | 1.897 | 2 | 2 |
| Mauritania | 1.867 | 2 | 2 |
| Comoros | 1.802 | 2 | 2 |
| Gambia | 1.500 | 1 | 2 |
| Algeria | 1.429 | NA | NA |
| Gabon | 1.302 | 1 | 1 |
| Equatorial Guinea | 1.299 | 1 | 1 |
| Malawi | 1.270 | 1 | 1 |
| Senegal | 1.189 | 1 | 1 |
| Rwanda | 1.090 | 1 | 1 |
| Kenya | 1.037 | 1 | 1 |
| Guinea-Bissau | 0.779 | 1 | 1 |
| Uganda | 0.761 | NA | NA |
| Cameroon | 0.710 | 1 | 1 |
| Congo | 0.665 | NA | NA |
| Mozambique | 0.658 | 1 | 1 |
| Ethiopia | 0.614 | 1 | 1 |
| Liberia | 0.596 | 1 | 1 |
| Angola | 0.562 | NA | NA |
| Ghana | 0.406 | 0 | 0 |
| Madagascar | 0.368 | 0 | 0 |
| Mali | 0.315 | NA | NA |
| Guinea | 0.312 | NA | NA |
| Togo | 0.308 | 0 | 0 |
| Cote d'Ivoire | 0.280 | 0 | 0 |
| Central African Republic | 0.216 | 0 | 0 |
| Sierra Leone | 0.158 | 0 | 0 |
| Nigeria | 0.152 | NA | NA |
| Benin | 0.140 | 0 | 0 |
| Burkina Faso | 0.134 | NA | NA |
| Democratic Republic of the Congo | 0.131 | 0 | 0 |
| United Republic of Tanzania | 0.130 | 0 | 0 |
| South Sudan | 0.121 | NA | NA |
| Chad | 0.113 | 0 | 0 |
| Niger | 0.111 | 0 | 0 |
| Eritrea | 0.094 | NA | NA |
| Burundi | 0.013 | 0 | 0 |

**Weekly Ratio (cases)**

| Country | Weekly Ratio | 95%CI lower | 95%CI upper |
|---|---|---|---|
| South Africa | 10.088 | 9.664 | 10.530 |
| Guinea | 6.000 | 2.528 | 14.240 |
| Democratic Republic of the Congo | 1.823 | 1.484 | 2.238 |
| Eritrea | 1.807 | 1.393 | 2.344 |
| Ghana | 1.622 | 1.291 | 2.038 |
| South Sudan | 1.603 | 1.170 | 2.196 |
| Mali | 1.457 | 1.233 | 1.722 |
| Seychelles | 1.405 | 1.198 | 1.648 |
| Namibia | 1.357 | 0.911 | 2.022 |
| Cameroon | 1.282 | 1.137 | 1.447 |
| Algeria | 1.243 | 1.137 | 1.359 |
| Cabo Verde | 1.200 | 0.739 | 1.948 |
| Cote d'Ivoire | 1.127 | 0.872 | 1.457 |
| Mauritania | 1.103 | 0.974 | 1.249 |
| Eswatini | 1.100 | 0.600 | 2.015 |
| United Republic of Tanzania | 1.097 | 0.674 | 1.784 |
| Togo | 1.022 | 0.678 | 1.542 |
| Zambia | 0.975 | 0.715 | 1.330 |
| Comoros | 0.950 | 0.661 | 1.365 |
| Niger | 0.944 | 0.756 | 1.178 |
| Kenya | 0.917 | 0.795 | 1.057 |
| Senegal | 0.867 | 0.412 | 1.821 |
| Uganda | 0.852 | 0.723 | 1.004 |
| Nigeria | 0.815 | 0.716 | 0.928 |
| Gabon | 0.787 | 0.673 | 0.920 |
| Congo | 0.772 | 0.664 | 0.898 |
| Botswana | 0.769 | 0.686 | 0.862 |
| Zimbabwe | 0.745 | 0.617 | 0.899 |
| Ethiopia | 0.712 | 0.663 | 0.765 |
| Mozambique | 0.687 | 0.472 | 0.999 |
| Malawi | 0.591 | 0.298 | 1.173 |
| Rwanda | 0.573 | 0.445 | 0.739 |
| Angola | 0.544 | 0.432 | 0.684 |
| Gambia | 0.500 | 0.125 | 1.999 |
| Lesotho | 0.500 | 0.274 | 0.911 |
| Central African Republic | 0.483 | 0.334 | 0.698 |
| Equatorial Guinea | 0.467 | 0.298 | 0.731 |
| Burundi | 0.351 | 0.244 | 0.506 |
| Benin | 0.211 | 0.072 | 0.619 |
| Guinea-Bissau | 0.026 | 0.012 | 0.059 |
| Burkina Faso | 0.000 | 0.000 | NA |
| Sao Tome and Principe | 0.000 | 0.000 | NA |
| Chad | NA | NA | NA |
| Liberia | NA | NA | NA |
| Madagascar | NA | NA | NA |
| Mauritius | NA | NA | NA |
| Sierra Leone | NA | NA | NA |

**Weekly Ratio (deaths)**

| Country | Weekly Ratio | 95%CI lower | 95%CI upper |
|---|---|---|---|
| Namibia | 2.500 | 0.485 | 12.886 |
| Eswatini | 2.000 | 0.181 | 22.057 |
| Mozambique | 2.000 | 0.366 | 10.920 |
| Mauritania | 1.833 | 0.678 | 4.957 |
| South Africa | 1.775 | 1.350 | 2.334 |
| Cameroon | 1.750 | 0.861 | 3.557 |
| Mali | 1.500 | 0.613 | 3.670 |
| United Republic of Tanzania | 1.500 | 0.251 | 8.977 |
| Niger | 1.333 | 0.562 | 3.164 |
| Eritrea | 1.250 | 0.336 | 4.655 |
| Equatorial Guinea | 1.000 | 0.063 | 15.988 |
| Lesotho | 1.000 | 0.063 | 15.988 |
| Rwanda | 1.000 | 0.202 | 4.955 |
| Senegal | 1.000 | 0.141 | 7.099 |
| Congo | 0.818 | 0.439 | 1.525 |
| Zimbabwe | 0.800 | 0.215 | 2.979 |
| Gabon | 0.750 | 0.260 | 2.162 |
| Ethiopia | 0.709 | 0.511 | 0.985 |
| Algeria | 0.667 | 0.420 | 1.058 |
| Kenya | 0.636 | 0.247 | 1.642 |
| Comoros | 0.500 | 0.045 | 5.514 |
| Ghana | 0.500 | 0.092 | 2.730 |
| Zambia | 0.500 | 0.045 | 5.514 |
| Angola | 0.333 | 0.067 | 1.652 |
| Cote d'Ivoire | 0.333 | 0.035 | 3.205 |
| Nigeria | 0.020 | 0.003 | 0.142 |
| Botswana | 0.000 | 0.000 | NA |
| Burkina Faso | 0.000 | 0.000 | NA |
| Central African Republic | 0.000 | 0.000 | NA |
| Guinea-Bissau | 0.000 | 0.000 | NA |
| Benin | NA | NA | NA |
| Burundi | NA | NA | NA |
| Cabo Verde | NA | NA | NA |
| Chad | NA | NA | NA |
| Democratic Republic of the Congo | NA | NA | NA |
| Gambia | NA | NA | NA |
| Guinea | NA | NA | NA |
| Liberia | NA | NA | NA |
| Madagascar | NA | NA | NA |
| Malawi | NA | NA | NA |
| Mauritius | NA | NA | NA |
| Sao Tome and Principe | NA | NA | NA |
| Seychelles | NA | NA | NA |
| Sierra Leone | NA | NA | NA |
| South Sudan | NA | NA | NA |
| Togo | NA | NA | NA |
| Uganda | NA | NA | NA |