COVID-19 situation report for WHO Africa Region

26/11/2020

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 26/11/2020 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61

Section 1: Overview of WHO Africa Region 26/11/2020

Overview



Total Reported Cases
1458690

Total Reported Deaths
33027

Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly ratios on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 26/11/2020, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 26/11/2020. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 78025 reported case(s) (4th in the region) and 2329 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 18 (9th) and 0.55 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (20th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (8th).

Angola




Angola has 14821 reported case(s) (14th in the region) and 340 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 4.8 (29th) and 0.11 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.93 (30th). The weekly ratio of reported deaths over the last 2 weeks is 0.4 (18th).

Benin




Benin has 2974 reported case(s) (32nd in the region) and 43 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 2.6 (39th) and 0.037 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.81 (32nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Botswana




Botswana has 9992 reported case(s) (19th in the region) and 31 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 44 (6th) and 0.14 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.7 (35th). The weekly ratio of reported deaths over the last 2 weeks is 1 (9th).

Burkina Faso




Burkina Faso has 2777 reported case(s) (34th in the region) and 68 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 1.4 (42nd) and 0.034 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (14th). The weekly ratio of reported deaths over the last 2 weeks is 0 (22nd).

Burundi




Burundi has 677 reported case(s) (42nd in the region) and 1 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 0.61 (46th) and 0.00089 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (7th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 10526 reported case(s) (18th in the region) and 104 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 190 (1st) and 1.9 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (17th). The weekly ratio of reported deaths over the last 2 weeks is 0 (23rd).

Cameroon




Cameroon has 24022 reported case(s) (7th in the region) and 437 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 9.5 (23rd) and 0.17 (18th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.8 (3rd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Central African Republic




Central African Republic has 4913 reported case(s) (28th in the region) and 63 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 11 (17th) and 0.14 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.32 (44th). The weekly ratio of reported deaths over the last 2 weeks is 0 (24th).

Chad




Chad has 1655 reported case(s) (38th in the region) and 101 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 1.1 (43rd) and 0.065 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.76 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 0 (25th).

Comoros




Comoros has 607 reported case(s) (43rd in the region) and 7 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 7.3 (25th) and 0.084 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.73 (34th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Congo




Congo has 5632 reported case(s) (26th in the region) and 93 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (16th) and 0.18 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0 (46th). The weekly ratio of reported deaths over the last 2 weeks is 0 (26th).

Cote d'Ivoire




Cote d'Ivoire has 21168 reported case(s) (8th in the region) and 131 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 8.4 (24th) and 0.052 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.65 (38th). The weekly ratio of reported deaths over the last 2 weeks is 1 (10th).

Democratic Republic of the Congo




Democratic Republic of the Congo has 12364 reported case(s) (17th in the region) and 331 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 1.5 (41st) and 0.039 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (9th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (6th).

Equatorial Guinea




Equatorial Guinea has 5146 reported case(s) (27th in the region) and 85 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 39 (8th) and 0.65 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (12th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eritrea




Eritrea has 558 reported case(s) (44th in the region) and 0 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 0.92 (44th) and 0 (46th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (11th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eswatini




Eswatini has 6272 reported case(s) (23rd in the region) and 120 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 46 (5th) and 0.88 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (13th). The weekly ratio of reported deaths over the last 2 weeks is 0.5 (17th).

Ethiopia




Ethiopia has 107109 reported case(s) (2nd in the region) and 1664 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 9.8 (22nd) and 0.15 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.99 (27th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (7th).

Gabon




Gabon has 9173 reported case(s) (21st in the region) and 59 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 43 (7th) and 0.28 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 7.9 (1st). The weekly ratio of reported deaths over the last 2 weeks is 1 (11th).

Gambia




Gambia has 3727 reported case(s) (30th in the region) and 123 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 16 (13th) and 0.54 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.8 (4th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Ghana




Ghana has 51225 reported case(s) (6th in the region) and 323 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (12th) and 0.11 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.66 (37th). The weekly ratio of reported deaths over the last 2 weeks is 0 (27th).

Guinea




Guinea has 12863 reported case(s) (16th in the region) and 75 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 10 (18th) and 0.06 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.9 (31st). The weekly ratio of reported deaths over the last 2 weeks is 0 (28th).

Guinea-Bissau




Guinea-Bissau has 2422 reported case(s) (35th in the region) and 43 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 13 (15th) and 0.23 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.5 (41st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Kenya




Kenya has 79322 reported case(s) (3rd in the region) and 1417 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (14th) and 0.28 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.96 (28th). The weekly ratio of reported deaths over the last 2 weeks is 0.78 (14th).

Lesotho




Lesotho has 2092 reported case(s) (37th in the region) and 44 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 9.9 (21st) and 0.21 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.69 (36th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Liberia




Liberia has 1578 reported case(s) (39th in the region) and 83 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 3.3 (36th) and 0.17 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (21st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Madagascar




Madagascar has 17341 reported case(s) (11th in the region) and 251 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 6.6 (26th) and 0.096 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.4 (43rd). The weekly ratio of reported deaths over the last 2 weeks is 1 (12th).

Malawi




Malawi has 6018 reported case(s) (24th in the region) and 185 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 3.3 (35th) and 0.1 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.47 (42nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mali




Mali has 4461 reported case(s) (29th in the region) and 148 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 2.3 (40th) and 0.078 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (5th). The weekly ratio of reported deaths over the last 2 weeks is 2.3 (2nd).

Mauritania




Mauritania has 8075 reported case(s) (22nd in the region) and 169 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 18 (10th) and 0.38 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.8 (8th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mauritius




Mauritius has 497 reported case(s) (46th in the region) and 10 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 3.9 (32nd) and 0.079 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.25 (45th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mozambique




Mozambique has 15302 reported case(s) (13th in the region) and 128 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 5.2 (28th) and 0.043 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 0.6 (16th).

Namibia




Namibia has 14006 reported case(s) (15th in the region) and 145 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 57 (3rd) and 0.59 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (15th). The weekly ratio of reported deaths over the last 2 weeks is 0.83 (13th).

Niger




Niger has 1419 reported case(s) (40th in the region) and 70 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 0.63 (45th) and 0.031 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (19th). The weekly ratio of reported deaths over the last 2 weeks is 0 (29th).

Nigeria




Nigeria has 66805 reported case(s) (5th in the region) and 1169 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 3.4 (34th) and 0.06 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.94 (29th). The weekly ratio of reported deaths over the last 2 weeks is 6 (1st).

Rwanda




Rwanda has 5779 reported case(s) (25th in the region) and 47 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 4.7 (30th) and 0.038 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (25th). The weekly ratio of reported deaths over the last 2 weeks is 0.2 (19th).

Sao Tome and Principe




Sao Tome and Principe has 982 reported case(s) (41st in the region) and 17 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 47 (4th) and 0.81 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 3 (2nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Senegal




Senegal has 15927 reported case(s) (12th in the region) and 331 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 10 (20th) and 0.21 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (18th). The weekly ratio of reported deaths over the last 2 weeks is 0.67 (15th).

Seychelles




Seychelles has 167 reported case(s) (47th in the region) and 0 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 17 (11th) and 0 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2 (6th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Sierra Leone




Sierra Leone has 2408 reported case(s) (36th in the region) and 74 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 3.1 (37th) and 0.097 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (26th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

South Africa




South Africa has 775502 reported case(s) (1st in the region) and 21201 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 130 (2nd) and 3.7 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (16th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (5th).

South Sudan




South Sudan has 3047 reported case(s) (31st in the region) and 60 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 2.8 (38th) and 0.055 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.55 (40th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Togo




Togo has 2872 reported case(s) (33rd in the region) and 64 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 3.6 (33rd) and 0.081 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.62 (39th). The weekly ratio of reported deaths over the last 2 weeks is 0.17 (20th).

Uganda




Uganda has 18890 reported case(s) (9th in the region) and 191 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 4.4 (31st) and 0.045 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (24th). The weekly ratio of reported deaths over the last 2 weeks is 1.9 (4th).

United Republic of Tanzania




United Republic of Tanzania has 509 reported case(s) (45th in the region) and 21 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 0.09 (47th) and 0.0037 (44th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zambia



Zambia has 17535 reported case(s) (10th in the region) and 357 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 10 (19th) and 0.21 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 0.17 (21st).

Zimbabwe



Zimbabwe has 9508 reported case(s) (20th in the region) and 274 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 6.6 (27th) and 0.19 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.7 (10th). The weekly ratio of reported deaths over the last 2 weeks is 2.2 (3rd).

Appendix

Data

Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 26/11/2020).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 26/11/2020).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

Extended Data tables

Cumulative reported cases

Country	Cum. reported cases	95%CI lower	95%CI upper
South Africa	775502	774008	776932
Ethiopia	107109	NA	NA
Kenya	79322	78862	79767
Algeria	78025	77558	78459
Nigeria	66805	66390	67235
Ghana	51225	50863	51610
Cameroon	24022	23753	24276
Cote d'Ivoire	21168	20915	21404
Uganda	18890	NA	NA
Zambia	17535	NA	NA
Madagascar	17341	NA	NA
Senegal	15927	15717	16139
Mozambique	15302	15104	15483
Angola	14821	14629	15023
Namibia	14006	NA	NA
Guinea	12863	NA	NA
Democratic Republic of the Congo	12364	12165	12555
Cabo Verde	10526	10361	10694
Botswana	9992	9828	10161
Zimbabwe	9508	9341	9677
Gabon	9173	9016	9326
Mauritania	8075	NA	NA
Eswatini	6272	NA	NA
Malawi	6018	5887	6144
Rwanda	5779	5654	5896
Congo	5632	5507	5755
Equatorial Guinea	5146	NA	NA
Central African Republic	4913	NA	NA
Mali	4461	4346	4566
Gambia	3727	NA	NA
South Sudan	3047	2951	3134
Benin	2974	NA	NA
Togo	2872	2783	2961
Burkina Faso	2777	2695	2862
Guinea-Bissau	2422	2341	2505
Sierra Leone	2408	2328	2487
Lesotho	2092	2014	2161
Chad	1655	NA	NA
Liberia	1578	NA	NA
Niger	1419	NA	NA
Sao Tome and Principe	982	NA	NA
Burundi	677	NA	NA
Comoros	607	566	650
Eritrea	558	520	598
United Republic of Tanzania	509	471	548
Mauritius	497	461	534
Seychelles	167	NA	NA

Cumulative reported cases per 10,000 population

Country	Cum. reported cases per 10k pop	95%CI lower	95%CI upper
Cabo Verde	193.576	191	197
South Africa	134.217	134	134
Namibia	57.208	NA	NA
Sao Tome and Principe	46.534	NA	NA
Eswatini	45.881	NA	NA
Botswana	44.328	44	45
Gabon	43.284	43	44
Equatorial Guinea	39.313	NA	NA
Algeria	18.477	18	19
Mauritania	18.338	NA	NA
Seychelles	17.259	NA	NA
Ghana	17.209	17	17
Gambia	16.346	NA	NA
Kenya	15.434	15	16
Guinea-Bissau	12.922	12	13
Congo	10.739	11	11
Central African Republic	10.529	NA	NA
Guinea	10.361	NA	NA
Zambia	10.106	NA	NA
Senegal	10.046	10	10
Lesotho	9.923	10	10
Ethiopia	9.806	NA	NA
Cameroon	9.526	9	10
Cote d'Ivoire	8.444	8	9
Comoros	7.293	7	8
Madagascar	6.603	NA	NA
Zimbabwe	6.585	6	7
Mozambique	5.188	5	5
Angola	4.810	5	5
Rwanda	4.698	5	5
Uganda	4.421	NA	NA
Mauritius	3.928	4	4
Togo	3.640	4	4
Nigeria	3.411	3	3
Malawi	3.317	3	3
Liberia	3.275	NA	NA
Sierra Leone	3.148	3	3
South Sudan	2.776	3	3
Benin	2.589	NA	NA
Mali	2.338	2	2
Democratic Republic of the Congo	1.471	1	1
Burkina Faso	1.406	1	1
Chad	1.069	NA	NA
Eritrea	0.922	1	1
Niger	0.632	NA	NA
Burundi	0.606	NA	NA
United Republic of Tanzania	0.090	0	0

Cumulative deaths

Country	Cum. reported deaths	95%CI lower	95%CI upper
South Africa	21201	20971	21437
Algeria	2329	NA	NA
Ethiopia	1664	1598	1737
Kenya	1417	1358	1478
Nigeria	1169	1114	1224
Cameroon	437	402	473
Zambia	357	327	388
Angola	340	NA	NA
Democratic Republic of the Congo	331	301	362
Senegal	331	301	360
Ghana	323	293	352
Zimbabwe	274	NA	NA
Madagascar	251	224	278
Uganda	191	170	215
Malawi	185	163	209
Mauritania	169	148	193
Mali	148	128	169
Namibia	145	NA	NA
Cote d'Ivoire	131	113	151
Mozambique	128	109	147
Gambia	123	106	142
Eswatini	120	NA	NA
Cabo Verde	104	88	122
Chad	101	85	119
Congo	93	NA	NA
Equatorial Guinea	85	70	100
Liberia	83	69	99
Guinea	75	NA	NA
Sierra Leone	74	60	88
Niger	70	57	84
Burkina Faso	68	NA	NA
Togo	64	51	77
Central African Republic	63	51	77
South Sudan	60	NA	NA
Gabon	59	47	72
Rwanda	47	35	58
Lesotho	44	33	56
Benin	43	32	54
Guinea-Bissau	43	33	54
Botswana	31	22	41
United Republic of Tanzania	21	14	29
Sao Tome and Principe	17	NA	NA
Mauritius	10	5	16
Comoros	7	3	12
Burundi	1	0	3
Eritrea	0	0	0
Seychelles	0	0	0

Cumulative deaths per 10,000 populations

Country	Cum. reported deaths per 10k pop	95%CI lower	95%CI upper
South Africa	3.669	4	4
Cabo Verde	1.913	2	2
Eswatini	0.878	NA	NA
Sao Tome and Principe	0.806	NA	NA
Equatorial Guinea	0.649	1	1
Namibia	0.592	NA	NA
Algeria	0.552	NA	NA
Gambia	0.539	0	1
Mauritania	0.384	0	0
Gabon	0.278	0	0
Kenya	0.276	0	0
Guinea-Bissau	0.229	0	0
Senegal	0.209	0	0
Lesotho	0.209	0	0
Zambia	0.206	0	0
Zimbabwe	0.190	NA	NA
Congo	0.177	NA	NA
Cameroon	0.173	0	0
Liberia	0.172	0	0
Ethiopia	0.152	0	0
Botswana	0.138	0	0
Central African Republic	0.135	0	0
Angola	0.110	NA	NA
Ghana	0.109	0	0
Malawi	0.102	0	0
Sierra Leone	0.097	0	0
Madagascar	0.096	0	0
Comoros	0.084	0	0
Togo	0.081	0	0
Mauritius	0.079	0	0
Mali	0.078	0	0
Chad	0.065	0	0
Guinea	0.060	NA	NA
Nigeria	0.060	0	0
South Sudan	0.055	NA	NA
Cote d'Ivoire	0.052	0	0
Uganda	0.045	0	0
Mozambique	0.043	0	0
Democratic Republic of the Congo	0.039	0	0
Rwanda	0.038	0	0
Benin	0.037	0	0
Burkina Faso	0.034	NA	NA
Niger	0.031	0	0
United Republic of Tanzania	0.004	0	0
Burundi	0.001	0	0
Eritrea	0.000	0	0
Seychelles	0.000	0	0

Weekly Ratio (cases)

Country	Weekly Ratio	95%CI lower	95%CI upper
Gabon	7.929	4.548	13.823
Sao Tome and Principe	3.000	1.090	8.254
Cameroon	2.773	2.476	3.107
Gambia	2.750	1.224	6.177
Mali	2.119	1.810	2.481
Seychelles	2.000	0.500	7.997
Burundi	1.842	1.054	3.220
Mauritania	1.836	1.363	2.472
Democratic Republic of the Congo	1.706	1.465	1.987
Zimbabwe	1.678	1.459	1.930
Eritrea	1.481	0.909	2.414
Equatorial Guinea	1.471	0.794	2.723
Eswatini	1.280	0.985	1.663
Burkina Faso	1.274	0.957	1.695
Namibia	1.245	1.074	1.443
South Africa	1.245	1.218	1.272
Cabo Verde	1.195	1.053	1.357
Senegal	1.182	0.890	1.570
Niger	1.173	0.862	1.597
Algeria	1.161	1.122	1.200
Liberia	1.089	0.758	1.566
Mozambique	1.055	0.947	1.176
Zambia	1.045	0.877	1.246
Uganda	1.038	0.975	1.105
Rwanda	1.022	0.852	1.225
Sierra Leone	1.000	0.434	2.307
Ethiopia	0.994	0.946	1.044
Kenya	0.964	0.932	0.997
Nigeria	0.945	0.870	1.025
Angola	0.928	0.847	1.016
Guinea	0.905	0.739	1.107
Benin	0.806	0.570	1.138
Chad	0.765	0.504	1.160
Comoros	0.727	0.382	1.385
Botswana	0.701	0.643	0.764
Lesotho	0.689	0.482	0.985
Ghana	0.665	0.607	0.728
Cote d'Ivoire	0.647	0.516	0.812
Togo	0.619	0.493	0.777
South Sudan	0.554	0.357	0.858
Guinea-Bissau	0.500	0.045	5.514
Malawi	0.465	0.274	0.791
Madagascar	0.403	0.265	0.611
Central African Republic	0.316	0.126	0.791
Mauritius	0.250	0.102	0.612
Congo	0.000	0.000	NA
United Republic of Tanzania	NA	NA	NA

Weekly Ratio (deaths)

Country	Weekly Ratio	95%CI lower	95%CI upper
Nigeria	6.000	0.722	49.839
Mali	2.333	0.603	9.023
Zimbabwe	2.167	0.824	5.700
Uganda	1.889	1.067	3.344
South Africa	1.183	1.056	1.326
Democratic Republic of the Congo	1.143	0.414	3.152
Ethiopia	1.125	0.785	1.612
Algeria	1.088	0.843	1.405
Botswana	1.000	0.141	7.099
Cote d'Ivoire	1.000	0.141	7.099
Gabon	1.000	0.063	15.988
Madagascar	1.000	0.063	15.988
Namibia	0.833	0.254	2.731
Kenya	0.782	0.605	1.011
Senegal	0.667	0.111	3.990
Mozambique	0.600	0.263	1.371
Eswatini	0.500	0.045	5.514
Angola	0.400	0.176	0.908
Rwanda	0.200	0.023	1.712
Togo	0.167	0.020	1.384
Zambia	0.167	0.020	1.384
Burkina Faso	0.000	0.000	NA
Cabo Verde	0.000	0.000	NA
Central African Republic	0.000	0.000	NA
Chad	0.000	0.000	NA
Congo	0.000	0.000	NA
Ghana	0.000	0.000	NA
Guinea	0.000	0.000	NA
Niger	0.000	0.000	NA
Benin	NA	NA	NA
Burundi	NA	NA	NA
Cameroon	NA	NA	NA
Comoros	NA	NA	NA
Equatorial Guinea	NA	NA	NA
Eritrea	NA	NA	NA
Gambia	NA	NA	NA
Guinea-Bissau	NA	NA	NA
Lesotho	NA	NA	NA
Liberia	NA	NA	NA
Malawi	NA	NA	NA
Mauritania	NA	NA	NA
Mauritius	NA	NA	NA
Sao Tome and Principe	NA	NA	NA
Seychelles	NA	NA	NA
Sierra Leone	NA	NA	NA
South Sudan	NA	NA	NA
United Republic of Tanzania	NA	NA	NA