COVID-19 situation report for WHO Africa Region

28/01/2021

Produced by the TIBA COVID-19 Pandemic Response Unit



NIHR Global Health Research Unit Tackling Infections to Benefit Africa at the University of Edinburgh

Contents

(Click to access)

Section 1: Overview of WHO Africa Region 28/01/2021 **4**
Overview . . . 4
Methods . . . 5
Summary maps . . . 6

Section 2: Individual country situations **7**
Algeria . . . 8
Angola . . . 9
Benin . . . 10
Botswana . . . 11
Burkina Faso . . . 12
Burundi . . . 13
Cabo Verde . . . 14
Cameroon . . . 15
Central African Republic . . . 16
Chad . . . 17
Comoros . . . 18
Congo . . . 19
Cote d'Ivoire . . . 20
Democratic Republic of the Congo . . . 21
Equatorial Guinea . . . 22
Eritrea . . . 23
Eswatini . . . 24
Ethiopia . . . 25
Gabon . . . 26
Gambia . . . 27
Ghana . . . 28
Guinea . . . 29
Guinea-Bissau . . . 30
Kenya . . . 31
Lesotho . . . 32
Liberia . . . 33
Madagascar . . . 34
Malawi . . . 35
Mali . . . 36
Mauritania . . . 37
Mauritius . . . 38
Mozambique . . . 39
Namibia . . . 40
Niger . . . 41
Nigeria . . . 42
Rwanda . . . 43
Sao Tome and Principe . . . 44
Senegal . . . 45
Seychelles . . . 46
Sierra Leone . . . 47

South Africa . . . 48
South Sudan . . . 49
Togo . . . 50
Uganda . . . 51
United Republic of Tanzania . . . 52
Zambia . . . 53
Zimbabwe . . . 54

Appendix **55**
Data . . . 55
Sources and access . . . 55
Weekly Ratio calculations . . . 55
Caveats . . . 55

Extended Data tables **56**
Cumulative reported cases . . . 56
Cumulative reported cases per 10,000 population . . . 57
Cumulative deaths . . . 58
Cumulative deaths per 10,000 populations . . . 59
Weekly Ratio (cases) . . . 60
Weekly Ratio (deaths) . . . 61


Section 1: Overview of WHO Africa Region 28/01/2021


Overview



Total Reported Cases
2505728

Total Reported Deaths
60472





Methods

We compare the size and rate of increase of the COVID-19 epidemic across the countries included in WHO Africa Region.


The maps below summarise the in-country situations:


- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratios for new cases and new deaths. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. These maps show weekly rations on a single date and may not be indicative of long term trends. See methods for more details.


Caveats:


- Colour scales are non-linear and are re-calibrated every week.
- WHO African region countries shaded in white either have no reported deaths/cases or, for weekly ratio calculations, have reduced their cumulative total cases/deaths in the last 14 days due to retrospective changes in reporting procedures.
- Doubling times have been replaced by weekly ratios because some countries are moving out of the exponential phase of the epidemic.


Summary maps














Section 2: Individual country situations


As of 28/01/2021, each panel below shows for each country:

- Top row: cumulative reported cases (left) and deaths (right).
- Middle row: cumulative reported cases (left) and deaths (right) per 10,000 population on a log10 scale.
- Bottom row: weekly ratio of the number of new cases (left) and deaths (right) calculated for each of the past 7 days leading up to 28/01/2021. Gaps in the plotted data indicate values that could not be calculated.

Caveats;


- Retrospective changes in reporting policy may cause cumulative deaths/cases counts to drop as described in WHO Sit Rep Number 105, published on 04/05/2020.

Algeria




Algeria has 106359 reported case(s) (4th in the region) and 2877 reported death(s) (2nd). Cumulative counts per 10,000 population of reported cases and deaths are 25 (14th) and 0.68 (10th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.89 (27th). The weekly ratio of reported deaths over the last 2 weeks is 0.61 (25th).

Angola




Angola has 19580 reported case(s) (18th in the region) and 462 reported death(s) (12th). Cumulative counts per 10,000 population of reported cases and deaths are 6.4 (33rd) and 0.15 (26th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.73 (37th). The weekly ratio of reported deaths over the last 2 weeks is 0.9 (20th).

Benin




Benin has 3786 reported case(s) (36th in the region) and 48 reported death(s) (40th). Cumulative counts per 10,000 population of reported cases and deaths are 3.3 (42nd) and 0.042 (44th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (14th). The weekly ratio of reported deaths over the last 2 weeks is 0 (30th).

Botswana




Botswana has 20658 reported case(s) (17th in the region) and 124 reported death(s) (27th). Cumulative counts per 10,000 population of reported cases and deaths are 92 (6th) and 0.55 (13th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.79 (33rd). The weekly ratio of reported deaths over the last 2 weeks is 0.9 (21st).

Burkina Faso




Burkina Faso has 10217 reported case(s) (26th in the region) and 120 reported death(s) (28th). Cumulative counts per 10,000 population of reported cases and deaths are 5.2 (35th) and 0.061 (41st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.66 (39th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (11th).

Burundi




Burundi has 1584 reported case(s) (43rd in the region) and 2 reported death(s) (47th). Cumulative counts per 10,000 population of reported cases and deaths are 1.4 (46th) and 0.0018 (47th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.89 (28th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Cabo Verde




Cabo Verde has 13722 reported case(s) (24th in the region) and 129 reported death(s) (25th). Cumulative counts per 10,000 population of reported cases and deaths are 250 (1st) and 2.4 (3rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.79 (32nd). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (7th).

Cameroon




Cameroon has 29617 reported case(s) (12th in the region) and 462 reported death(s) (13th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (25th) and 0.18 (23rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.4 (3rd). The weekly ratio of reported deaths over the last 2 weeks is 1.8 (5th).

Central African Republic




Central African Republic has 4981 reported case(s) (31st in the region) and 63 reported death(s) (39th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (29th) and 0.14 (28th) respectively. The weekly ratio of reported cases over the last 2 weeks is 7 (1st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Chad




Chad has 3269 reported case(s) (37th in the region) and 117 reported death(s) (29th). Cumulative counts per 10,000 population of reported cases and deaths are 2.1 (44th) and 0.076 (37th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.85 (30th). The weekly ratio of reported deaths over the last 2 weeks is 0.6 (26th).

Comoros




Comoros has 2492 reported case(s) (40th in the region) and 81 reported death(s) (34th). Cumulative counts per 10,000 population of reported cases and deaths are 30 (12th) and 0.97 (5th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.94 (26th). The weekly ratio of reported deaths over the last 2 weeks is 1.3 (8th).

Congo




Congo has 7887 reported case(s) (29th in the region) and 117 reported death(s) (30th). Cumulative counts per 10,000 population of reported cases and deaths are 15 (20th) and 0.22 (21st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.15 (45th). The weekly ratio of reported deaths over the last 2 weeks is 0 (31st).

Cote d'Ivoire




Cote d'Ivoire has 27456 reported case(s) (13th in the region) and 151 reported death(s) (24th). Cumulative counts per 10,000 population of reported cases and deaths are 11 (28th) and 0.06 (42nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (11th). The weekly ratio of reported deaths over the last 2 weeks is 4.5 (2nd).

Democratic Republic of the Congo




Democratic Republic of the Congo has 22177 reported case(s) (15th in the region) and 661 reported death(s) (8th). Cumulative counts per 10,000 population of reported cases and deaths are 2.6 (43rd) and 0.079 (36th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.49 (43rd). The weekly ratio of reported deaths over the last 2 weeks is 0.7 (23rd).

Equatorial Guinea




Equatorial Guinea has 5492 reported case(s) (30th in the region) and 86 reported death(s) (31st). Cumulative counts per 10,000 population of reported cases and deaths are 42 (9th) and 0.66 (11th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.6 (2nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eritrea




Eritrea has 2085 reported case(s) (41st in the region) and 7 reported death(s) (45th). Cumulative counts per 10,000 population of reported cases and deaths are 3.4 (41st) and 0.012 (45th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.56 (41st). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Eswatini




Eswatini has 15051 reported case(s) (21st in the region) and 522 reported death(s) (11th). Cumulative counts per 10,000 population of reported cases and deaths are 110 (5th) and 3.8 (2nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.76 (35th). The weekly ratio of reported deaths over the last 2 weeks is 1 (14th).

Ethiopia




Ethiopia has 135045 reported case(s) (2nd in the region) and 2083 reported death(s) (3rd). Cumulative counts per 10,000 population of reported cases and deaths are 12 (22nd) and 0.19 (22nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (17th). The weekly ratio of reported deaths over the last 2 weeks is 1 (13th).

Gabon




Gabon has 10536 reported case(s) (25th in the region) and 68 reported death(s) (37th). Cumulative counts per 10,000 population of reported cases and deaths are 50 (8th) and 0.32 (17th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (9th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Gambia




Gambia has 4019 reported case(s) (34th in the region) and 128 reported death(s) (26th). Cumulative counts per 10,000 population of reported cases and deaths are 18 (18th) and 0.56 (12th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (19th). The weekly ratio of reported deaths over the last 2 weeks is 0 (32nd).

Ghana




Ghana has 62751 reported case(s) (6th in the region) and 377 reported death(s) (15th). Cumulative counts per 10,000 population of reported cases and deaths are 21 (16th) and 0.13 (29th) respectively. The weekly ratio of reported cases over the last 2 weeks is 2.1 (4th). The weekly ratio of reported deaths over the last 2 weeks is 1.1 (10th).

Guinea




Guinea has 14417 reported case(s) (22nd in the region) and 82 reported death(s) (33rd). Cumulative counts per 10,000 population of reported cases and deaths are 12 (26th) and 0.066 (40th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (18th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Guinea-Bissau




Guinea-Bissau has 2544 reported case(s) (39th in the region) and 45 reported death(s) (41st). Cumulative counts per 10,000 population of reported cases and deaths are 14 (21st) and 0.24 (20th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.54 (42nd). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Kenya




Kenya has 100323 reported case(s) (5th in the region) and 1751 reported death(s) (4th). Cumulative counts per 10,000 population of reported cases and deaths are 20 (17th) and 0.34 (16th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.99 (23rd). The weekly ratio of reported deaths over the last 2 weeks is 0.94 (19th).

Lesotho




Lesotho has 8142 reported case(s) (27th in the region) and 160 reported death(s) (22nd). Cumulative counts per 10,000 population of reported cases and deaths are 39 (10th) and 0.76 (9th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (8th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Liberia




Liberia has 1936 reported case(s) (42nd in the region) and 84 reported death(s) (32nd). Cumulative counts per 10,000 population of reported cases and deaths are 4 (39th) and 0.17 (24th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (6th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Madagascar




Madagascar has 18743 reported case(s) (19th in the region) and 279 reported death(s) (20th). Cumulative counts per 10,000 population of reported cases and deaths are 7.1 (31st) and 0.11 (31st) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.5 (5th). The weekly ratio of reported deaths over the last 2 weeks is 1 (15th).

Malawi




Malawi has 21660 reported case(s) (16th in the region) and 555 reported death(s) (10th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (23rd) and 0.31 (19th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.4 (7th). The weekly ratio of reported deaths over the last 2 weeks is 2.5 (3rd).

Mali




Mali has 8037 reported case(s) (28th in the region) and 327 reported death(s) (18th). Cumulative counts per 10,000 population of reported cases and deaths are 4.2 (38th) and 0.17 (25th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.88 (29th). The weekly ratio of reported deaths over the last 2 weeks is 0.6 (27th).

Mauritania




Mauritania has 16222 reported case(s) (20th in the region) and 410 reported death(s) (14th). Cumulative counts per 10,000 population of reported cases and deaths are 37 (11th) and 0.93 (6th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.43 (44th). The weekly ratio of reported deaths over the last 2 weeks is 0.53 (29th).

Mauritius




Mauritius has 568 reported case(s) (46th in the region) and 10 reported death(s) (44th). Cumulative counts per 10,000 population of reported cases and deaths are 4.5 (36th) and 0.079 (34th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (15th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Mozambique




Mozambique has 34926 reported case(s) (9th in the region) and 336 reported death(s) (16th). Cumulative counts per 10,000 population of reported cases and deaths are 12 (24th) and 0.11 (30th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.98 (24th). The weekly ratio of reported deaths over the last 2 weeks is 0.98 (17th).

Namibia




Namibia has 33255 reported case(s) (10th in the region) and 332 reported death(s) (17th). Cumulative counts per 10,000 population of reported cases and deaths are 140 (3rd) and 1.4 (4th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.97 (25th). The weekly ratio of reported deaths over the last 2 weeks is 1 (12th).

Niger




Niger has 4433 reported case(s) (33rd in the region) and 153 reported death(s) (23rd). Cumulative counts per 10,000 population of reported cases and deaths are 2 (45th) and 0.068 (39th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.73 (36th). The weekly ratio of reported deaths over the last 2 weeks is 0.55 (28th).

Nigeria




Nigeria has 126160 reported case(s) (3rd in the region) and 1543 reported death(s) (5th). Cumulative counts per 10,000 population of reported cases and deaths are 6.4 (32nd) and 0.079 (35th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (21st). The weekly ratio of reported deaths over the last 2 weeks is 0.68 (24th).

Rwanda




Rwanda has 14166 reported case(s) (23rd in the region) and 183 reported death(s) (21st). Cumulative counts per 10,000 population of reported cases and deaths are 12 (27th) and 0.15 (27th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (10th). The weekly ratio of reported deaths over the last 2 weeks is 1.2 (9th).

Sao Tome and Principe




Sao Tome and Principe has 1221 reported case(s) (44th in the region) and 17 reported death(s) (43rd). Cumulative counts per 10,000 population of reported cases and deaths are 58 (7th) and 0.81 (7th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.78 (34th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Senegal




Senegal has 25407 reported case(s) (14th in the region) and 601 reported death(s) (9th). Cumulative counts per 10,000 population of reported cases and deaths are 16 (19th) and 0.38 (15th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1 (22nd). The weekly ratio of reported deaths over the last 2 weeks is 0.96 (18th).

Seychelles




Seychelles has 1130 reported case(s) (45th in the region) and 3 reported death(s) (46th). Cumulative counts per 10,000 population of reported cases and deaths are 120 (4th) and 0.31 (18th) respectively. The weekly ratio of reported cases cannot be calculated as some cases have been redacted in one of the last 2 weeks. The weekly ratio of reported deaths over the last 2 weeks is 0 (33rd).

Sierra Leone




Sierra Leone has 3236 reported case(s) (38th in the region) and 77 reported death(s) (35th). Cumulative counts per 10,000 population of reported cases and deaths are 4.2 (37th) and 0.1 (32nd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.1 (20th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

South Africa




South Africa has 1430648 reported case(s) (1st in the region) and 42550 reported death(s) (1st). Cumulative counts per 10,000 population of reported cases and deaths are 250 (2nd) and 7.4 (1st) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.67 (38th). The weekly ratio of reported deaths over the last 2 weeks is 1 (16th).

South Sudan




South Sudan has 3882 reported case(s) (35th in the region) and 64 reported death(s) (38th). Cumulative counts per 10,000 population of reported cases and deaths are 3.5 (40th) and 0.058 (43rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (12th). The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in one of the last 2 weeks.

Togo




Togo has 4870 reported case(s) (32nd in the region) and 76 reported death(s) (36th). Cumulative counts per 10,000 population of reported cases and deaths are 6.2 (34th) and 0.096 (33rd) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.2 (16th). The weekly ratio of reported deaths over the last 2 weeks is 2 (4th).

Uganda




Uganda has 39314 reported case(s) (8th in the region) and 318 reported death(s) (19th). Cumulative counts per 10,000 population of reported cases and deaths are 9.2 (30th) and 0.074 (38th) respectively. The weekly ratio of reported cases over the last 2 weeks is 1.3 (13th). The weekly ratio of reported deaths over the last 2 weeks is 13 (1st).

United Republic of Tanzania




United Republic of Tanzania has 509 reported case(s) (47th in the region) and 21 reported death(s) (42nd). Cumulative counts per 10,000 population of reported cases and deaths are 0.09 (47th) and 0.0037 (46th) respectively. The weekly ratio of reported cases cannot be calculated as no new cases have been reported in 1 of the last 2 weeks. The weekly ratio of reported deaths cannot be calculated as no new deaths have been reported in 1 of the last 2 weeks.

Zambia



Zambia has 48911 reported case(s) (7th in the region) and 688 reported death(s) (7th). Cumulative counts per 10,000 population of reported cases and deaths are 28 (13th) and 0.4 (14th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.81 (31st). The weekly ratio of reported deaths over the last 2 weeks is 1.4 (6th).

Zimbabwe



Zimbabwe has 32304 reported case(s) (11th in the region) and 1122 reported death(s) (6th). Cumulative counts per 10,000 population of reported cases and deaths are 22 (15th) and 0.78 (8th) respectively. The weekly ratio of reported cases over the last 2 weeks is 0.56 (40th). The weekly ratio of reported deaths over the last 2 weeks is 0.84 (22nd).

Appendix

Data

Sources and access

- Case counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 28/01/2021).
- Death counts for countries from WHO Coronavirus disease (COVID-2019) Dashboard https://covid19.who.int/table (accessed 2400 28/01/2021).
- Population counts from the World Bank (2018) https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ZG (accessed 0900 30/03/2020).

Weekly Ratio calculations

Weekly ratios are calculated by dividing the sum of new cases or deaths over the past 7 days by their respective sums in the 7 days prior. The higher the weekly ratio, the faster an epidemic is growing. A weekly ratio of 1 represents stable growth (i.e. the number of cases or deaths in the past 7 days was the same as the 7 days before). A value between 1 and 0 indicates that an epidemic is in decline. A value of -1 has been assigned to countries which have removed cases or deaths from their cumulative counts. Doubling times have been replaced by weekly ratios because as countries move out of their exponential growth phases, doubling times become inappropriate and unreliable.

Confidence intervals calculated using bootstrapping of a simulated dataset with Poisson error structure.

Caveats

- Case count data are affected by any changes in testing strategy or testing effort over time and/or any variation in testing strategy or testing effort between regions.
- Case count data are likely a substantial under-representation of the true number of COVID-19 infections.
- Death data are considered more reliable but may lag behind case data by as much as 3 weeks.

Extended Data tables

Cumulative reported cases

Country	Cum. reported cases	95%CI lower	95%CI upper
South Africa	1430648	1428714	1432626
Ethiopia	135045	NA	NA
Nigeria	126160	125600	126769
Algeria	106359	105840	106829
Kenya	100323	99830	100868
Ghana	62751	62355	63162
Zambia	48911	NA	NA
Uganda	39314	NA	NA
Mozambique	34926	34618	35229
Namibia	33255	NA	NA
Zimbabwe	32304	32025	32586
Cameroon	29617	29337	29897
Cote d'Ivoire	27456	27175	27712
Senegal	25407	25148	25664
Democratic Republic of the Congo	22177	21930	22417
Malawi	21660	21407	21889
Botswana	20658	20437	20886
Angola	19580	19344	19800
Madagascar	18743	NA	NA
Mauritania	16222	NA	NA
Eswatini	15051	NA	NA
Guinea	14417	NA	NA
Rwanda	14166	13974	14378
Cabo Verde	13722	13528	13925
Gabon	10536	10370	10713
Burkina Faso	10217	10054	10394
Lesotho	8142	8003	8290
Mali	8037	7896	8184
Congo	7887	7738	8034
Equatorial Guinea	5492	NA	NA
Central African Republic	4981	NA	NA
Togo	4870	4753	4984
Niger	4433	NA	NA
Gambia	4019	NA	NA
South Sudan	3882	3782	3987
Benin	3786	NA	NA
Chad	3269	NA	NA
Sierra Leone	3236	3146	3320
Guinea-Bissau	2544	2463	2627
Comoros	2492	NA	NA
Eritrea	2085	2013	2164
Liberia	1936	NA	NA
Burundi	1584	NA	NA
Sao Tome and Principe	1221	NA	NA
Seychelles	1130	NA	NA
Mauritius	568	529	609
United Republic of Tanzania	509	475	548

Cumulative reported cases per 10,000 population

Country	Cum. reported cases per 10k pop	95%CI lower	95%CI upper
Cabo Verde	252.351	249	256
South Africa	247.604	247	248
Namibia	135.831	NA	NA
Seychelles	116.781	NA	NA
Eswatini	110.102	NA	NA
Botswana	91.645	91	93
Sao Tome and Principe	57.860	NA	NA
Gabon	49.715	49	51
Equatorial Guinea	41.957	NA	NA
Lesotho	38.622	38	39
Mauritania	36.840	NA	NA
Comoros	29.940	NA	NA
Zambia	28.188	NA	NA
Algeria	25.187	25	25
Zimbabwe	22.373	22	23
Ghana	21.081	21	21
Kenya	19.521	19	20
Gambia	17.626	NA	NA
Senegal	16.025	16	16
Congo	15.039	15	15
Guinea-Bissau	13.573	13	14
Ethiopia	12.364	NA	NA
Malawi	11.938	12	12
Mozambique	11.841	12	12
Cameroon	11.745	12	12
Guinea	11.613	NA	NA
Rwanda	11.515	11	12
Cote d'Ivoire	10.952	11	11
Central African Republic	10.674	NA	NA
Uganda	9.202	NA	NA
Madagascar	7.137	NA	NA
Nigeria	6.441	6	6
Angola	6.355	6	6
Togo	6.173	6	6
Burkina Faso	5.173	5	5
Mauritius	4.489	4	5
Sierra Leone	4.230	4	4
Mali	4.213	4	4
Liberia	4.017	NA	NA
South Sudan	3.537	3	4
Eritrea	3.446	3	4
Benin	3.296	NA	NA
Democratic Republic of the Congo	2.638	3	3
Chad	2.112	NA	NA
Niger	1.975	NA	NA
Burundi	1.417	NA	NA
United Republic of Tanzania	0.090	0	0

Cumulative deaths

Country	Cum. reported deaths	95%CI lower	95%CI upper
South Africa	42550	42202	42882
Algeria	2877	NA	NA
Ethiopia	2083	2007	2152
Kenya	1751	1680	1823
Nigeria	1543	1483	1614
Zimbabwe	1122	NA	NA
Zambia	688	643	733
Democratic Republic of the Congo	661	620	704
Senegal	601	562	640
Malawi	555	518	594
Eswatini	522	NA	NA
Angola	462	NA	NA
Cameroon	462	425	499
Mauritania	410	378	442
Ghana	377	346	411
Mozambique	336	306	367
Namibia	332	NA	NA
Mali	327	296	357
Uganda	318	289	348
Madagascar	279	250	307
Rwanda	183	162	206
Lesotho	160	NA	NA
Niger	153	133	172
Cote d'Ivoire	151	131	171
Cabo Verde	129	110	148
Gambia	128	110	147
Botswana	124	107	143
Burkina Faso	120	NA	NA
Chad	117	100	135
Congo	117	NA	NA
Equatorial Guinea	86	71	102
Liberia	84	69	100
Guinea	82	NA	NA
Comoros	81	67	95
Sierra Leone	77	63	91
Togo	76	62	92
Gabon	68	55	82
South Sudan	64	NA	NA
Central African Republic	63	50	77
Benin	48	36	59
Guinea-Bissau	45	34	56
United Republic of Tanzania	21	14	29
Sao Tome and Principe	17	NA	NA
Mauritius	10	5	15
Eritrea	7	NA	NA
Seychelles	3	1	6
Burundi	2	0	5

Cumulative deaths per 10,000 populations

Country	Cum. reported deaths per 10k pop	95%CI lower	95%CI upper
South Africa	7.364	7	7
Eswatini	3.819	NA	NA
Cabo Verde	2.372	2	3
Namibia	1.356	NA	NA
Comoros	0.973	1	1
Mauritania	0.931	1	1
Sao Tome and Principe	0.806	NA	NA
Zimbabwe	0.777	NA	NA
Lesotho	0.759	NA	NA
Algeria	0.681	NA	NA
Equatorial Guinea	0.657	1	1
Gambia	0.561	0	1
Botswana	0.550	0	1
Zambia	0.397	0	0
Senegal	0.379	0	0
Kenya	0.341	0	0
Gabon	0.321	0	0
Seychelles	0.310	0	1
Malawi	0.306	0	0
Guinea-Bissau	0.240	0	0
Congo	0.223	NA	NA
Ethiopia	0.191	0	0
Cameroon	0.183	0	0
Liberia	0.174	0	0
Mali	0.171	0	0
Angola	0.150	NA	NA
Rwanda	0.149	0	0
Central African Republic	0.135	0	0
Ghana	0.127	0	0
Mozambique	0.114	0	0
Madagascar	0.106	0	0
Sierra Leone	0.101	0	0
Togo	0.096	0	0
Mauritius	0.079	0	0
Nigeria	0.079	0	0
Democratic Republic of the Congo	0.079	0	0
Chad	0.076	0	0
Uganda	0.074	0	0
Niger	0.068	0	0
Guinea	0.066	NA	NA
Burkina Faso	0.061	NA	NA
Cote d'Ivoire	0.060	0	0
South Sudan	0.058	NA	NA
Benin	0.042	0	0
Eritrea	0.012	NA	NA
United Republic of Tanzania	0.004	0	0
Burundi	0.002	0	0

Weekly Ratio (cases)

Country	Weekly Ratio	95%CI lower	95%CI upper
Central African Republic	7.000	0.861	56.897
Equatorial Guinea	2.592	1.864	3.604
Cameroon	2.384	2.179	2.609
Ghana	2.134	2.019	2.256
Madagascar	1.473	1.272	1.706
Liberia	1.458	0.867	2.452
Malawi	1.401	1.350	1.454
Lesotho	1.394	1.273	1.527
Gabon	1.382	1.192	1.603
Rwanda	1.327	1.247	1.412
Cote d'Ivoire	1.318	1.229	1.412
South Sudan	1.304	0.994	1.711
Uganda	1.263	1.129	1.414
Benin	1.207	0.984	1.480
Mauritius	1.200	0.518	2.777
Togo	1.174	1.018	1.354
Ethiopia	1.163	1.103	1.226
Guinea	1.154	0.946	1.407
Gambia	1.150	0.814	1.625
Sierra Leone	1.128	0.914	1.392
Nigeria	1.073	1.045	1.101
Senegal	1.003	0.939	1.072
Kenya	0.989	0.901	1.085
Mozambique	0.975	0.940	1.012
Namibia	0.967	0.910	1.028
Comoros	0.944	0.841	1.060
Algeria	0.892	0.836	0.951
Burundi	0.886	0.741	1.060
Mali	0.881	0.702	1.105
Chad	0.848	0.718	1.002
Zambia	0.808	0.785	0.833
Cabo Verde	0.788	0.701	0.886
Botswana	0.786	0.742	0.833
Sao Tome and Principe	0.785	0.544	1.132
Eswatini	0.758	0.704	0.815
Niger	0.733	0.606	0.887
Angola	0.729	0.649	0.819
South Africa	0.672	0.665	0.679
Burkina Faso	0.659	0.598	0.727
Zimbabwe	0.562	0.537	0.588
Eritrea	0.557	0.463	0.671
Guinea-Bissau	0.540	0.356	0.819
Democratic Republic of the Congo	0.485	0.447	0.526
Mauritania	0.428	0.360	0.508
Congo	0.147	0.118	0.182
Seychelles	-1.000	NA	NA
United Republic of Tanzania	NA	NA	NA

Weekly Ratio (deaths)

Country	Weekly Ratio	95%CI lower	95%CI upper
Uganda	13.000	1.701	99.379
Cote d'Ivoire	4.500	0.972	20.828
Malawi	2.544	1.961	3.301
Togo	2.000	0.181	22.057
Cameroon	1.750	0.512	5.978
Zambia	1.355	1.008	1.823
Cabo Verde	1.333	0.463	3.843
Comoros	1.286	0.727	2.274
Rwanda	1.200	0.706	2.040
Ghana	1.118	0.581	2.150
Burkina Faso	1.077	0.506	2.291
Namibia	1.033	0.626	1.707
Ethiopia	1.026	0.657	1.604
Eswatini	1.000	0.752	1.329
Madagascar	1.000	0.323	3.101
South Africa	0.995	0.951	1.042
Mozambique	0.985	0.699	1.387
Senegal	0.965	0.666	1.398
Kenya	0.938	0.463	1.896
Angola	0.900	0.476	1.701
Botswana	0.900	0.574	1.412
Zimbabwe	0.838	0.707	0.994
Democratic Republic of the Congo	0.700	0.401	1.223
Nigeria	0.677	0.494	0.928
Algeria	0.605	0.361	1.016
Chad	0.600	0.143	2.511
Mali	0.600	0.263	1.371
Niger	0.545	0.202	1.475
Mauritania	0.533	0.226	1.258
Benin	0.000	0.000	NA
Congo	0.000	0.000	NA
Gambia	0.000	0.000	NA
Seychelles	0.000	0.000	NA
Burundi	NA	NA	NA
Central African Republic	NA	NA	NA
Equatorial Guinea	NA	NA	NA
Eritrea	NA	NA	NA
Gabon	NA	NA	NA
Guinea	NA	NA	NA
Guinea-Bissau	NA	NA	NA
Lesotho	NA	NA	NA
Liberia	NA	NA	NA
Mauritius	NA	NA	NA
Sao Tome and Principe	NA	NA	NA
Sierra Leone	NA	NA	NA
South Sudan	NA	NA	NA
United Republic of Tanzania	NA	NA	NA